

Happy pet. **Farmina** Happy you.



THE FARMINA ESSENTIALS



DRY & WET PRODUCTS



Farmina Pet Foods

www.farina.com

Nice to meet you, we are your Pet Nutrition Company.

Our experience, your pet's well-being.

LET'S DISCOVER:



Constant
nutritional support



Customizable
nutritional plan



Dynamic rationing
studied on the needs
of the pet



How to reach the
ideal weight



A wide menu of
complete foods



Now you can ask us more, make your pet smile.

Who is the Farmina Genius?

Farmina Genius is the genie who will always be by Pet Parents' side to help them take care of their four-legged family members through clever and personalized solutions. Unlike the genie of the lamp, there is no limit to how many wishes can be made!

Pets need attention and care, but love is not enough to ensure proper health management and sometimes serious mistakes are made due to too much love (for example, the pet could be overfed).

Thanks to the Farmina Genius Consultant's competent support, Pet Parents can resort to expert guidance when it comes to keeping an excellent Health Management and a personalized nutrition for their beloved pets.



Solutions for pets.



Download now
FarminaGenius
Solutions for pets.



**FARMINA
HEALTH
MANAGEMENT
PROGRAM**



*body
conditions*

+

*dynamic
nutrition plan*



+



*water
intake*

+

*urinary
pH*



+



*health
check*

=



**Longer and
Healthier Life**



By downloading the Farmina Genius App for FREE, Pet Parents will be able to register their pets in the Health Management Program.

Download now
FarminaGenius
Solutions for pets.



The **Genius Consultant**, in collaboration with the **Veterinarian**, will guide pets through a 5-step wellness path that will create the ideal preconditions for a longer and healthier life.

INDEX

Farmina Vet Life

Canine formula

Farmina Vet Life..... pag. 11

Farmina Vet Life *wet food*..... pag. 26

Feline formula

Farmina Vet Life.....pag. 33

Farmina Vet Life *wet food*..... pag. 42

Natural & Delicious

Canine formula

N&D Quinoa..... pag. 49

N&D Quinoa *wet food*.....pag. 57

Feline formula

N&D Quinoa.....pag. 65

N&D Quinoa *wet food*.....pag. 72

Canine formula

N&D Primepag. 81

N&D Prime *wet food*..... pag. 86

N&D Pumpkinpag. 91

N&D Pumpkin *wet food*..... pag. 98

N&D Ancestral Grain pag. 109

N&D Ancestral Grain *wet food*pag. 118

N&D Ocean pag. 123

N&D Ocean *wet food*..... pag. 129

Feline formula

N&D Prime pag. 137

N&D Prime *wet food*..... pag. 143

N&D Pumpkin pag. 149

N&D Pumpkin *wet food*..... pag. 155

N&D Ancestral Grain pag. 163

N&D Ocean pag. 169

N&D Ocean *wet food*..... pag. 175

N&D Natural *wet food*..... pag. 182



VetLife



ITALIAN
FORMULA



Farmina.com | f i



 CANINE FORMULAS

		DRY	WET
Gastrointestinal Puppy	Reduction of acute intestinal absorptive disorders • Acute diarrhea • Convalescence after acute diarrhea		
Convalescence	Convalescence • Nutritional restoration		
Gastrointestinal	Reduction of acute intestinal absorptive disorders • Acute diarrhea • Convalescence after acute diarrhea • Compensation for maldigestion • Exocrine pancreatic insufficiency (EPI)		
Hepatic	Chronic liver insufficiency		
Hypoallergenic Fish & Potato	Adverse Food Reactions		
Hypoallergenic Egg & Rice	Adverse Food Reactions		
Hypoallergenic Duck & Potato	Adverse Food Reactions		
UltraHypo	Adverse Food Reactions • Elimination diet		
Struvite	Dissolution of struvite stones • Reduction of struvite stone recurrence		
Struvite Management	Reduction of struvite stone recurrence		
Oxalate	Reduction of oxalate stones formation • Reduction of urate stones formation • Reduction of cystine stones formation		
Renal	Acute renal insufficiency • Chronic renal insufficiency • Support of heart function in the case of chronic cardiac insufficiency		
Cardiac	Support of heart function in the case of chronic cardiac insufficiency		
Joint	Support of joint metabolism in case of osteoarthritis		
Obesity	Weight Management • Overweight • Obesity		
Diabetic	Regulation of glucose supply (Diabetes mellitus) • Reduction of excessive body weight		



The quality of the ingredients and the valuable digestibility of the diet promote a better absorption and usage of nutrients.

Omega-3 are essential fatty acids with anti-inflammatory action that protects intestinal mucosa.

Calcium/Phosphorus ratio (1.40/1.00) adequate for growing dogs.

Glucosamine and Chondroitin support collagen synthesis that promotes joint cartilage renewal, and regulate the composition of the synovial liquid. The integration is useful in growing dogs.

Vitamins and electrolytes integration supports the recovery of intestinal homeostasis after prolonged diarrhea.



- ✓ REDUCTION OF ACUTE INTESTINAL ABSORPTIVE DISORDERS
- ✓ ACUTE DIARRHEA
- ✓ CONVALESCENCE AFTER ACUTE DIARRHEA

Farmina Vet Life Gastrointestinal Puppy is a complete dietetic food for puppies, suggested for the reduction of acute intestinal absorptive disorders.

Farmina Vet Life Gastrointestinal Puppy FVL is a dietetic food with an increased level of electrolytes and highly digestible ingredients.



Additives per kg.

Nutritional additives: Vitamin A 15000IU; Vitamin D3 900IU; Vitamin E 600mg; Vitamin C 150mg; Niacin 38mg; Calcium D-pantothenate 15mg; Vitamin B2 7.5mg; Vitamin B6 6mg; Vitamin B1 4.5mg; Biotin 0.4mg; Folic acid 0.45mg; Vitamin B12 0.06mg; Choline chloride 3000mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 174.6mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 68mg; Iron (Iron(II) chelate of glycine hydrate): 43.1mg; Copper (Copper chelate of hydroxy analogue of methionine): 12.2mg; Selenium (Selenised yeast inactivated): 0.14960mg; Iodine (Calcium iodate anhydrous): 1.56mg; DL-methionine, technically pure 2200mg; L-Lysine-monohydrochloride, technically pure 1500mg; Taurine 1000mg; L-carnitine 300mg. Antioxidants: tocopherol extracts from vegetable oils 10mg.

Energy value

M.E. (CEN) 4268kcal/kg - 17.86MJ/kg

Available in size:
2kg • 12kg



Composition:

dehydrated chicken protein, rice, chicken fat, dried eggs, oats, dried beet pulp, linseed, hydrolysed fish protein, fish oil (from herring), pea fibre, inulin (0.6%), potassium chloride, calcium carbonate, dried brewers' yeast, monocalcium phosphate, sodium chloride, glucosamine (0.025%), chondroitin sulphate (0.025%).

Analytical constituents:

crude protein 29.00%; crude fat 22.00%; crude fibres 1.40%; crude ash 7.60%; calcium 1.40%; phosphorus 1.00%; sodium 0.35%; potassium 0.70%; magnesium 0.10%; Omega-3 fatty acids 0.40%; Omega-6 fatty acids 3.10%; EPA 0.10%; DHA 0.15%. Highly digestible protein and carbohydrate sources.

INSTRUCTIONS FOR USE

it is recommended that a veterinarian's opinion be sought before use. Recommended length of time: 1 to 2 weeks in case of reduction of acute intestinal absorptive disorders, during periods of and recovery from acute diarrhea. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body condition. The ration can be divided into two daily meals or more. It is recommended to mix initially this product with the previously used diet. Water should be available at all times.

Feeding guide

Weight of adult dog	1 cup = 100g								
	2kg (4.4lbs)	5kg (11lbs)	10kg (22lbs)	20kg (44.1lbs)	30kg (66.1lbs)	40kg (88.2lbs)	50kg (110.2lbs)	60kg (132.2lbs)	70kg (154.3lbs)
2 months	33g (0.33c)	65g (0.66c)	100g (1.00c)	150g (1.50c)	200g (2.00c)	230g (2.33c)	265g (2.66c)	300g (3.00c)	345g (3.50c)
3 months	50g (0.50c)	95g (1.00c)	140g (1.33c)	230g (2.33c)	300g (3.00c)	255g (2.50c)	390g (4.00c)	415g (4.00c)	445g (4.50c)
4 months	55g (0.50c)	100g (1.00c)	150g (1.50c)	245g (2.50c)	320g (3.25c)	380g (3.75c)	415g (4.00c)	450g (4.50c)	470g (4.66c)
6 months	60g (0.66c)	125g (1.25c)	190g (2.00c)	300g (3.00c)	400g (4.00c)	470g (4.75c)	550g (5.50c)	620g (6.25c)	680g (6.75c)
10 months	60g (0.66c)	105g (1.00c)	175g (1.75c)	290g (3.00c)	380g (3.75c)	450g (4.50c)	510g (5.00c)	580g (5.75c)	640g (6.33c)
12 months	60g (0.66c)	115g (1.25c)	180g (1.75c)	300g (3.00c)	390g (4.00c)	460g (4.50c)	530g (5.25c)	590g (6.00c)	660g (6.50c)
16 months	Adult	Adult	Adult	Adult	Adult	470g (4.75c)	550g (5.50c)	620g (6.25c)	680g (6.75c)



The quality of the ingredients and the valuable digestibility of the diet promote a better absorption and usage of nutrients.

High quality ingredients, FOS - MOS and other prebiotics, Omega-3 and natural antioxidants promote the recovery of intestinal health.

Omega-3 are essential fatty acids with anti-inflammatory action that protects intestinal mucosa.

The low fat content performs a lower digestive stress on the intestinal mucosa and has a lower impact on pancreatic exocrine functionality.

Integration with vitamins and electrolytes supports the recovery of intestinal homeostasis after prolonged diarrhea.



- ✓ REDUCTION OF ACUTE INTESTINAL ABSORPTIVE DISORDERS
- ✓ ACUTE DIARRHEA
- ✓ CONVALESCENCE AFTER ACUTE DIARRHEA
- ✓ COMPENSATION FOR MALDIGESTION
- ✓ EXOCRINE PANCREATIC INSUFFICIENCY (EPI)

Farmina Vet Life Gastrointestinal is a complete dietetic food for dogs for the reduction of acute intestinal absorptive disorders, during periods of and recovery from acute diarrhea, for the compensation for maldigestion and exocrine pancreatic insufficiency.



Composition:

rice, sweet potato, dehydrated chicken protein, oats, chicken fat, dried eggs, dehydrated fish protein, dried beet pulp, fish oil, hydrolysed fish protein, potassium chloride, inulin (0.6%), fructo-oligosaccharides (0.4%), yeast extract (source of manno-oligo-saccharides) (0.4%), calcium carbonate, sodium chloride.

Analytical constituents:

crude protein 23.00%; crude fat 10.50%; crude fibres 1.30%; crude ash 6.50%; calcium 0.90%; phosphorus 0.60%; sodium 0.40%; potassium 0.90%; magnesium 0.095%; Omega-3 fatty acids 0.40%; Omega-6 fatty acids 1.90%; EPA 0.10%; DHA 0.15%.

INSTRUCTIONS FOR USE

it is recommended that a veterinarian's opinion be sought before use. Recommended length of time: from 1 to 2 weeks in case of reduction of acute intestinal absorptive disorders; from 3 to 12 weeks in case of compensation for maldigestion, but lifetime in the case of chronic pancreatic insufficiency. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body condition. The ration can be divided into two daily meals or more. It is recommended to mix initially this product with the previously used diet. Water should be available at all times.

Feeding guide

Weight of adult dog	1 cup = 95g								
	2kg (4.4 lbs)	5kg (11 lbs)	10kg (22 lbs)	20kg (44.1 lbs)	30kg (66.1 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)	60kg (132.2 lbs)	70kg (154.3 lbs)
Min-Max Recommended Daily Quantity	30-58g 0.33-0.66c	60-115g 0.66-1.25c	105-195g 1.00-2.00c	175-325g 1.75-3.33c	240-440g 2.50-4.66c	295-550g 3.00-5.75c	350-650g 3.66-6.75c	400-745g 4.25-7.75c	450-835g 4.75-8.75c

Energy value

M.E. (CEN) 3749kcal/kg - 15.69MJ/kg

Available in size:
2kg • 12kg





The quality of the ingredients and the valuable digestibility of the diet promote a better absorption and usage of nutrients.



The low level of Copper limits the toxic effects on hepatocytes.



Hepatic Zinc contrasts Copper deposit and has antifibrotic action.



The integration with a multivitamin and antioxidant complex reduces cellular oxidative stress.



High quality ingredients and exclusive formula to help in contrasting the pathology-induced anorexia.



CHRONIC LIVER INSUFFICIENCY

Farmina Vet Life Hepatic is a complete dietetic food for dogs for the support of liver function in the case of chronic liver insufficiency. This food has high quality protein, moderate level of protein, high level of essential fatty acids and high level of highly digestible carbohydrates.



Composition:

spelt, chicken fat, corn gluten, hydrolysed fish protein, fish oil, calcium carbonate, linseed, oats, dried beet pulp, potassium chloride, rice starch, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), monocalcium phosphate, dried brewers' yeast, sodium chloride. Protein sources: corn gluten, hydrolysed fish protein. Source of high digestible carbohydrates: rice starch.

Analytical constituents:

crude protein 16.00%; crude fat 18.00%; crude fibres 3.00%; crude ash 5.90%; calcium 0.90%; phosphorus 0.65%; sodium 0.25%; potassium 0.70%; magnesium 0.085%; Omega-3 fatty acids 0.70%; Omega-6 fatty acids 3.30%; EPA 0.15%; DHA 0.20%; essential fatty acids 0.45%; total copper 5mg/kg.

Additives per kg.

Nutritional additives: Vitamin A 15000IU; Vitamin D3 900IU; Vitamin E 800mg; Vitamin C 150mg; Niacin 38mg; Calcium D-pantothenate 15mg; Vitamin B2 7.5mg; Vitamin B6 6mg; Vitamin B1 4.5mg; Biotin 0.4mg; Folic acid 0.45mg; Vitamin B12 0.06mg; Choline chloride 2500 mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 190.8mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 68mg; Iron [Iron(II) chelate of glycine hydrate]: 43.1mg; Copper (Copper chelate of hydroxy analogue of methionine): 2mg; Selenium (Selenised yeast inactivated): 0.14960mg; Iodine (Calcium iodate anhydrous): 1.56mg; L-Lysine-mono-hydrochloride, technically pure 4500mg, DL-methionine, technically pure 3000mg; Taurine 1800mg; L-carnitine 350mg. Antioxidants: tocopherol extracts from vegetable oils 10mg.

Energy value

M.E. (CEN) 3973kcal/kg - 16.62MJ/kg

Available in size:
2kg • 12kg



INSTRUCTIONS FOR USE

it is recommended that a veterinarian's opinion be sought before use or before extending the period of use. Recommended length of time: Initially up to 6 months. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body condition. The ration can be divided into two daily meals or more. It is recommended to mix initially this product with the previously used diet. Water should be available at all times.

Feeding guide

	2kg (4.4 lbs)	5kg (11 lbs)	10kg (22 lbs)	20kg (44.1 lbs)	30kg (66.1 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)	60kg (132.2 lbs)	70kg (154.3 lbs)
Weight of adult dog									
Min-Max Recommended Daily Quantity	30-55g 0.33-0.50c	60-110g 0.66-1.00c	100-185g 1.00-1.75c	165-310g 1.66-3.00c	225-415g 2.25-4.00c	280-520g 2.75-5.25c	330-610g 3.33-6.00c	380-700g 3.75-7.00c	425-780g 4.25-7.75c



Single Animal Protein source: herring.



Single starch source: sweet potato. Useful in subjects with adverse reactions to cereals.



Omega-3 are essential fatty acids with anti-inflammatory action.



Zinc promotes the wound-healing process by speeding up cellular regeneration. It also helps in protecting the skin. It reduces the loss of electrolytes, by improving intestinal permeability. It also promotes the production of higher levels of antibodies.



Single exclusive sources of carbohydrate, lipid and protein.



ADVERSE FOOD REACTIONS

Farmina Vet Life Hypoallergenic Fish & Potato is a complete dietetic food for dogs for the reduction of ingredient and nutrient intolerances; support of skin function in the case of dermatosis and excessive loss of hair.



Composition:

sweet potato (69%), dehydrated fish protein (14%), fish oil, calcium carbonate, monocalcium phosphate, sodium chloride. Protein source: dehydrated fish protein. Carbohydrate source: sweet potato.

Analytical constituents:

crude protein 18.00%; crude fat 13.00%; crude fibres 1.70%; crude ash 7.60%; calcium 0.70%; phosphorus 0.50%; sodium 0.25%; potassium 1.10%; magnesium 0.095%; Omega-6 fatty acids 0.40%; Omega-3 fatty acids 2.20%; EPA 0.60%; DHA 0.83%.

Additives per kg.

Nutritional additives: Vitamin A 15000IU; Vitamin D3 900IU; Vitamin E 150mg; Vitamin C 150mg; Niacin 38mg; Calcium D-pantothenate 15mg; Vitamin B2 7.5mg; Vitamin B6 6mg; Vitamin B1 4.5mg; Biotin 0.4mg; Folic acid 0.45mg; Vitamin B12 0.06mg; Choline chloride 2000mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 174.6mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 68mg; Iron [Iron(II) chelate of glycine hydrate]: 43.1mg; Copper (Copper chelate of hydroxy analogue of methionine): 12.2mg; Selenium (Selenised yeast inactivated): 0.14960mg; Iodine (Calcium iodate anhydrous): 1.56mg; Taurine 1000mg. Antioxidants: tocopherol extracts from vegetable oils 10mg.

INSTRUCTIONS FOR USE

it is recommended that a veterinarian's opinion be sought before use. Recommended length of time: 3 to 8 weeks; if signs of intolerance disappear this feed can be used indefinitely for reduction of ingredient and nutrient intolerances; up to 2 months for support of skin function in the case of dermatosis and excessive loss of hair. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body condition. The ration can be divided into two daily meals or more. It is recommended to mix initially this product with the previously used diet. Water should be available at all times.

Energy value

M.E. (CEN) 3770kcal/kg - 15.78MJ/kg

Available in size:
2kg • 12kg



Feeding guide

	2kg (4.4 lbs)	5kg (11 lbs)	10kg (22 lbs)	20kg (44.1 lbs)	30kg (66.1 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)	60kg (132.2 lbs)	70kg (154.3 lbs)
Weight of adult dog									
Min-Max Recommended Daily Quantity	30-58g 0.33-0.66c	60-115g 0.66-1.00c	105-195g 1.00-2.00c	175-325g 1.75-3.25c	240-440g 2.50-4.50c	295-550g 3.00-5.50c	350-650g 3.50-6.50c	400-745g 4.00-7.50c	450-835g 4.50-8.25c





Single Animal Protein source: egg.



Single starch source: rice.
Useful in subjects with adverse reactions to other cereals.



Omega-3 are essential fatty acids with anti-inflammatory action.



Zinc promotes the wound-healing process by speeding up cellular regeneration. It also helps in protecting the skin. It reduces the loss of electrolytes, by improving intestinal permeability. It also promotes the production of higher levels of antibodies.



Single exclusive sources of carbohydrate, lipid and protein.



ADVERSE FOOD REACTIONS

Farmina Vet Life Hypoallergenic Egg & Rice is a complete dietetic food for dogs for the reduction of ingredient and nutrient intolerances; support of skin function in the case of dermatosis and excessive loss of hair.



Additives per kg.

Nutritional additives: Vitamin A 15000IU; Vitamin D3 900IU; Vitamin E 150mg; Vitamin C 150mg; Niacin 38mg; Calcium D-pantothenate 15mg; Vitamin B2 7.5mg; Vitamin B6 6mg; Vitamin B1 4.5mg; Biotin 0.4mg; Folic acid 0.45mg; Vitamin B12 0.06mg; Choline chloride 2000mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 174.6mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 68mg; Iron [Iron(II) chelate of glycine hydrate]: 43.1mg; Copper (Copper chelate of hydroxy analogue of methionine): 12.2mg; Selenium (Selenised yeast inactivated): 0.14960mg; Iodine (Calcium iodate anhydrous): 1.56mg; Taurine 1000mg. Technological additives: microcrystalline cellulose. Antioxidants: tocopherol extracts from vegetable oils 10mg.

Energy value

M.E. (CEN) 3881kcal/kg - 16.24MJ/kg

Available in size:
2kg • 12kg



Composition:

rice (67%), dried eggs (22%), fish oil, potassium chloride, calcium carbonate, monocalcium phosphate, sodium chloride. Protein source: dried eggs. Carbohydrate source: rice.

Analytical constituents:

crude protein 18.00%; crude fat 13.00%; crude fibres 1.10%; crude ash 5.70%; calcium 0.70%; phosphorus 0.50%; sodium 0.25%; potassium 0.60%; magnesium 0.045%; Omega-6 fatty acids 1.50%; Omega-3 fatty acids 0.60%; EPA 0.15%; DHA 0.23%.

INSTRUCTIONS FOR USE

it is recommended that a veterinarian's opinion be sought before use. Recommended length of time: 3 to 8 weeks; if signs of intolerance disappear this feed can be used indefinitely for reduction of ingredient and nutrient intolerances; up to 2 months for support of skin function in the case of dermatosis and excessive loss of hair. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body condition. The ration can be divided into two daily meals or more. It is recommended to mix initially this product with the previously used diet. Water should be available at all times.

Feeding guide

	1 cup = 105g								
Weight of adult dog	2kg (4.4 lbs)	5kg (11 lbs)	10kg (22 lbs)	20kg (44.1 lbs)	30kg (66.1 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)	60kg (132.2 lbs)	70kg (154.3 lbs)
Min-Max Recommended Daily Quantity	30-55g 0.33-0.50c	60-110g 0.66-1.00c	100-190g 1.00-1.75c	170-315g 1.66-3.00c	230-430g 2.25-4.00c	290-530g 2.75-5.00c	340-630g 3.25-6.00c	390-725g 3.75-7.00c	435-810g 4.00-7.75c



Hydrolyzed fish protein <= 6000 dalton.



Refined rice starch minimizes adverse reactions also to vegetables protein.



The quality of the ingredients and the valuable digestibility of the diet promote a better absorption and usage of nutrients.



Omega-3 are essential fatty acids with anti-inflammatory action.



Zinc promotes the wound-healing process by speeding up cellular regeneration. It also helps in protecting the skin. It reduces the loss of electrolytes, by improving intestinal permeability. It also promotes the production of higher levels of antibodies.



ADVERSE FOOD REACTIONS

ELIMINATION DIET

Farmina Vet Life UltraHypo is a complete dietetic food for dogs for the reduction of ingredient and nutrient intolerances; elimination diet; support of skin function in the case of dermatosis and excessive loss of hair.



Composition:

rice starch, hydrolysed fish protein, fish oil, potassium chloride, calcium carbonate, monocalcium phosphate, sodium chloride. Protein source: hydrolysed fish protein. Carbohydrate source: rice starch.

Analytical constituents:

crude protein 18.00%; crude fat 15.00%; crude fibres 1.20%; crude ash 5.30%; calcium 0.70%; phosphorus 0.50%; sodium 0.25%; potassium 0.60%; magnesium 0.011%; Omega-3 fatty acids 2.20%; Omega-6 fatty acids 0.40%; EPA 0.60%; DHA 0.83%.

INSTRUCTIONS FOR USE

it is recommended that a veterinarian's opinion be sought before use. Recommended length of time: 3 to 8 weeks; if signs of intolerance disappear this feed can be used indefinitely for the reduction of ingredient and nutrient intolerances; up to 2 months for the support of skin function in the case of dermatosis and excessive loss of hair. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body condition. The ration can be divided into two daily meals or more. It is recommended to mix initially this product with the previously used diet. Water should be available at all times.

Feeding guide

	1 cup = 105g								
Weight of adult dog	2kg (4.4 lbs)	5kg (11 lbs)	10kg (22 lbs)	20kg (44.1 lbs)	30kg (66.1 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)	60kg (132.2 lbs)	70kg (154.3 lbs)
Min-Max Recommended Daily Quantity	30-55g 0.33-0.50c	60-110g 0.50-1.00c	100-185g 1.00-1.75c	165-310g 1.66-3.00c	225-415g 2.20-4.00c	280-520g 2.66-5.00c	330-610g 3.25-5.75c	380-700g 3.66-6.66c	425-780g 4.00-7.50c



Induces struvite stones dissolution and reduces struvite stones recurrence.



Urine acidification with calcium sulphate integration.



Reduced Magnesium content limits struvite stones formation.



Reduced protein content helps in reducing urea contents in the urine.



Reduced amount of phosphorus helps in controlling the phosphatemia and in preventing the formation of uroliths.



- ✓ DISSOLUTION OF STRUVITE STONES
- ✓ REDUCTION OF STRUVITE STONE RECURRENCE

Farmina Vet Life Struvite is a complete dietetic food for dogs for the dissolution of struvite stones and reduction of struvite stone recurrence.



Composition:

rice, dehydrated chicken protein, chicken fat, sweet potato, oats, dried eggs, linseed, hydrolysed fish protein, fish oil, potassium chloride, calcium sulphate dihydrate, calcium carbonate, sodium chloride. Protein sources: dehydrated chicken protein, dried eggs, hydrolysed fish protein.

Analytical constituents:

crude protein 19.50%; crude fat 19.00%; crude fibres 1.30%; crude ash 5.40%; calcium 0.80%; phosphorus 0.50%; sodium 0.25%; potassium 0.60%; magnesium 0.06%; chlorides 0.60%; sulphur 0.55%; Omega-3 fatty acids 0.35%; Omega-6 fatty acids 2.70%; EPA 0.10%; DHA 0.15%. Urine acidifying substance: calcium sulphate dihydrate (5g/kg).

Additives per kg.

Nutritional additives: Vitamin A 15000IU; Vitamin D3 600IU; Vitamin E 600mg; Vitamin C 150mg; Niacin 38mg; Calcium D-pantothenate 15mg; Vitamin B2 7.5mg; Vitamin B6 6mg; Vitamin B1 4.5mg; Biotin 0.4mg; Folic acid 0.45mg; Vitamin B12 0.06mg; Choline chloride 2000mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 174.6mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 68mg; Iron [Iron(II) chelate of glycine hydrate]: 43.1mg; Copper (Copper chelate of hydroxy analogue of methionine): 8.1mg; Selenium (Selenised yeast inactivated): 0.14960mg; Iodine (Calcium iodate anhydrous): 1.56mg; DL-methionine, technically pure 3300mg; Taurine 1000mg; L-carnitine 250mg. Technological additives: microcrystalline cellulose; calcium sulphate dihydrate 5g. Antioxidants: tocopherol extracts from vegetable oils 10mg.

Energy value

M.E. (CEN) 4177kcal/kg - 17.48MJ/kg

Available in size:
2kg • 12kg



INSTRUCTIONS FOR USE

it is recommended that a veterinarian's opinion be sought before use. Recommended length of time: 5 to 12 weeks in case of dissolution of struvite stones and up to 6 months in case of reduction of struvite stone recurrence. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body condition. The ration can be divided into two daily meals or more. It is recommended to mix initially this product with the previously used diet. Water should be available at all times.

Feeding guide

	2kg (4.4 lbs)	5kg (11 lbs)	10kg (22 lbs)	20kg (44.1 lbs)	30kg (66.1 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)	60kg (132.2 lbs)	70kg (154.3 lbs)
Weight of adult dog									
Min-Max Recommended Daily Quantity	28-55g 0.33-0.50c	55-105g 0.50-1.00c	95-175g 1.00-1.75c	160-295g 1.66-3.00c	215-400g 2.20-4.00c	265-495g 2.66-5.00c	315-585g 3.25-5.75c	360-670g 3.66-6.75c	405-750g 4.00-7.50c



Reduces the struvite stones recurrence.



The mild acidification contributes in maintaining pH within ideal levels.



The integration with Glucosamine supports an adequate turnover of glycosaminoglycans, essential to urinary tract integrity.



Reduced Magnesium and Phosphorus limit the formation of struvite stones. Reduced Calcium limits the formation of other crystals.



Reduced protein levels help in reducing urea contents in the urine.



- ✓ REDUCTION OF STRUVITE STONE RECURRENCE

Farmina Vet Life Struvite Management is a complete dietetic food for adult dogs for the reduction of struvite stone recurrence.



Composition:

rice, dehydrated chicken protein, chicken fat, sweet potato, oats, dried eggs, linseed, hydrolysed fish protein, fish oil, potassium chloride, calcium sulphate dihydrate, calcium carbonate, sodium chloride, glucosamine (0.06%).

Analytical constituents:

crude protein 19.50%; crude fat 19.00%; crude fibres 1.30%; crude ash 5.40%; calcium 0.80%; phosphorus 0.50%; sodium 0.30%; potassium 0.60%; magnesium 0.06%; chloride 0.60%; sulfur 0.55%; Omega-6 fatty acids 2.70%; Omega-3 fatty acids 0.35%; EPA 0.10%; DHA 0.15%. Urine acidifying substance: calcium sulphate dihydrate (4.5g/kg).

Additives per kg.

Nutritional additives: Vitamin A 15000IU; Vitamin D3 600IU; Vitamin E 600mg; Vitamin C 150mg; Niacin 38mg; Calcium D-pantothenate 15mg; Vitamin B2 7.5mg; Vitamin B6 6mg; Vitamin B1 4.5mg; Biotin 0.4mg; Folic acid 0.45mg; Vitamin B12 0.06mg; Choline chloride 2000mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 174.6mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 68mg; Iron [Iron(II) chelate of glycine hydrate]: 43.1mg; Copper (Copper chelate of hydroxy analogue of methionine): 8.1mg; Selenium (Selenised yeast inactivated): 0.14960mg; Iodine (Calcium iodate anhydrous): 1.56mg; DL-methionine, technically pure 1700mg; Taurine 1000mg; L-carnitine 250mg. Technological additives: microcrystalline cellulose, calcium sulphate dihydrate 4500mg. Antioxidants: tocopherol extracts from vegetable oils 10mg.

INSTRUCTIONS FOR USE

it is recommended that a veterinarian's opinion be sought before use. Recommended length of time: up to 6 months. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body condition. The ration can be divided into two daily meals or more. It is recommended to mix initially this product with the previously used diet. Water should be available at all times.

Energy value

M.E. (CEN) 4177kcal/kg - 17.48MJ/kg

Available in size:
2kg • 12kg



Feeding guide

	2kg (4.4 lbs)	5kg (11 lbs)	10kg (22 lbs)	20kg (44.1 lbs)	30kg (66.1 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)	60kg (132.2 lbs)	70kg (154.3 lbs)
Weight of adult dog									
Min-Max Recommended Daily Quantity	28-55g 0.33-0.50c	55-105g 0.50-1.00c	95-175g 1.00-1.75c	160-295g 1.66-3.00c	215-400g 2.20-4.00c	265-495g 2.66-5.00c	315-585g 3.25-5.75c	360-670g 3.66-6.75c	405-750g 4.00-7.50c



Reduces the formation of oxalates stones and limits the recurrence of oxalates stones.

Urine alkalization with the integration of potassium citrate.

Reduced protein levels, exclusively from eggs and hydrolyzed animal protein, limit the formation of cystine and urates crystals.

Reduced Calcium and Phosphorus limit the formation of oxalates stones.

The reduction of nucleic acids limits the formation of urates.



- ✓ REDUCTION OF OXALATE STONES FORMATION
- ✓ REDUCTION OF URATE STONES FORMATION
- ✓ REDUCTION OF CYSTINE STONES FORMATION

Farmina Vet Life Oxalate is a complete dietetic food for dogs for the reduction of oxalate, urate and cystine stones formation.



Composition:

rice, oats, chicken fat, dried eggs, linseed, hydrolysed fish protein, dried beet pulp, fish oil, calcium carbonate, sodium chloride. Protein sources: dried eggs, hydrolysed fish protein.

Analytical constituents:

crude protein 9.50%; crude fat 19.00%; crude fibres 1.90%; crude ash 3.80%; calcium 0.30%; phosphorus 0.20%; sodium 0.20%; potassium 0.60%; magnesium 0.04%; chlorides 0.50%; sulphur 0.15%; total Vitamin D 650IU; hydroxyproline <0.02%; total sulfur amino acids 0.50%; Omega-3 fatty acids 0.50%; Omega-6 fatty acids 2.80%; EPA 0.10%; DHA 0.25%. Urine alkalisng substance: potassium citrate (9g/kg).

Additives per kg.

Nutritional additives: Vitamin A 15000IU; Vitamin D3 600IU; Vitamin E 600mg; Vitamin C 150mg; Niacin 38mg; Calcium D-pantothenate 15mg; Vitamin B2 7.5mg; Vitamin B6 6mg; Vitamin B1 4.5mg; Biotin 0.4mg; Folic acid 0.45mg; Vitamin B12 0.06mg; Choline chloride 2000mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 174.6mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 68mg; Iron [Iron(II) chelate of glycine hydrate]: 43.1mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.4mg; Selenium (Selenised yeast inactivated): 0.14960mg; Iodine (Calcium iodate anhydrous): 1.56mg; Taurine 1000mg; L-carnitine 250mg. Technological additives: microcrystalline cellulose. Antioxidants: tocopherol extracts from vegetable oils 10mg.

Energy value

M.E. (CEN) 4152kcal/kg - 17.37MJ/kg

Available in size:
2kg • 12kg



INSTRUCTIONS FOR USE

it is recommended that a veterinarian's opinion be sought before use or before extending the period of use. Recommended length of time: up to 6 months for the reduction of oxalate stones formation; up to 6 months but lifetime use in cases of irreversible disturbance of uric acid metabolism for the reduction of urate stones formation; initially up to 1 year for the reduction of cystine stones formation. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body condition. The ration can be divided into two daily meals or more. It is recommended to mix initially this product with the previously used diet. **Water should be available at all times.**

Feeding guide

	2kg (4.4 lbs)	5kg (11 lbs)	10kg (22 lbs)	20kg (44.1 lbs)	30kg (66.1 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)	60kg (132.2 lbs)	70kg (154.3 lbs)
Weight of adult dog									
Min-Max Recommended Daily Quantity	28-55g 0.25-0.50c	55-105g 0.50-1.00c	95-175g 1.00-1.66c	160-295g 1.50-2.75c	215-400g 2.00-3.75c	265-495g 2.50-4.75c	315-585g 3.00-5.50c	360-670g 3.50-6.33c	405-750g 4.00-7.00c



Promotes the slowdown of renal pathology progression.

Reduced protein levels, exclusively from eggs and hydrolyzed animal protein, contribute in limiting the deposit of nitrogen catabolites.

Reduced levels of sodium help in preventing hypertension. Reduced levels of phosphorus contribute in managing the secondary hyperparathyroidism.

Omega-3 fatty acids have an antiinflammatory action and support in maintaining an adequate renal perfusion.

High quality ingredients and exclusive formula to help in contrast the pathology-induced anorexia.



- ✓ ACUTE RENAL INSUFFICIENCY
- ✓ CHRONIC RENAL INSUFFICIENCY
- ✓ SUPPORT OF HEART FUNCTION IN THE CASE OF CHRONIC CARDIAC INSUFFICIENCY

Farmina Vet Life Renal is a complete dietetic food for dogs for the support of renal function in case of chronic renal insufficiency or acute renal insufficiency.



Composition:

sweet potato, rice, chicken fat, dried eggs, calcium carbonate, linseed, fish oil, hydrolysed fish protein, sodium chloride, potassium chloride. Protein sources: dried eggs, hydrolysed fish protein.

Analytical constituents:

crude protein 13.30%; crude fat 15.00%; crude fibres 1.40%; crude ash 4.50%; calcium 0.60%; phosphorus 0.25%; sodium 0.15%; potassium 0.60%; magnesium 0.06%; Omega-3 fatty acids 0.50%; Omega-6 fatty acids 2.80%; EPA 0.10%; DHA 0.25%.

Additives per kg.

Nutritional additives: Vitamin A 15000IU; Vitamin D3 900IU; Vitamin E 600mg; Vitamin C 150mg; Niacin 38mg; Calcium D-pantothenate 15mg; Vitamin B2 7.5mg; Vitamin B6 6mg; Vitamin B1 4.5mg; Biotin 0.4mg; Folic acid 0.45mg; Vitamin B12 0.06mg; Choline chloride 1500mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 174.6mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 68mg; Iron [Iron(II) chelate of glycine hydrate]: 43.1mg; Copper (Copper chelate of hydroxy analogue of methionine): 4.9mg; Selenium (Selenised yeast inactivated): 0.14960mg; Iodine (Calcium iodate anhydrous): 1.56mg; L-Lysine-mono-hydrochloride, technically pure 6000mg; DL-methionine, technically pure 3000mg; Taurine 1000mg; L-carnitine 250mg. Antioxidants: tocopherol extracts from vegetable oils 10mg.

Energy value

M.E. (CEN) 3990kcal/kg - 16.69MJ/kg

Available in size:
2kg • 12kg



INSTRUCTIONS FOR USE

it is recommended that advice from a veterinarian be sought before use and before extending the period of use. Recommended length of time: initially up to 6 months for chronic renal insufficiency or support of heart function in the case of chronic cardiac insufficiency; two to four weeks for acute renal insufficiency. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body condition. The ration can be divided into two daily meals or more. It is recommended to mix initially this product with the previously used diet. **Water should be available at all times.**

Feeding guide

	2kg (4.4 lbs)	5kg (11 lbs)	10kg (22 lbs)	20kg (44.1 lbs)	30kg (66.1 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)	60kg (132.2 lbs)	70kg (154.3 lbs)
Adult Dogs									
Recommended Daily Amounts Grams/Cups	30-55g 0.33-0.55c	60-110g 0.66-1.25c	100-185g 1.00-2.00c	165-310g 1.66-3.25c	225-415g 2.33-4.33c	280-520g 3.00-5.50c	330-610g 3.50-6.33c	380-700g 4.00-7.33c	425-780g 4.50-8.00c



The correct electrolyte balance regulates myocardial contraction and contrasts the possible imbalances of a diuretic therapy.



Taurine modulates the myocardial contraction. Carnitine increases exercise tolerance.



Reduced Sodium content contrasts hypertension by reducing cardiac stress and helps in reducing effusions in cardiac congestions.



Omega-3 fatty acids have an antiarrhythmic action and modulate the production of cytokines with subsequent anti-inflammatory effect.



High quality ingredients and exclusive formula to help in contrast the pathology-induced anorexia.



SUPPORT OF HEART FUNCTION IN THE CASE OF CHRONIC CARDIAC INSUFFICIENCY

Farmina Vet Life Cardiac is a complete dietetic food for dogs for the support of heart function in the case of chronic cardiac insufficiency.



Composition:

spelt, oats, dehydrated chicken protein, chicken fat, fish oil, linseed, corn gluten, hydrolysed fish protein, dried eggs, dehydrated fish protein, pea fibre, dried beet pulp, potassium chloride, calcium carbonate, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), monocalcium phosphate, dried brewers' yeast.

Analytical constituents:

crude protein 24.00%; crude fat 18.00%; crude fibres 3.40%; crude ash 6.90%; calcium 0.75%; phosphorus 0.55%; sodium 0.15%; potassium 0.70%; magnesium 0.10%; Omega-3 fatty acids 0.90%; Omega-6 fatty acids 3.50%; EPA 0.25%; DHA 0.30%.

Additives per kg.

Nutritional additives: Vitamin A 15000IU; Vitamin D3 900IU; Vitamin E 600mg; Vitamin C 150mg; Niacin 38mg; Calcium D-pantothenate 15mg; Vitamin B2 7.5mg; Vitamin B6 6mg; Vitamin B1 4.5mg; Biotin 0.4mg; Folic acid 0.45mg; Vitamin B12 0.06mg; Choline chloride 2500 mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 174.6mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 68mg; Iron [Iron(II) chelate of glycine hydrate]: 43.1mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.4mg; Selenium (Selenised yeast inactivated): 0.14960mg; Iodine (Calcium iodate anhydrous): 1.56mg; L-Lysine-mono-hydrochloride, technically pure 4500mg, DL-methionine, technically pure 5000mg; Taurine 2500mg; L-carnitine 450mg. Sensory additives: green tea extract 100mg. Antioxidants: tocopherol extracts from vegetable oils 10mg.

Energy value

M.E. (CEN) 3935kcal/kg - 16.47MJ/kg

Available in size:
2kg



INSTRUCTIONS FOR USE

it is recommended that advice from a veterinarian be sought before use and before extending the period of use. Recommended length of time: initially up to 6 months. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body condition. The ration can be divided into two daily meals or more. It is recommended to mix initially this product with the previously used diet. Water should be available at all times.

Feeding guide

	2kg (4.4 lbs)	5kg (11 lbs)	10kg (22 lbs)	20kg (44.1 lbs)	30kg (66.1 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)	60kg (132.2 lbs)	70kg (154.3 lbs)
Weight of adult dog									
Min-Max Recommended Daily Quantity	30-55g 0.33-0.50c	60-110g 0.66-1.00c	100-185g 1.00-1.75c	165-310g 1.66-3.00c	225-415g 2.25-4.00c	280-520g 2.75-5.25c	330-610g 3.33-6.00c	380-700g 3.75-7.00c	425-780g 4.25-7.75c



Besides their anti-inflammatory action, Glucosamine and Chondroitin support collagen synthesis that promotes joint cartilage renewal, and regulate the composition of the synovial liquid.



Omega-3 are essential fatty acids with anti-inflammatory action useful in treating joint diseases.



The correct intake of soluble and insoluble fiber favors the satiety sensation. The low caloric density is intended to limit joint suffering from pet's overweight.



The correct development of lean mass is supported by high levels of proteins with high biological value and the integration with L-Carnitine (muscular energetic metabolism efficiency) and Taurine (muscular contractility).



The exclusive use of ancestral cereals such as spelt and oats provides the formula with a Low Glycemic Index.



SUPPORT OF JOINT METABOLISM IN CASE OF OSTEOARTHRITIS

Farmina Vet Life Joint is a complete dietetic food for adult dogs for the support of the metabolism of joints in the case of osteoarthritis.



Composition:

spelt, oats, dehydrated chicken protein, linseed, chicken fat, dried eggs, dried beet pulp, hydrolysed fish protein, fish oil, pea fibre, potassium chloride, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried brewers' yeast, sodium chloride, aloe vera extract, glucosamine, chondroitin sulphate.

Analytical constituents:

crude protein 22.00%; crude fat 12.00%; crude fibres 4.70%; crude ash 6.40%; calcium 0.65%; phosphorus 0.60%; sodium 0.30%; potassium 0.60%; magnesium 0.10%; glucosamine 1200mg/kg; chondroitin sulphate 900mg/kg; Omega-6 fatty acids 3.80%; Omega-3 fatty acids 3.40%; EPA 0.38%; DHA 0.55%. Total Vitamin E 620mg/kg.

Additives per kg.

Nutritional additives: Vitamin A 15000IU; Vitamin D3 600IU; Vitamin E 600mg; Vitamin C 150mg; Niacin 38mg; Calcium D-pantothenate 15mg; Vitamin B2 7.5mg; Vitamin B6 6mg; Vitamin B1 4.5mg; Biotin 0.4mg; Folic acid 0.45mg; Vitamin B12 0.06mg; Choline chloride 2400mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 174.6mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 74.8mg; Iron [Iron(II) chelate of glycine hydrate]: 43.1mg; Copper (Copper chelate of hydroxy analogue of methionine): 12.2mg; Selenium (Selenised yeast inactivated): 0.14960mg; Iodine (Calcium iodate anhydrous): 1.56mg; L-Lysine-mono-hydrochloride, technically pure 3500mg, DL-methionine, technically pure 3500mg; L-Lysine-mono-hydrochloride, technically pure 1100mg; Taurine 1000mg; L-carnitine 300mg. Sensory additives: green tea extract 100mg. Technological additives: microcrystalline cellulose. Antioxidants: tocopherol extracts from vegetable oils 10mg.

Energy value

M.E. (CEN) 3582kcal/kg - 14.99MJ/kg

Available in size:
2kg • 12kg



INSTRUCTIONS FOR USE

it is recommended that a veterinary surgeon's opinion be sought before use or before extending the period of use. Recommended length of time: initially up to 3 months. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body condition. The ration can be divided into two daily meals or more. It is recommended to mix initially this product with the previously used diet. Water should be available at all times.

Feeding guide

	2kg (4.4 lbs)	5kg (11 lbs)	10kg (22 lbs)	20kg (44.1 lbs)	30kg (66.1 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)	60kg (132.2 lbs)	70kg (154.3 lbs)
Adult Dogs									
Recommended Daily Amounts Grams/Cups	32-60g 0.33-0.66c	65-120g 0.66-1.25c	110-205g 1.25-2.00c	185-345g 2.00-3.66c	250-465g 2.66-4.75c	310-575g 3.25-6.00c	370-680g 4.00-7.00c	420-780g 4.50-8.00c	475-880g 5.00-9.25c



The correct intake of soluble and insoluble fiber favors the satiety sensation. The low caloric density supports the reduction of excessive body weight.



- WEIGHT MANAGEMENT
- OVERWEIGHT
- OBESITY

Reduced fat intake to reduce the caloric content of the diet.



Farmina Vet Life Obesity is a complete dietetic food for dogs for the reduction of excessive body weight and regulation of glucose supply (Diabetes mellitus).

The correct development of lean mass is supported by high levels of proteins with high biological value and the integration with L-Carnitine (muscular energetic metabolism efficiency) and Taurine (muscular contractility).



The exclusive use of ancestral cereals such as spelt and oats provides the formula with a Low Glycemic Index.



The higher content in fibers helps in treating fiber-responsive diseases in dogs.



Composition:

spelt, dried beet pulp, dehydrated chicken protein, oats, chicken fat, dehydrated fish protein, linseed, hydrolysed fish protein, fish oil, potassium chloride, sodium chloride, calcium carbonate, monocalcium phosphate. Carbohydrate sources: spelt, oats.

Analytical constituents:

crude protein 22.00%; crude fat 6.20%; crude fibres 7.80%; crude ash 7.80%; calcium 1.00 %; phosphorus 0.80%; sodium 0.30%; potassium 0.70%; magnesium 0.13%; starch 24.00%; total sugar 1.90%; Omega-3 fatty acids 0.25%; Omega-6 fatty acids 1.20%; EPA 0.10%; DHA 0.12%.

Additives per kg.

Nutritional additives: Vitamin A 10000IU; Vitamin D3 400IU; Vitamin E 600mg; Vitamin C 100mg; Niacin 25mg; Calcium D-pantothenate 10mg; Vitamin B2 5mg; Vitamin B6 4mg; Vitamin B1 3mg; Biotin 0.25mg; Folic acid 0.30mg; Vitamin B12 0.04mg; Choline chloride 2500mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 174.6mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 68mg; Iron [Iron(II) chelate of glycine hydrate]: 43.1mg; Copper (Copper chelate of hydroxy analogue of methionine): 12.2mg; Selenium (Selenised yeast inactivated): 0.14960mg; Iodine (Calcium iodate anhydrous): 1.56mg; DL-methionine, technically pure 3000mg; Taurine 1000mg; L-carnitine 250mg. Technological additives: microcrystalline cellulose. Antioxidants: tocopherol extracts from vegetable oils 10mg.

Energy value

M.E. (CEN) 3077kcal/kg - 12.88MJ/kg

Available in size:
2kg • 12kg



INSTRUCTIONS FOR USE

it is recommended that a veterinarian's opinion be sought before use or before extending the period of use. Recommended length of time: until target body weight is achieved for the reduction of excessive body weight; initially up to 6 months for the regulation of glucose supply (Diabetes mellitus). Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. Approximately, cover about 60% of caloric needs of the subject; this percentage may change according to breed, environment, physical exercise, disposition. The ration can be divided into two daily meals or more. It is recommended to mix initially this product with the previously used diet. Water should be available at all times.

Feeding guide

	2kg (4.4lbs)	5kg (11lbs)	10kg (22lbs)	20kg (44.1lbs)	30kg (66.1lbs)	40kg (88.2lbs)	50kg (110.2lbs)	60kg (132.2lbs)	70kg (154.3lbs)
Weight of adult dog									
Normal Weight Diabetic Recommended Daily Amounts min/max	55g 0.66c	110g 1.25c	180g 2.00c	305g 3.33c	415g 4.66c	515g 5.75c	610g 6.75c	700g 7.75c	785g 8.66c
Moderate overweight (15%-30%) Recommended Daily Amounts min/max	40g 0.50c	75g 0.75c	125g 1.33c	215g 2.33c	290g 3.25c	360g 4.00c	425g 4.75c	490g 5.50c	550g 6.00c
Remarkable Overweight (>30%) Recommended Daily Amounts min/max	30g 0.33c	60g 0.66c	100g 1.00c	170g 1.75c	230g 2.50c	290g 3.25c	340g 3.75c	390g 4.33c	440g 5.00c

1 cup = 90g



This specific formula induces an optimal and gradual post-prandial glycemic response and modulates the release of insulin.



- REGULATION OF GLUCOSE SUPPLY (DIABETES MELLITUS)
- REDUCTION OF EXCESSIVE BODY WEIGHT

The reduced amount of starch and sugars (<2.0%) makes this food suitable for dogs with diabetes.



The correct intake of soluble and insoluble fiber favors the satiety sensation. The low caloric density supports the reduction of excessive body weight.



The exclusive use of ancestral cereals such as spelt and oats provides the formula with a Low Glycemic Index.



Reduced fat intake to reduce the caloric content of the diet.



Composition:

dehydrated chicken protein, spelt, hydrolysed fish protein, dried eggs, oats, dried beet pulp, pea fibre, dehydrated fish protein, chicken fat, linseed, fish oil, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), potassium chloride, sodium chloride, calcium carbonate, monocalcium phosphate, psyllium husks and seeds, glucosamine, chondroitin sulphate. Carbohydrate sources: spelt, oats.

Analytical constituents:

crude protein 35.00%; crude fat 11.00%; crude fibres 10.00%; crude ash 8.90%; calcium 1.30%; phosphorus 1.10%; sodium 0.45%; potassium 0.70%; magnesium 0.12%; starch 13.00%; total sugar 0.55%; Omega-3 fatty acids 0.65%; Omega-6 fatty acids 2.30%; EPA 0.15%; DHA 0.20%.

INSTRUCTIONS FOR USE

it is recommended that a veterinarian's opinion be sought before use and before extending the period of use. Recommended length of time: initially up to 6 months for the regulation of glucose supply (Diabetes mellitus); until target body weight is achieved for the reduction of excessive body weight. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body condition. The ration can be divided into two daily meals or more. It is recommended to mix initially this product with the previously used diet. Water should be available at all times.

Feeding guide

	2kg (4.4 lbs)	5kg (11 lbs)	10kg (22 lbs)	20kg (44.1 lbs)	30kg (66.1 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)	60kg (132.2 lbs)	70kg (154.3 lbs)
Weight of adult dog									
Min-Max Recommended Daily Quantity	35-65g 0.33-0.66c	70-130g 0.75-1.33c	120-220g 1.25-2.33c	200-375g 2.25-4.00c	275-510g 3.00-5.33c	340-630g 3.66-6.66c	400-745g 4.25-7.75c	460-800g 4.75-8.50c	520-900g 5.50-9.50c

1 cup = 95g



The high energy density and essential nutrients help in satisfying the specific needs of convalescent or debilitated subjects.



The quality of the ingredients and the valuable digestibility of the diet promote a better absorption and usage of nutrients.



High quality ingredients, FOS - MOS and other prebiotics, Omega-3 and natural antioxidants promote the recovery of intestinal health.



Zinc promotes the wound-healing process by speeding up cellular regeneration, and supports the immune system.



- ✓ CONVALESCENCE
- ✓ NUTRITIONAL RESTORATION

Farmina Vet Life Convalescence is a complete dietetic food for dogs for the nutritional restoration and convalescence.



Composition:

chicken fillet, sweet potato, hydrolysed fish protein, chicken liver, fish (sardine, tuna), eggs liquid yolk, quinoa seed extracted, fish oil, chicken fat, linseed, dicalcium phosphate, calcium carbonate, potassium chloride, inulin (0.15%), yeast extract (source of manno-oligo-saccharides), pea fibre, sodium chloride, dried brewers' yeast, glucosamine, chondroitin sulphate.

Analytical constituents:

crude protein 11.60%; crude fat 5.70%; crude fibres 0.24%; crude ash 3.40%; moisture 73.00%; Calcium 0.40%; Phosphorus 0.25%; Omega-3 fatty acids 0.10%; Omega-6 fatty acids 0.70%; EPA 0.03%; DHA 0.04%.

Additives per kg.

Nutritional additives: Vitamin A 5140IU; Vitamin D3 310IU; Vitamin E 200mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 50.4mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 19.4mg; Iron [Iron(II) chelate of glycine hydrate]: 12.3mg; Copper (Copper chelate of hydroxy analogue of methionine): 3.4mg; Selenium (Selenised yeast inactivated): 0.0418mg; Iodine (Calcium iodate anhydrous): 0.46mg; Taurine 1000mg. Sensory additives: green tea extract 30mg



Energy value

M.E. (CEN) 1188kcal/kg - 4.97MJ/kg

Available in size: **300g**

INSTRUCTIONS FOR USE

it is recommended that a veterinarian's opinion be sought before use.

Recommended length of time: until restoration is achieved. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body condition. The ration can be divided into two daily meals or more. It is recommended to mix initially this product with the previously used diet. Water should be available at all times. Once the can has been opened, keep refrigerated and use within 48 hours.

Feeding guide

Weight of adult dog	2kg (4,4 lbs)	5kg (11 lbs)	10kg (22 lbs)	15kg (33.1 lbs)	20kg (44.1 lbs)	25kg (55.1 lbs)	30kg (66.1 lbs)	35kg (77.2 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)
	minimum	105g	210g	350g	475g	590g	700g	800g	900g	1000g
RDA in g	average	150g	300g	500g	680g	845g	1000g	1140g	1285g	1680g
	maximum	195g	385g	650g	885g	1100g	1300g	1500g	1675g	2180g
1 can = 300g	minimum	1/3	3/4	1	1 1/2	2	2 1/3	2 2/3	3	3 1/3
	average	1/2	1	1 2/3	2 1/4	2 3/4	3 1/3	3 1/2	4 1/3	5 1/2
	maximum	2/3	1 1/3	2	3	3 2/3	4 1/3	5	5 1/2	7 1/4



The quality of the ingredients and the valuable digestibility of the diet promote a better absorption and usage of nutrients.



High quality ingredients, FOS - MOS and other prebiotics, Omega-3 and natural antioxidants promote the recovery of intestinal health.



The low fat content performs a lower digestive stress on the intestinal mucosa and has a lower impact on pancreatic exocrine functionality.



Vitamins and electrolytes integration supports the recovery of intestinal homeostasis after prolonged diarrhoea.



- ✓ REDUCTION OF ACUTE INTESTINAL ABSORPTIVE DISORDERS
- ✓ ACUTE DIARRHEA
- ✓ CONVALESCENCE AFTER ACUTE DIARRHEA
- ✓ COMPENSATION FOR MALDIGESTION
- ✓ EXOCRINE PANCREATIC INSUFFICIENCY (EPI)

Farmina Vet Life Gastrointestinal is a complete dietetic food for dogs for the reduction of acute intestinal absorptive disorders, during periods of and recovery from acute diarrhoea, for the compensation for maldigestion and exocrine pancreatic insufficiency.



Composition:

chicken fillet, hydrolysed fish protein, sweet potato, chicken liver, fish oil, fish (sardine, tuna), eggs liquid yolk, quinoa seed extracted, chicken fat, dicalcium phosphate, calcium carbonate, linseed, potassium chloride, fructo-oligosaccharides (0.25%), yeast extract (source of manno-oligo-saccharides) (0.15%), sodium chloride, pea fibre, dried brewers' yeast.

Analytical constituents:

crude protein 8.90%; crude fat 4.00%; crude fibres 0.20%; crude ash 2.60%; moisture 71.00%; Calcium 0.27%; Phosphorus 0.20%; Sodium 0.17%; Potassium 0.22%.

Additives per kg.

Nutritional additives: Vitamin A 4290IU; Vitamin D3 260IU; Vitamin E 170mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 50.4mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 19.4mg; Iron [Iron(II) chelate of glycine hydrate]: 12.3mg; Copper (Copper chelate of hydroxy analogue of methionine): 3.4mg; Selenium (Selenised yeast inactivated): 0.0418mg; Iodine (Calcium iodate anhydrous): 0.46mg; Taurine 600mg. Sensory additives: green tea extract 30mg.



Energy value

ME(CEN) 1204 kcal/kg - 5.04MJ/kg

Available in size: **300g**

INSTRUCTIONS FOR USE

it is recommended that a veterinarian's opinion be sought before use.

Recommended length of time: from 1 to 2 weeks in case of reduction of acute intestinal absorptive disorders, from 3 to 12 weeks in case of compensation for maldigestion, but lifetime in the case of chronic pancreatic insufficiency. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body condition. The ration can be divided into two daily meals or more. It is recommended to mix initially this product with the previously used diet. Water should be available at all times. Once the can has been opened, keep refrigerated and use within 48 hours.

Feeding guide

Weight of adult dog	2kg (4,4 lbs)	5kg (11 lbs)	10kg (22 lbs)	15kg (33.1 lbs)	20kg (44.1 lbs)	25kg (55.1 lbs)	30kg (66.1 lbs)	35kg (77.2 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)
	minimum	105g	210g	350g	475g	590g	700g	800g	900g	1000g
RDA in g	average	150g	300g	500g	680g	845g	1000g	1140g	1285g	1680g
	maximum	195g	385g	650g	885g	1100g	1300g	1500g	1675g	2180g
1 can = 300g	minimum	1/3	3/4	1	1 1/2	2	2 1/3	2 2/3	3	3 1/3
	average	1/2	1	1 2/3	2 1/4	2 3/4	3 1/3	3 1/2	4 1/3	5 1/2
	maximum	2/3	1 1/3	2	3	3 2/3	4 1/3	5	5 1/2	7 1/4



Only fish and hydrolyzed protein.



Single starch source: sweet potato. Useful in subjects with adverse reactions to cereals.



Omega-3 are essential fatty acids with anti-inflammatory action.



Zinc promotes the wound-healing process by speeding up cellular regeneration. It also helps in protecting the skin. It reduces the loss of electrolytes, by improving intestinal permeability. It also promotes the production of higher levels of antibodies.



ADVERSE FOOD REACTIONS

Farmina Vet Life Hypoallergenic Fish & Potato is a complete dietetic food for dogs for the reduction of ingredient and nutrient intolerances; for the support of skin function in the case of dermatosis and excessive loss of hair.

Composition:

fish (trout fillet, sardine) (28%), sweet potato (12%), hydrolysed fish protein, quinoa seed extracted, fish oil, calcium carbonate, dicalcium phosphate, powder cellulose, potassium chloride. Protein source: fish, hydrolysed fish protein. Carbohydrate sources: sweet potato, quinoa seed extracted.

Analytical constituents:

crude protein 9.50%; crude fat 5.70%; crude fibres 0.20%; crude ash 2.50%; moisture 78.00%; Calcium 0.22%; Phosphorus 0.17%; Omega-6 fatty acids 0.20%; Omega-3 fatty acids 0.90%; EPA 0.25%; DHA 0.40%.



Additives per kg.

Vitamin A 3400IU; Vitamin D3 200IU; Vitamin E 34mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 39.6mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 15.3mg; Iron [Iron(II) chelate of glycine hydrate]: 9.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.7mg; Selenium (Selenised yeast inactivated): 0.033mg; Iodine (Calcium iodate anhydrous): 0.33mg; Taurine 1000mg.



Energy value

ME (CEN) 1028kcal/kg - 4.03MJ/kg

Available in size:
300g



Feeding guide

Weight of adult dog	2kg (4,4 lbs)	5kg (11 lbs)	10kg (22 lbs)	15kg (33.1 lbs)	20kg (44.1 lbs)	25kg (55.1 lbs)	30kg (66.1 lbs)	35kg (77.2 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)
	minimum	125g	245g	300g	550g	690g	815g	935g	1050g	1160g
average	175g	350g	585g	800g	985g	1165g	1335g	1500g	1650g	1960g
maximum	225g	450g	760g	1030g	1280g	1515g	1735g	1950g	2150g	2545g
1 can = 300g	minimum	1/2	3/4	1	1 1/4	2 1/3	2 3/4	3	3 1/2	4 1/2
	average	2/3	1	2	2 2/3	3 1/4	3 3/4	4 1/2	5	5 1/2
	maximum	3/4	1 1/2	2 1/2	3 1/3	4 1/4	5	5 3/4	6 1/2	7 1/2



Only duck and hydrolyzed protein.



Single starch source: Sweet potato. Useful in subjects with adverse reactions to cereals.



Omega-3 are essential fatty acids with anti-inflammatory action.



Zinc promotes the wound-healing process by speeding up cellular regeneration. It also helps in protecting the skin. It reduces the loss of electrolytes, by improving intestinal permeability. It also promotes the production of higher levels of antibodies.



ADVERSE FOOD REACTIONS

Farmina Vet Life Hypoallergenic Duck & Potato is a complete dietetic food for dogs for the reduction of ingredient and nutrient intolerances; for the support of skin function in the case of dermatosis and excessive loss of hair.

Composition:

duck fillet (40%), sweet potato (12%), hydrolysed fish protein, quinoa seed extracted, fish oil, powder cellulose, calcium carbonate, dicalcium phosphate, potassium chloride. Protein source: duck fillet, hydrolysed fish protein. Carbohydrate sources: sweet potato, quinoa seed extracted.

Analytical constituents:

crude protein 9.50%; crude fat 8.40%; crude fibres 0.20%; crude ash 2.30%; moisture 76.00%; Calcium 0.18%; Phosphorus 0.11%; Omega-6 fatty acids 1.50%; Omega-3 fatty acids 0.20%; EPA 0.06%; DHA 0.08%.



Additives per kg.

Nutritional additives: Vitamin A 3400IU; Vitamin D3 200IU; Vitamin E 34mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 39.6mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 15.3mg; Iron [Iron(II) chelate of glycine hydrate]: 9.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.7mg; Selenium (Selenised yeast inactivated): 0.033mg; Iodine (Calcium iodate anhydrous): 0.33mg; Taurine 1000mg.

INSTRUCTIONS FOR USE

it is recommended that a veterinarian's opinion be sought before use. Recommended length of time: from 3 to 8 weeks: if signs of intolerance disappear this feed can be used indefinitely for reduction of ingredient and nutrient intolerances; up to 2 months for support of skin function in the case of dermatosis and excessive loss of hair. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body condition. The ration can be divided into two daily meals or more. It is recommended to mix initially this product with the previously used diet. Water should be available at all times. Once the can has been opened, keep refrigerated and use within 48 hours.



Energy value

ME (CEN) 1240kcal/kg - 5.19MJ/kg

Available in size:
300g



Feeding guide

Weight of adult dog	2kg (4,4 lbs)	5kg (11 lbs)	10kg (22 lbs)	15kg (33.1 lbs)	20kg (44.1 lbs)	25kg (55.1 lbs)	30kg (66.1 lbs)	35kg (77.2 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)
	minimum	100g	200g	250g	455g	565g	670g	765g	860g	950g
average	140g	285g	480g	650g	810g	955g	1095g	1230g	1360g	1605g
maximum	185g	405g	625g	845g	1050g	1240g	1425g	1600g	1765g	2090g
1 can = 300g	minimum	1/3	2/3	3/4	1 1/2	2 1/4	2 1/2	2 3/4	3	3 3/4
	average	1/2	1	1 2/3	2	2 3/4	3	3 2/3	4	4 1/2
	maximum	2/3	1 1/3	2	2 3/4	3 1/2	4	4 3/4	5 1/3	5 3/4



Induces struvite stones dissolution and reduces struvite stones recurrence.



Urine acidification with calcium sulphate integration.



Reduced Magnesium content limits struvite stones formation.



Reduced amount of Phosphorus helps in controlling the phosphatemia and in preventing the formation of uroliths.



- ✓ DISSOLUTION OF STRUVITE STONES
- ✓ REDUCTION OF STRUVITE STONE RECURRENCE

Farmina Vet Life Struvite is a complete dietetic food for dogs for the dissolution of struvite stones and for the reduction of struvite stone recurrence.

Composition:

chicken fillet, hydrolysed fish protein, eggs liquid yolk, sweet potato, chicken liver, fish (sardine, tuna), quinoa seed extracted, chicken fat, fish oil, linseed, potassium chloride, sodium chloride, calcium sulphate dihydrate, fructo-oligosaccharides, yeast extract (source of manno-oligosaccharides), dried brewers' yeast. Protein sources: chicken fillet, hydrolysed fish protein, eggs liquid yolk, chicken liver, fish.

Analytical constituents:

crude protein 9.70%; crude fat 4.60%; crude fibres 0.30%; crude ash 1.90%; moisture 76.00%; Calcium 0.10%; Phosphorus 0.09%; Sodium 0.20%; Potassium 0.22%; Magnesium 0.019%; Chlorides 0.40%; Sulphur 0.10%; Taurine 0.12%. Urine acidifying substances: calcium sulphate dihydrate (3g/kg).



Additives per kg:

Nutritional additives: Vitamin A 3800IU; Vitamin D3 150IU; Vitamin E 150mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 43.2mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 17mg; Iron (Iron(II) chelate of glycine hydrate): 11.7mg; Copper (Copper chelate of hydroxy analogue of methionine): 2mg; Selenium (Selenised yeast inactivated): 0.00374mg; Iodine (Calcium iodate anhydrous): 0.39mg; DL-methionine, technically pure 1750mg; Taurine 1000mg.



Energy value

ME (CEN) 1066kcal/kg - 4.46MJ/kg.

Available in size: **300g**

INSTRUCTIONS FOR USE

it is recommended that a veterinarian's opinion be sought before use. Recommended length of time: from 5 to 12 weeks in case of dissolution of struvite stones; up to 6 months in case of reduction of struvite stone recurrence. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body condition. The ration can be divided into two daily meals or more. It is recommended to mix initially this product with the previously used diet. Water should be available at all times. Once the can has been opened, keep refrigerated and use within 48 hours.

Feeding guide

Weight of adult dog	2kg (4,4 lbs)	5kg (11 lbs)	10kg (22 lbs)	15kg (33.1 lbs)	20kg (44.1 lbs)	25kg (55.1 lbs)	30kg (66.1 lbs)	35kg (77.2 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)
RDA in g	minimum	120g	235g	400g	535g	665g	785g	900g	1015g	1325g
	average	170g	335g	565g	765g	950g	1125g	1300g	1450g	1885g
	maximum	220g	435g	735g	1000g	1235g	1460g	1676g	1880g	2460g
1 can = 300g	minimum	1/3	¾	1 1/3	1¾	2 1/3	3	3 1/3	3¾	4 1/2
	average	½	1	1¾	2½	3	4 1/3	4¾	5 1/3	6¾
	maximum	¾	1½	2½	3 1/3	4	4¾	5½	6	8



Promotes the slowdown of renal pathology progression.



Reduced levels of protein contribute in limiting the deposit of nitrogen catabolites.



Reduced levels of Sodium help in preventing hypertension. Reduced levels of Phosphorus contribute in managing the secondary hyperparathyroidism.



Omega-3 fatty acids have an antiinflammatory action and support in maintaining an adequate renal perfusion.



- ✓ ACUTE RENAL INSUFFICIENCY
- ✓ CHRONIC RENAL INSUFFICIENCY

Farmina Vet Life Renal is a complete dietetic food for dogs for the support of renal function in case of chronic renal insufficiency or acute renal insufficiency.

Composition:

chicken fillet, sweet potato, hydrolysed fish protein, fish oil, chicken liver, fish (sardine), chicken fat, quinoa seed extracted, eggs liquid yolk, calcium carbonate, pea fibre, fructo-oligosaccharides, potassium chloride, sodium chloride, psyllium husks and seeds, Yucca schidigera, dried brewers' yeast, glucosamine. Protein sources: chicken fillet, hydrolysed fish protein, chicken liver, fish, eggs liquid yolk.

Analytical constituents:

crude protein 6.80%; crude fat 7.80%; crude fibres 0.18%; crude ash 1.90%; moisture 71.00%; Calcium 0.20%; Phosphorus 0.09%; Sodium 0.09%; Potassium 0.15%; Omega-3 fatty acids 0.15%; Omega-6 fatty acids 1.00%; EPA 0.05%; DHA 0.06%. Urine alkalisng substance: potassium citrate (2g/kg).



Additives per kg:

Nutritional additives: Vitamin A 4500IU; Vitamin D3 270IU; Vitamin E 180mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 52.2mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 20.4mg; Iron (Iron(II) chelate of glycine hydrate): 13mg; Copper (Copper chelate of hydroxy analogue of methionine): 1.4mg; Selenium (Selenised yeast inactivated): 0.04620mg; Iodine (Calcium iodate anhydrous): 0.45mg; Taurine 1000mg. Technological additives: potassium citrate 2000mg.



Energy value

ME (CEN) 1404kcal/kg - 5.88MJ/kg

Available in size: **300g**

INSTRUCTIONS FOR USE

it is recommended that advice from a veterinarian be sought before use and before extending the period of use. Recommended length of time: initially up to 6 months for chronic renal insufficiency; from 2-4 weeks for acute renal insufficiency. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body condition. The ration can be divided into two daily meals or more. It is recommended to mix initially this product with the previously used diet. Water should be available at all times. Once the can has been opened, keep refrigerated and use within 48 hours.

Feeding guide

Weight of adult dog	2kg (4,4 lbs)	5kg (11 lbs)	10kg (22 lbs)	15kg (33.1 lbs)	20kg (44.1 lbs)	25kg (55.1 lbs)	30kg (66.1 lbs)	35kg (77.2 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)
RDA in g	minimum	90g	175g	300g	400g	500g	585g	670g	750g	1000g
	average	125g	250g	420g	570g	710g	840g	960g	1080g	1400g
	maximum	160g	325g	550g	740g	920g	1100g	1250g	1400g	1830g
1 can = 300g	minimum	1/3	½	1	1 1/3	1 2/3	2	2 ¼	2 ½	3 1/3
	average	½	¾	1 1/3	2	2 1/3	2 ¾	3 ¼	3 2/3	4 2/3
	maximum	¾	1	1¾	2½	3	3 2/3	4	4 2/3	6





 FELINE FORMULAS

		DRY	WET
Convalescence	Convalescence • Nutritional restoration • Feline hepatic lipidosis		
Gastrointestinal	Reduction of acute intestinal absorptive disorders • Acute diarrhea • Convalescence after acute diarrhea		
Hepatic	Chronic liver insufficiency		
UltraHypo	Adverse Food Reactions		
Struvite	Dissolution of struvite stones • FLUTD • Reduction of struvite stone recurrence		
Struvite Management	FLUTD • Reduction of struvite stone recurrence		
Renal	Acute renal insufficiency • Chronic renal insufficiency • Support of heart function in the case of chronic cardiac insufficiency		
Obesity	Weight Management • Overweight • Obesity		
Diabetic	Regulation of glucose supply (Diabetes mellitus) • Reduction of excessive body weight		



The quality of the ingredients and the valuable digestibility of the diet promote a better absorption and usage of nutrients.

High quality ingredients, FOS - MOS and other prebiotics, Omega-3 and natural antioxidants promote the recovery of intestinal health.

Omega-3 are essential fatty acids with anti-inflammatory action that protects intestinal mucosa.

Vitamins and electrolytes integration support the recovery of intestinal homeostasis after prolonged diarrhea.

The high energetic density and essential nutrients help in satisfying the specific needs of convalescent or debilitated subjects.



✓ REDUCTION OF ACUTE INTESTINAL ABSORPTIVE DISORDERS

✓ ACUTE DIARRHEA

✓ CONVALESCENCE AFTER ACUTE DIARRHEA

Farmina Vet Life Gastrointestinal is a complete dietetic food for cats for the reduction of acute intestinal absorptive disorders, during periods of and recovery from acute diarrhea.



Composition:

dehydrated chicken protein, rice, chicken fat, corn gluten, linseed, spelt, hydrolysed fish protein, dehydrated fish protein, dried beet pulp, fish oil, dried eggs, pea fibre, psyllium husks and seeds, dried brewers' yeast, potassium chloride, inulin (0.6%), fructo-oligosaccharides (0.6%), yeast extract (source of manno-oligo-saccharides) (0.6%), sodium chloride, monosodium phosphate, calcium sulphate dihydrate. Source of mucilaginous substances: psyllium husks and seeds.

Analytical constituents:

Crude protein 33.00%; Crude fat 21.50%; Crude fibres 1.70%; Crude ash 7.30%; Calcium 1.00%; Phosphorus 0.90%; Sodium 0.50%; Potassium 0.90%; Magnesium 0.09%; Omega-6 fatty acids 3.30%; Omega-3 fatty acids 0.60%; EPA 0.15%; DHA 0.30%.

Additives per kg.

Nutritional additives: Vitamin A 22000IU; Vitamin D3 1500IU; Vitamin E 600mg; Vitamin C 300mg; Niacin 150mg; Calcium D-pantothenate 50mg; Vitamin B2 20mg; Vitamin B6 8mg; Vitamin B1 12mg; Biotin 1.5mg; Folic acid 1.5mg; Vitamin B12 0.10mg; Choline chloride 3000mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 130.5mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 65.5mg; Iron [Iron(II) chelate of glycine hydrate]: 43.1mg; Copper (Copper chelate of hydroxy analogue of methionine): 10.8mg; Selenium (Selenised yeast inactivated): 0.13200mg; Iodine (Calcium iodate anhydrous): 1.56mg; DL-methionine, technically pure 7000mg; Taurine 2500mg; L-carnitine 500mg. Technological additives: microcrystalline cellulose. Antioxidants: tocopherol extracts from vegetable oils 10mg.

Energy value

M.E. (CEN) 4253kcal/kg - 17.79MJ/kg

Available in size:
400g • 2kg • 5kg



INSTRUCTIONS FOR USE

it is recommended that a veterinarian's opinion be sought before use. Recommended length of time: from 1 to 2 weeks in case of reduction of acute intestinal absorptive disorders, during periods of and recovery from acute diarrhea. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body condition. The ration can be divided into two daily meals or more. It is recommended to mix initially this product with the previously used diet. Water should be available at all times.

Feeding guide

	2kg (4.4lbs)	2.5kg (5.5lbs)	3kg (6.6lbs)	3.5kg (7.7lbs)	4kg (8.8lbs)	4.5kg (9.9lbs)	5kg (11lbs)	5.5kg (12.1lbs)	6kg (13.2lbs)	6.5kg (14.3lbs)
Weight of adult cat										
Min-Max Recommended Daily Quantity	22-38g 0.25-0.33c	26-44g 0.25-0.33c	30-50g 0.33-0.50c	35-55g 0.33-0.50c	36-60g 0.33-0.50c	39-65g 0.33-0.66c	42-70g 0.33-0.66c	45-74g 0.33-0.66c	48-78g 0.50-0.75c	50-82g 0.50-0.75c

1 cup = 105g



The quality of the ingredients and the valuable digestibility of the diet promote a better absorption and usage of nutrients.

The low level of Copper limits the toxic effects on hepatocytes.

Hepatic Zinc contrasts Copper deposit and has antifibrotic action.

The integration with a multivitamin and antioxidant complex reduces cellular oxidative stress.

High quality ingredients and exclusive formula to help in contrast the pathology-induced anorexia.



✓ CHRONIC LIVER INSUFFICIENCY

Farmina Vet Life Hepatic is a complete dietetic food for cats for the support of liver function in the case of chronic liver insufficiency. This food has high quality protein, moderate level of protein and high level of essential fatty acids.



Composition:

spelt, corn gluten, hydrolysed fish protein, oats, chicken fat, fish oil, dehydrated chicken protein, calcium carbonate, linseed, potassium chloride, rice starch, dried beet pulp, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), sodium chloride, dried brewers' yeast. Protein sources: corn gluten, hydrolysed fish protein, dehydrated chicken protein.

Analytical constituents:

Crude protein 26.00%; Crude fat 20.00%; Crude fibres 2.20%; Crude ash 6.90%; Calcium 0.85%; Phosphorus 0.65%; Sodium 0.40%; Potassium 0.70%; Magnesium 0.075%; Omega-6 fatty acids 4.10%; Omega-3 fatty acids 0.85%; EPA 0.18%; DHA 0.25%; essential fatty acids 0.55%; total copper 5mg/kg.

Additives per kg.

Nutritional additives: Vitamin A 15000IU; Vitamin D3 900IU; Vitamin E 900mg; Vitamin C 150mg; Niacin 38mg; Calcium D-pantothenate 15mg; Vitamin B2 7.5mg; Vitamin B6 6mg; Vitamin B1 4.5mg; Biotin 0.4mg; Folic acid 0.45mg; Vitamin B12 0.06mg; Choline chloride 2800mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 190.8mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 68mg; Iron [Iron(II) chelate of glycine hydrate]: 43.1mg; Copper (Copper chelate of hydroxy analogue of methionine): 2mg; Selenium (Selenised yeast inactivated): 0.14960mg; Iodine (Calcium iodate anhydrous): 1.56mg; L-Lysine-mono-hydrochloride, technically pure 4500mg; DL-methionine, technically pure 6000mg; Taurine 4800mg; L-carnitine 650mg. Antioxidants: tocopherol extracts from vegetable oils 10mg.

INSTRUCTIONS FOR USE

it is recommended that a veterinarian's opinion be sought before use or before extending the period of use. Recommended length of time: initially up to 6 months. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to maintain the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body condition. The ration can be divided into two daily meals or more. It is recommended to mix initially this product with the previously used diet. Water should be available at all times.

Energy value

M.E. (CEN) 4132kcal/kg - 17.29 MJ/kg

Available in size:
400g • 2kg



Feeding guide

	2kg (4.4lbs)	2.5kg (5.5lbs)	3kg (6.6lbs)	3.5kg (7.7lbs)	4kg (8.8lbs)	4.5kg (9.9lbs)	5kg (11lbs)	5.5kg (12.1lbs)	6kg (13.2lbs)	6.5kg (14.3lbs)
Weight of adult cat										
Min-Max Recommended Daily Quantity	22-38g 0.25-0.33c	26-44g 0.25-0.50c	30-50g 0.33-0.50c	33-55g 0.33-0.50c	36-60g 0.33-0.66c	39-65g 0.50-0.66c	42-70g 0.50-0.75c	45-75g 0.50-0.75c	48-80g 0.50-0.75c	50-84g 0.50-1.00c

1 cup = 95g



Hydrolyzed fish protein <= 6000 dalton.



Refined rice starch minimizes adverse reactions to vegetables protein.



The quality of the ingredients and the valuable digestibility of the diet promote a better absorption and usage of nutrients.



Omega-3 are essential fatty acids with anti-inflammatory action.



Zinc promotes the wound-healing process by speeding up cellular regeneration. It also helps in protecting the skin. It reduces the loss of electrolytes, by improving intestinal permeability. It also promotes the production of higher levels of antibodies.



- ✓ ADVERSE FOOD REACTIONS
- ✓ ELIMINATION DIET

Farmina Vet Life UltraHypo is a complete dietetic food for cats for the reduction of ingredient and nutrient intolerances; elimination diet; support of skin function in the case of dermatosis and excessive loss of hair.



Composition:

hydrolysed fish protein, rice starch, fish oil, calcium carbonate, fructo-oligosaccharides (0.6%), potassium chloride, calcium sulphate dihydrate, monocalcium phosphate, sodium chloride. Protein source: hydrolysed fish protein. Carbohydrate sources: rice starch.

Analytical constituents:

Crude protein 28.00%; Crude fat 11.00%; Crude fibres 1.80%; Crude ash 7.10%; Calcium 1.00%; Phosphorus 0.80%; Sodium 0.80%; Potassium 0.60%; Magnesium 0.06%; Omega-3 fatty acids 1.70%; Omega-6 fatty acids 0.50%; EPA 0.50%; DHA 0.70%.

Additives per kg.

Nutritional additives: Vitamin A 22000IU; Vitamin D3 1500IU; Vitamin E 600mg; Vitamin C 300mg; Niacin 150mg; Calcium D-pantothenate 50mg; Vitamin B2 20mg; Vitamin B6 8.1mg; Vitamin B1 10mg; Biotin 1.5mg; Folic acid 1.5mg; Vitamin B12 0.1mg; Choline chloride 2500mg; Beta-carotene 5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 130.5mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 65.5mg; Iron [Iron(II) chelate of glycine hydrate]: 43.1mg; Copper (Copper chelate of hydroxy analogue of methionine): 10.8mg; Selenium (Selenised yeast inactivated): 0.04400mg; Iodine (Calcium iodate anhydrous): 1.56mg; DL-methionine, technically pure 5000mg; Taurine 3000mg; L-carnitine 300mg. Technological additives: microcrystalline cellulose. Antioxidants: tocopherol extracts from vegetable oils 10mg.

Energy value

M.E. (CEN) 3745kcal/kg - 15.67MJ/kg

Available in size:
400g • 2kg • 5kg



INSTRUCTIONS FOR USE

it is recommended that a veterinarian's opinion be sought before use. Recommended length of time: 3 to 8 weeks: if signs of intolerance disappear this feed can be used indefinitely for reduction of ingredient and nutrient intolerances; up to 2 months for support of skin function in the case dermatosis and excessive loss of hair. Serve the product as it is, following the daily quantity indicated in the table. The daily quantities can change according to breed, environment, physical exercise and temperament. The quantities shown in the table are purely indicative and require an adjustment to obtain optimal weight. The dose can be divided into two daily meals or more. Water should be available at all times.

Feeding guide

	2kg (4.4lbs)	2.5kg (5.5lbs)	3kg (6.6lbs)	3.5kg (7.7lbs)	4kg (8.8lbs)	4.5kg (9.9lbs)	5kg (11lbs)	5.5kg (12.1lbs)	6kg (13.2lbs)	6.5kg (14.3lbs)
Weight of adult cat										
Min-Max Recommended Daily Quantity	25-42g 0.25-0.33c	30-48g 0.33-0.50c	33-55g 0.33-0.60c	38-61g 0.33-0.66c	40-67g 0.33-0.66c	44-72g 0.50-0.75c	46-78g 0.50-0.75c	50-82g 0.50-0.75c	52-88g 0.50-1.00c	56-92g 0.66-1.00c



Induces struvite stones dissolution and reduces struvite stones recurrence.



Urine acidification with DL-methionine and calcium sulphate integration.



Reduced Magnesium content limits struvite stones formation.



Reduced protein levels help in reducing urea contents in the urine.



Reduced amount of Phosphorus helps in controlling the phosphatemia and in preventing the formation of uroliths.



- ✓ DISSOLUTION OF STRUVITE STONES
- ✓ FLUTD
- ✓ REDUCTION OF STRUVITE STONE RECURRENCE

Farmina Vet Life Struvite is a complete dietetic food for cats for the dissolution of struvite stones, feline lower urinary tract disease and reduction of struvite stone recurrence.



Composition:

corn gluten, rice, dehydrated chicken protein, oats, chicken fat, hydrolysed fish protein, dried eggs, fish oil, dehydrated fish protein, potassium chloride, calcium sulphate dihydrate, calcium carbonate, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), sodium chloride. Protein sources: corn gluten, dehydrated chicken protein, hydrolysed fish protein, dried eggs, dehydrated fish protein.

Analytical constituents:

Crude protein 34.00%; Crude fat 16.00%; Crude fibres 1.20%; Crude ash 5.90%; Calcium 0.80%; Phosphorus 0.60%; Sodium 0.26%; Potassium 0.45%; Magnesium 0.06%; Chlorides 0.95%; Sulphur 0.40%; Omega-6 fatty acids 3.10%; Omega-3 fatty acids 0.40%; EPA 0.10%; DHA 0.15%. Urine acidifying substances: DL-methionine, technically pure (7g/kg), calcium sulphate dihydrate (5g/kg).

Additives per kg.

Nutritional additives: Vitamin A 15000IU; Vitamin D3 600IU; Vitamin E 550mg; Vitamin C 250mg; Niacin 125mg; Calcium D-pantothenate 42mg; Vitamin B2 17mg; Vitamin B6 7mg; Vitamin B1 8mg; Biotin 1.3mg; Folic acid 1.3mg; Vitamin B12 0.08mg; Choline chloride 1900mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 130.5mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 65.5mg; Iron [Iron(II) chelate of glycine hydrate]: 43.1mg; Copper (Copper chelate of hydroxy analogue of methionine): 10.8mg; Selenium (Selenised yeast inactivated): 0.13200mg; Iodine (Calcium iodate anhydrous): 1.56mg; Taurine 2000mg; DL-methionine, technically pure 7000mg; L-Lysine-mono-hydrochloride, technically pure 1000mg; L-carnitine 250mg. Antioxidants: tocopherol extracts from vegetable oils 10mg.

INSTRUCTIONS FOR USE

it is recommended that a veterinarian's opinion be sought before use. Recommended length of time: 5 to 12 weeks in case of dissolution of struvite stones; up to 6 months in case of reduction of struvite stone recurrence. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body condition. The ration can be divided into two daily meals or more. It is recommended to mix initially this product with the previously used diet. Water should be available at all times.

Energy value

M.E. (CEN) 4080kcal/kg - 17.07MJ/kg

Available in size:
400g • 2kg



Feeding guide

	2kg (4.4lbs)	2.5kg (5.5lbs)	3kg (6.6lbs)	3.5kg (7.7lbs)	4kg (8.8lbs)	4.5kg (9.9lbs)	5kg (11lbs)	5.5kg (12.1lbs)	6kg (13.2lbs)	6.5kg (14.3lbs)
Weight of adult cat										
Min-Max Recommended Daily Quantity	24-39g 0.25-0.33c	27-45g 0.25-0.50c	30-50g 0.33-0.50c	34-56g 0.33-0.50c	38-62g 0.50-0.66c	40-68g 0.50-0.66c	44-72g 0.50-0.75c	46-76g 0.50-0.75c	48-82g 0.50-1.00c	52-86g 0.50-1.00c



Reduces the struvite stones recurrence.



The mild acidification contributes in maintaining pH within ideal levels.



The integration with Glucosamine supports an adequate turnover of glycosaminoglycans, essential to urinary tract integrity.



Reduced Magnesium and Phosphorus limit the formation of struvite stones. Reduced Calcium limits the formation of other crystals.



Reduced protein content helps in reducing urea level in urine.



✓ REDUCTION OF STRUVITE STONE RECURRENCE

✓ FLUTD

Farmina Vet Life Struvite Management is a complete dietetic food for cats for the reduction of struvite stone recurrence and feline lower urinary tract disease.



Composition:

corn gluten, rice, dehydrated chicken protein, oats, chicken fat, hydrolysed fish protein, dried eggs, fish oil, dehydrated fish protein, potassium chloride, calcium carbonate, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), sodium chloride, glucosamine.

Analytical constituents:

Crude protein 33.00%; Crude fat 16.50%; Crude fibres 1.20%; Crude ash 6.60%; Calcium 0.85%; Phosphorus 0.70%; Sodium 0.40%; Potassium 0.65%; Magnesium 0.06%; Chloride 0.95%; Sulfur 0.40%; Omega-6 fatty acids 3.20%; Omega-3 fatty acids 0.40%; EPA 0.10%; DHA 0.15%. Urine acidifying substances: ammonium chloride (3.5g/kg); DL-methionine, technically pure (2.5g/kg).

Additives per kg.

Nutritional additives: Vitamin A 15000IU; Vitamin D3 600IU; Vitamin E 550mg; Vitamin C 250mg; Niacin 125mg; Calcium D-pantothenate 42mg; Vitamin B2 17mg; Vitamin B6 7mg; Vitamin B1 8mg; Biotin 1.3mg; Folic acid 1.3mg; Vitamin B12 0.08mg; Choline chloride 2500mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 130.5mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 65.5mg; Iron [Iron(II) chelate of glycine hydrate]: 43.1mg; Copper (Copper chelate of hydroxy analogue of methionine): 10.8mg; Selenium (Selenised yeast inactivated): 0.13200mg; Iodine (Calcium iodate anhydrous): 1.56mg; Taurine 2000mg; DL-methionine, technically pure 2500mg; L-Lysine-monohydrochloride, technically pure 1000mg; L-carnitine 250mg. Antioxidants: tocopherol extracts from vegetable oils 10mg. Acidity regulators: ammonium chloride 3500mg.

Energy value

M.E. (CEN) 4072kcal/kg - 17.04MJ/kg

Available in size:
400g • 2kg • 5kg



INSTRUCTIONS FOR USE

it is recommended that a veterinarian's opinion be sought before use. Recommended length of time: up to 6 months. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body condition. The ration can be divided into two daily meals or more. It is recommended to mix initially this product with the previously used diet. Water should be available at all times.

Feeding guide

	2kg (4.4lbs)	2.5kg (5.5lbs)	3kg (6.6lbs)	3.5kg (7.7lbs)	4kg (8.8lbs)	4.5kg (9.9lbs)	5kg (11lbs)	5.5kg (12.1lbs)	6kg (13.2lbs)	6.5kg (14.3lbs)
Weight of adult cat										
Min-Max Recommended Daily Quantity	24-39g 0.25-0.33c	27-45g 0.25-0.50c	30-50g 0.33-0.50c	34-56g 0.33-0.50c	38-62g 0.33-0.66c	40-68g 0.50-0.66c	44-72g 0.50-0.75c	46-76g 0.50-0.75c	48-82g 0.50-0.75c	52-86g 0.50-1.00c

1 cup = 95g



Promotes the slowdown of renal pathology progression.



Reduced protein contribute in limiting the deposit of nitrogen catabolites.



Reduced levels of Sodium help in preventing hypertension. Reduced levels of Phosphorus contribute in managing the secondary hyperparathyroidism.



Omega-3 fatty acids have an antinflammatory action and support in maintaining an adequate renal perfusion.



High quality ingredients and exclusive formula to help in contrast the pathology-induced anorexia.



✓ ACUTE RENAL INSUFFICIENCY

✓ CHRONIC RENAL INSUFFICIENCY

✓ SUPPORT OF HEART FUNCTION IN THE CASE OF CHRONIC CARDIAC INSUFFICIENCY

Farmina Vet Life Renal is a complete dietetic food for cats for the support of renal function in case of chronic renal insufficiency or acute renal insufficiency.



Composition:

rice, corn gluten, dehydrated chicken protein, chicken fat, dried eggs, hydrolysed fish protein, potassium chloride, dehydrated fish protein, fish oil, calcium carbonate, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), sodium chloride, glucosamine (500mg/kg). Protein sources: corn gluten, dehydrated chicken protein, dried eggs, hydrolysed fish protein, dehydrated fish protein.

Analytical constituents:

Crude protein 24.50%; Crude fat 20.00%; Crude fibres 0.90%; Crude ash 5.30%; Calcium 0.60%; Phosphorus 0.40%; Sodium 0.25%; Potassium 0.70%; Magnesium 0.05%; Omega-3 fatty acids 0.40%; Omega-6 fatty acids 3.90%; EPA 0.10%; DHA 0.15%. Urine alkalisating substance: potassium citrate (3g/kg).

Additives per kg.

Nutritional additives: Vitamin A 15000IU; Vitamin D3 600IU; Vitamin E 550mg; Vitamin C 250mg; Niacin 125mg; Calcium D-pantothenate 42mg; Vitamin B2 17mg; Vitamin B6 7mg; Vitamin B1 8mg; Biotin 1.3mg; Folic acid 1.3mg; Vitamin B12 0.08mg; Choline chloride 2500mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 130.5mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 65.5mg; Iron [Iron(II) chelate of glycine hydrate]: 43.1mg; Copper (Copper chelate of hydroxy analogue of methionine): 9.7mg; Selenium (Selenised yeast inactivated): 0.13200mg; Iodine (Calcium iodate anhydrous): 1.56mg; Taurine 2000mg; DL-methionine, technically pure 5000mg; L-Lysine-monohydrochloride, technically pure 2000mg; L-tryptophan 2000mg; L-carnitine 250mg. Technological additives: potassium citrate 3000mg; microcrystalline cellulose. Antioxidants: tocopherol extracts from vegetable oils 10mg.

Energy value

M.E. (CEN) 4241kcal/kg - 17.75MJ/kg

Available in size:
400g • 2kg • 5kg




INSTRUCTIONS FOR USE

it is recommended that advice from a veterinarian be sought before use and before extending the period of use. Recommended length of time: initially up to 6 months for chronic renal insufficiency or support of heart function in the case of chronic cardiac insufficiency; 2-4 weeks for temporary renal insufficiency. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body condition. The ration can be divided into two daily meals or more. It is recommended to mix initially this product with the previously used diet. Water should be available at all times.

Feeding guide

	2kg (4.4lbs)	2.5kg (5.5lbs)	3kg (6.6lbs)	3.5kg (7.7lbs)	4kg (8.8lbs)	4.5kg (9.9lbs)	5kg (11lbs)	5.5kg (12.1lbs)	6kg (13.2lbs)	6.5kg (14.3lbs)
Weight of adult cat										
Min-Max Recommended Daily Quantity	22-38g 0.25-0.33c	26-44g 0.25-0.50c	30-50g 0.33-0.50c	33-55g 0.33-0.50c	36-60g 0.33-0.66c	39-65g 0.33-0.66c	42-70g 0.50-0.66c	45-74g 0.50-0.75c	48-78g 0.50-1.00c	50-82g 0.50-0.75c

1 cup = 103g



The correct intake of soluble and insoluble fiber favors the satiety sensation. The low caloric density supports the reduction of excessive body weight.

Reduced fat intake to reduce the caloric content of the diet.

The correct development of lean mass is supported by high levels of proteins with high biological value and the integration with L-Carnitine (muscular energetic metabolism efficiency) and Taurine (muscular contractility).

The exclusive use of ancestral cereals such as spelt and oats provides the formula with a Low Glycemic Index.

High quality ingredients, FOS- MOS and other prebiotics, Omega-3 and natural antioxidants promote the recovery of intestinal health.



- ✓ WEIGHT MANAGEMENT
- ✓ OVERWEIGHT
- ✓ OBESITY

Farmina Vet Life Obesity is a complete dietetic food for cats for the reduction of excessive body weight.



Composition:

dehydrated chicken protein, corn gluten, pea fibre, oats, hydrolysed fish protein, spelt, dehydrated fish protein, chicken fat, dried eggs, fish oil, dried beet pulp, linseed, potassium chloride, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), psyllium husks and seeds, sodium chloride, calcium sulphate dihydrate, chondroitin sulphate, glucosamine.

Analytical constituents:

Crude protein 43,00%; Crude fat 9,00%; Crude fibres 10,00%; Crude ash 7,50%; Calcium 1,10%; Phosphorus 0,95%; Sodium 0,40%; Potassium 0,80%; Magnesium 0,08%; Omega-6 fatty acids 1,30%; Omega-3 fatty acids 0,30%; EPA 0,10%; DHA 0,15%.

Additives per kg.

Nutritional additives: Vitamin A 15000IU; Vitamin D3 1000IU; Vitamin E 550mg; Vitamin C 250mg; Niacin 125mg; Calcium D-pantothenate 42mg; Vitamin B2 17mg; Vitamin B6 7mg; Vitamin B1 8mg; Biotin 1.3mg; Folic acid 1.3mg; Vitamin B12 0.08mg; Choline chloride 2500mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 130.5mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 65.5mg; Iron [Iron(II) chelate of glycine hydrate]: 43.1mg; Copper (Copper chelate of hydroxy analogue of methionine): 10.8mg; Selenium (Selenised yeast inactivated): 0.13200mg; Iodine (Calcium iodate anhydrous): 1.56mg; L-Lysine-monohydrochloride, technically pure 4000mg; DL-methionine, technically pure 3500mg; Taurine 2500mg; L-carnitine 550mg. Technological additives: microcrystalline cellulose. Antioxidants: tocopherol extracts from vegetable oils 10mg.

Energy value

M.E. (CEN) 3369kcal/kg - 14.10MJ/kg

Available in size:
400g • 2kg • 5kg




INSTRUCTIONS FOR USE

it is recommended that a veterinarian's opinion be sought before use. Recommended length of time: until target body weight is achieved. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. Approximately, cover about 60% of caloric needs of the subject; this percentage may change according to breed, environment, physical exercise, disposition. The ration can be divided into two daily meals or more. It is recommended to mix initially this product with the previously used diet. Water should be available at all times.

Feeding guide

	2kg (4.4lbs)	2.5kg (5.5lbs)	3kg (6.6lbs)	3.5kg (7.7lbs)	4kg (8.8lbs)	4.5kg (9.9lbs)	5kg (11lbs)	5.5kg (12.1lbs)	6kg (13.2lbs)	6.5kg (14.3lbs)
Weight of adult cat										
Min-Max Recommended Daily Quantity	22-33g 0.25-0.33c	23-38g 0.25-0.33c	26-44g 0.25-0.50c	30-48g 0.33-0.50c	32-52g 0.33-0.55c	35-58g 0.33-0.66c	38-62g 0.33-0.66c	40-65g 0.50-0.66c	42-70g 0.50-0.75c	44-75g 0.50-0.75c



This specific formula induces an optimal and gradual post-prandial glycemic response and modulates the release of insulin.

The reduced amount of starch and sugars (<2,0%) makes this food suitable for cats with diabetes.

The correct intake of soluble and insoluble fiber favors the satiety sensation. The low caloric density supports the reduction of excessive body weight.

The exclusive use of ancestral cereals such as spelt and oats provides the formula with a Low Glycemic Index.

Reduced fat intake to reduce the caloric content of the diet.



- ✓ REGULATION OF GLUCOSE SUPPLY (DIABETES MELLITUS)
- ✓ REDUCTION OF EXCESSIVE BODY WEIGHT

Farmina Vet Life Diabetic is a complete dietetic food for cats for the regulation of glucose supply (Diabetes mellitus) and reduction of excessive body weight.



Composition:

dehydrated chicken protein, corn gluten, oats, spelt, hydrolysed fish protein, chicken fat, pea fibre, dehydrated fish protein, dried eggs, fish oil, dried beet pulp, linseed, potassium chloride, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), psyllium husks and seeds, sodium chloride, potassium citrate, calcium sulphate dihydrate, chondroitin sulphate, glucosamine. Carbohydrate sources: oats, spelt.

Analytical constituents:

Crude protein 46,00%; Crude fat 13,00%; Crude fibres 4,60%; Crude ash 7,90%; Calcium 1,20%; Phosphorus 0,98%; starch 10,50%; total sugar 0,33%; Sodium 0,40%; Potassium 0,65%; Magnesium 0,09%; Omega-6 fatty acids 2,00%; Omega-3 fatty acids 0,30%; EPA 0,10%; DHA 0,15%.

Additives per kg.

Nutritional additives: Vitamin A 15000IU; Vitamin D3 1000IU; Vitamin E 550mg; Vitamin C 250mg; Niacin 125mg; Calcium D-pantothenate 42mg; Vitamin B2 17mg; Vitamin B6 7mg; Vitamin B1 8mg; Biotin 1.3mg; Folic acid 1.3mg; Vitamin B12 0.08mg; Choline chloride 2500mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 130.5mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 65.5mg; Iron [Iron(II) chelate of glycine hydrate]: 43.1mg; Copper (Copper chelate of hydroxy analogue of methionine): 10.8mg; Selenium (Selenised yeast inactivated): 0.13200mg; Iodine (Calcium iodate anhydrous): 1.56mg; L-Lysine-monohydrochloride, technically pure 4000mg; DL-methionine, technically pure 3500mg; L-tryptophan 3000mg; Taurine 2500mg; L-carnitine 550mg. Technological additives: microcrystalline cellulose. Antioxidants: tocopherol extracts from vegetable oils 10mg.

Energy value

M.E. (CEN) 3787kcal/kg - 15.85MJ/kg

Available in size:
400g • 2kg



INSTRUCTIONS FOR USE

it is recommended that a veterinarian's opinion be sought before use and before extending the period of use. Recommended length of time: initially up to 6 months in case of regulation of glucose supply (Diabetes mellitus); until target body weight is achieved in case of reduction of excessive body weight. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body condition. The ration can be divided into two daily meals or more. It is recommended to mix initially this product with the previously used diet. Water should be available at all times.

Feeding guide

	2kg (4.4lbs)	2.5kg (5.5lbs)	3kg (6.6lbs)	3.5kg (7.7lbs)	4kg (8.8lbs)	4.5kg (9.9lbs)	5kg (11lbs)	5.5kg (12.1lbs)	6kg (13.2lbs)	6.5kg (14.3lbs)
Weight of adult cat										
Min-Max Recommended Daily Quantity	25-42g 0.25-0.33c	30-48g 0.33-0.50c	33-55g 0.33-0.50c	38-61g 0.33-0.66c	40-67g 0.50-0.66c	44-72g 0.50-0.66c	46-78g 0.50-0.75c	50-82g 0.50-0.75c	52-88g 0.50-0.75c	56-92g 0.66-1.00c

The high energy density and essential nutrients help in satisfying the specific needs of convalescent or debilitated subjects.



- NUTRITIONAL RESTORATION, CONVALESCENCE
- FELINE HEPATIC LIPIDOSIS

Farmina Vet Life Convalescence is a complete dietetic food for cats for the nutritional restoration, convalescence.

The quality of the ingredients and the valuable digestibility of the diet promote a better absorption and usage of nutrients.



High quality ingredients, FOS - MOS and other prebiotics, Omega-3 and natural antioxidants promote the recovery of intestinal health.



Zinc promotes the wound-healing process by speeding up cellular regeneration, and supports the immune system.



Composition:

chicken fillet, hydrolysed fish protein, chicken liver, sweet potato, fish (sardine, tuna), chicken fat, fish oil, quinoa seed extracted, eggs liquid yolk, calcium carbonate, linseed oil, potassium chloride, calcium sulphate dihydrate, sodium chloride, inulin (0.10%), yeast extract (source of manno-oligo-saccharides), pea fibre, dried brewers' yeast, glucosamine, chondroitin sulphate, Yucca schidigera.

Analytical constituents:

crude protein 14.00%; crude fat 7.00%; crude fibres 0.25%; crude ash 3.00%; moisture 69.00%; Calcium 0.25%; Phosphorus 0.20%; Omega-3 fatty acids 0.12%; Omega-6 fatty acids 0.90%; EPA 0.04%; DHA 0.05%.

Additives per kg.

Nutritional additives: Vitamin A 4300IU; Vitamin D3 470IU; Vitamin E 250mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 43.2mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 21.8mg; Iron [Iron(II) chelate of glycine hydrate]: 3.9mg; Copper (Copper chelate of hydroxy analogue of methionine): 3.6mg; Iodine (Calcium iodate anhydrous): 0.52mg; Taurine 1800mg. Sensory additives: green tea extract 50mg. Technological additives: powder cellulose 1000mg.



Energy value

ME (CEN) 1412kcal/kg - 5.91MJ/kg

Available in size: **85g**



Feeding guide

Weight of adult cat	2kg (4.4lbs)	2.5kg (5.5lbs)	3kg (6.6lbs)	3.5kg (7.7lbs)	4kg (8.8lbs)	4.5kg (9.9lbs)	5kg (11lbs)	5.5kg (12.1lbs)	6kg (13.2lbs)	6.5kg (14.3lbs)	7kg (15.4lbs)
minimum	70	85	95	105	115	125	135	145	150	160	40g per kg of body mass
average	95	110	125	140	150	165	175	190	200	210	
maximum	120	140	155	175	190	205	220	235	250	265	
1 can = 85g	minimum	3/4	1	1 1/4	1 1/3	1 1/2	1 2/3	1 3/4	1 3/4	2	1/2 can per kg of body mass
average	1p	1 1/3	1 1/2	12/3	1 3/4	2	2	2 1/4	2 1/3	2 1/2	
maximum	1 1/2	1 2/3	1 3/4	2	2 1/4	2 1/3	2 1/2	2 3/4	3	3	

The quality of the ingredients and the valuable digestibility of the diet promote a better absorption and usage of nutrients.



- REDUCTION OF ACUTE INTESTINAL ABSORPTIVE DISORDERS
- ACUTE DIARRHEA
- CONVALESCENCE AFTER ACUTE DIARRHEA

High quality ingredients, FOS - MOS and other prebiotics, Omega-3 and natural antioxidants promote the recovery of intestinal health.



Vitamins and electrolytes integration supports the recovery of intestinal homeostasis after prolonged diarrhea.



The high energetic density and essential nutrients help in satisfying the specific needs of convalescent or debilitated subjects.



Farmina Vet Life Gastrointestinal is a complete dietetic food for cats for the reduction of acute intestinal absorptive disorders, during periods of and recovery from acute diarrhea.

Composition:

chicken fillet, sweet potato, hydrolysed fish protein, chicken liver, fish oil, fish (sardine), chicken fat, quinoa seed extracted, calcium carbonate, potassium chloride, calcium sulphate dihydrate, fructo-oligosaccharides (0.15%), yeast extract (source of manno-oligo-saccharides) (0.10%), sodium chloride, pea fibre, Yucca schidigera, dried brewers' yeast.

Analytical constituents:

crude protein 9.40%; crude fat 5.70%; crude fibres 0.40%; crude ash 2.60%; moisture 72.00%; Calcium 0.22%; Phosphorus 0.18%; Sodium 0.16%; Potassium 0.35%.

INSTRUCTIONS FOR USE

it is recommended that a veterinarian's opinion be sought before use. Recommended length of time: from 1 to 2 weeks in case of reduction of acute intestinal absorptive disorders, during periods of and recovery from acute diarrhea. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body condition. The ration can be divided into two daily meals or more. It is recommended to mix initially this product with the previously used diet. Water should be available at all times. Once the can has been opened, keep refrigerated and use within 48 hours.



Additives per kg.

Nutritional additives: Vitamin A 6600IU; Vitamin D3 450IU; Vitamin E 180mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 39.6mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 19.7mg; Iron [Iron(II) chelate of glycine hydrate]: 13mg; Copper (Copper chelate of hydroxy analogue of methionine): 3.2mg; Iodine (Calcium iodate anhydrous): 0.46mg; Taurine 1250mg. Technological additives: powder cellulose 1500mg.



Energy value

ME (CEN) 1222kcal/kg - 5.11MJ/kg

Available in size: **85g**



Feeding guide

Weight of adult cat	2kg (4.4lbs)	2.5kg (5.5lbs)	3kg (6.6lbs)	3.5kg (7.7lbs)	4kg (8.8lbs)	4.5kg (9.9lbs)	5kg (11lbs)	5.5kg (12.1lbs)	6kg (13.2lbs)	6.5kg (14.3lbs)	7kg (15.4lbs)
minimum	80	95	110	120	130	140	150	160	170	180	40g per kg of body mass
average	105	125	140	160	175	190	200	215	225	240	
maximum	135	155	180	200	220	235	250	270	285	300	
1 can = 85g	minimum	1	1	1 1/3	1 1/2	1 2/3	1 3/4	2	2	2	1/2 can per kg of body mass
average	1 1/4	1 1/2	1 2/3	1 3/4	2	2 1/4	2 1/3	2 1/2	2 2/3	2 3/4	
maximum	1 1/2	1 3/4	2	2 1/3	2 2/3	2 3/4	3	3 1/4	3 1/3	3 1/2	



Induces struvite stones dissolution and reduces struvite stones recurrence.



✓ DISSOLUTION OF STRUVITE STONES

✓ FLUTD

✓ REDUCTION OF STRUVITE STONE RECURRENCE

Urine acidification with calcium sulphate integration.



Reduced Magnesium content limits struvite stones formation.



Reduced amount of Phosphorus helps in controlling the phosphatemia and in preventing the formation of uroliths.



Farmina Vet Life Struvite is a complete dietetic food for cats for the dissolution of struvite stones, feline lower urinary tract disease and for the reduction of struvite stone recurrence.

Composition:

chicken fillet, sweet potato, hydrolysed fish protein, fish (sardine, tuna), chicken liver, eggs liquid yolk, fish oil, chicken fat, quinoa seed extracted, potassium chloride, sodium chloride, calcium sulphate dihydrate, pea fibre, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried brewers' yeast. Protein sources: chicken fillet, hydrolysed fish protein, fish, chicken liver, eggs liquid yolk.

Analytical constituents:

crude protein 10.20%; crude fat 5.70%; crude fibres 0.30%; crude ash 2.40%; moisture 75.00%; Calcium 0.19%; Phosphorus 0.17%; Sodium 0.30%; Potassium 0.20%; Magnesium 0.019%; Chloride 0.35%; Sulphur 0.20%; Taurine 0.15%. Urine acidifying substances: calcium sulphate dihydrate (4.5g/kg).



Additives per kg.

Nutritional additives: Vitamin A 4300IU; Vitamin D3 170IU; Vitamin E 160mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 37.3mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 18.7mg; Iron [Iron(II) chelate of glycine hydrate]: 3.3mg; Copper (Copper chelate of hydroxy analogue of methionine): 3.1mg; Iodine (Calcium iodate anhydrous): 0.45mg; Taurine 1250mg; DL-methionine, technically pure 2000mg. Acidity regulators: calcium sulphate dihydrate 4500mg.



Energy value

ME (CEN) 1130kcal/kg - 4.73MJ/kg

Available in size: **85g**



Feeding guide

Weight of adult cat	2kg (4.4lbs)	2.5kg (5.5lbs)	3kg (6.6lbs)	3.5kg (7.7lbs)	4kg (8.8lbs)	4.5kg (9.9lbs)	5kg (11lbs)	5.5kg (12.1lbs)	6kg (13.2lbs)	6.5kg (14.3lbs)	7kg (15.4lbs)
minimum	90	105	120	130	140	150	165	175	185	200	40g per kg of body mass
average	120	135	160	175	190	205	220	235	250	260	
maximum	150	170	195	215	235	255	275	290	310	325	
1 can = 85g	1	1 1/4	1 1/3	1 1/2	1 2/3	1 3/4	2	2	2 1/4	2 1/3	1/2 can per kg of body mass
average	1 1/3	1 1/2	1 3/4	2	2 1/4	2 1/2	2 2/3	3	3	3	
maximum	1 3/4	2	2 1/3	2 1/2	2 3/4	3	3 1/4	3 1/2	3 2/3	3 3/4	



Promotes the slowdown of renal pathology progression.



✓ ACUTE RENAL INSUFFICIENCY

✓ CHRONIC RENAL INSUFFICIENCY

Reduced protein content contributes in limiting the deposit of nitrogen catabolites.



Reduced level of Sodium helps in preventing hypertension. Reduced level of Phosphorus contributes in managing the secondary hyperparathyroidism.



Omega-3 fatty acids have an antiinflammatory action and support in maintaining an adequate renal perfusion.



Farmina Vet Life Renal is a complete dietetic food for cats for the support of renal function in case of chronic renal insufficiency or acute renal insufficiency.

Composition:

chicken fillet, sweet potato, hydrolysed fish protein, fish oil, chicken liver, fish (sardine), chicken fat, quinoa seed extracted, eggs liquid yolk, calcium carbonate, pea fibre, fructo-oligosaccharides, potassium chloride, sodium chloride, psyllium husks and seeds, calcium sulphate dihydrate, Yucca schidigera, dried brewers' yeast, glucosamine. Protein sources: chicken fillet, hydrolysed fish protein, chicken liver, fish, eggs liquid yolk.

Analytical constituents:

crude protein 7.30%; crude fat 7.00%; crude fibres 0.20%; crude ash 2.20%; moisture 74.50%; Calcium 0.23%; Phosphorus 0.11%; Sodium 0.16%; Potassium 0.20%; Omega-3 fatty acids 0.15%; Omega-6 fatty acids 1.00%; EPA 0.05%; DHA 0.06%. Urine alkalisng substance: potassium citrate 2.5g/kg, Urine acidifying substance: calcium sulphate dihydrate (0.5g/kg).



Additives per kg.

Nutritional additives: Vitamin A 4300IU; Vitamin D3 170IU; Vitamin E 160mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 37.3mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 18.7mg; Iron [Iron(II) chelate of glycine hydrate]: 3.3mg; Copper (Copper chelate of hydroxy analogue of methionine): 3.1mg; Iodine (Calcium iodate anhydrous): 0.45mg; Taurine 1250mg. Technological additives: potassium citrate 2500mg.

INSTRUCTIONS FOR USE

It is recommended that advice from a veterinarian be sought before use and before extending the period of use. Recommended length of time: initially up to 6 months in case of chronic renal insufficiency; from 2-4 weeks in case of acute renal insufficiency. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body condition. The ration can be divided into two daily meals or more. It is recommended to mix initially this product with the previously used diet. Water should be available at all times. Once the can has been opened, keep refrigerated and use within 48 hours.



Energy value

ME (CEN) 1202kcal/kg - 5.03MJ/kg

Available in size: **85g**



Feeding guide

Weight of adult cat	2kg (4.4lbs)	2.5kg (5.5lbs)	3kg (6.6lbs)	3.5kg (7.7lbs)	4kg (8.8lbs)	4.5kg (9.9lbs)	5kg (11lbs)	5.5kg (12.1lbs)	6kg (13.2lbs)	6.5kg (14.3lbs)	7kg (15.4lbs)
minimum	80	95	110	120	130	140	150	160	170	180	40g per kg of body mass
average	105	125	140	160	175	190	200	215	225	240	
maximum	135	155	180	200	220	235	250	270	285	300	
1 can = 85g	1	1	1 1/3	1 1/2	1 1/2	1 2/3	1 3/4	2	2	2	1/2 can per kg of body mass
average	1 1/4	1 1/2	1 2/3	1 3/4	2	2 1/4	2 1/3	2 1/2	2 2/3	2 3/4	
maximum	1 1/2	1 3/4	2	2 1/3	2 2/3	2 3/4	3	3 1/4	3 1/3	3 1/2	



Happy pet. Happy you.

Natural & Delicious Nutrition System for Carnivores



ITALIAN
FORMULA

Farmina.com





canine formulas

ADULT FORMULAS

		DRY	WET
DIGESTION	Complete dietetic food for adult dogs		
WEIGHT MANAGEMENT	Complete dietetic food for adult dogs		
SKIN & COAT · HERRING AND COCONUT	Complete dietetic food for adult dogs		
SKIN & COAT · VENISON AND COCONUT	Complete dietetic food for adult dogs		
SKIN & COAT · DUCK AND COCONUT	Complete dietetic food for adult dogs		
SKIN & COAT · QUAIL AND COCONUT	Complete dietetic food for adult dogs		
NEUTERED · DUCK AND QUINOA	Complete dietetic food for adult dogs		


Nutrition System for Carnivores





DIGESTION

LAMB, QUINOA, FENNEL, MINT AND ARTICHOKE RECIPE



- HIGH DIGESTIBILITY.**
- LOW CONTENT OF FATS.**
- APPROPRIATE CONTENT OF SOLUBLE FIBER.**
- DIGESTION**
Highly digestible formula for the wellbeing of the intestine.

Composition:

lamb (22%), pea starch, dehydrated lamb protein (12%), chicken fat, dried eggs, quinoa seed extracted (8%), dehydrated herring protein, fish oil (from herring), dried fennel (2.0%), dried mint (2.0%), dried artichoke (2.0%), inulin (0.6%), fructo-oligosaccharides (0.4%), yeast extract (source of manno-oligo-saccharides) (0.4%), calcium carbonate, psyllium husks and seeds, potassium chloride, sodium chloride, aloe vera extract, glucosamine, chondroitin sulphate.

Analytical constituents:

Crude protein 25.00%; Crude fat 12.00%; Crude fibres 1.90%; Moisture 9.00%; Crude ash 7.50%; Calcium 0.90%; Phosphorus 0.60%; Sodium 0.40%; Potassium 0.60%; Magnesium 0.09%; Omega-6 fatty acids 1.90%; Omega-3 fatty acids 0.40%; DHA 0.20%; EPA 0.15%; Glucosamine 1200mg/kg; Chondroitin sulphate 900mg/kg. Store in a cool, dry place and in closed package.

Instructions for use: it is recommended that a veterinarian's opinion be sought before use. Recommended length of time: 3 to 12 weeks in case of compensation for maldigestion, but lifetime in the case of chronic pancreatic insufficiency. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body condition. The ration can be divided into two daily meals or more. It is recommended to mix initially N&D with the previously used diet. Water should be available at all times.

92% of the protein is animal origin

0% artificial preservatives

0% cereals

Lamb **Quinoa** **Fennel** **Mint**

Additives per kg: Nutritional additives: Vitamin A 15000IU; Vitamin D3 1500IU; Vitamin E 600mg; Vitamin C 150mg; Niacin 37.5mg; Calcium D-pantothenate 15mg; Vitamin B2 7.5mg; Vitamin B6 6mg; Vitamin B1 4.5mg; Biotin 0.38mg; Folic acid 0.45mg; Vitamin B12 0.1mg; Choline chloride 2500mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.80mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.60mg; Iron [Iron(II) chelate of glycine hydrate]: 58.30mg; Copper (Copper chelate of hydroxy analogue of methionine 15.80mg; Selenium (Selenised yeast inactivated): 0.00088mg; DL-methionine, technically pure 2000mg; Taurine 1000mg; L-carnitine 250mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.

N&D Quinoa Digestion is a complete dietetic food for dogs for the compensation for maldigestion and exocrine pancreatic insufficiency.


available in size	800g	2,5kg	7kg
Mini breeds	✓	✓	
All breeds		✓	✓

Feeding guide	Calorie Content (calculated) at a moisture content of 7%: M.E. (CEN) 3749kcal/kg - 15.69MJ/kg - 1 cup = 100g = 375kcal/cup								
	1kg (2.2 lbs)	5kg (11 lbs)	10kg (22 lbs)	20kg (44.1 lbs)	30kg (66.1 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)		
Weight of adult dog									
Min-Max Recommended Daily Quantity	18-32g 0.25-0.33c	60-110g 0.66-1.00c	105-180g 1.00-1.75c	175-310g 1.75-3.00	235-415g 2.50-4.25c	290-515g 3.00-5.25c	345-610g 3.50-6.00c	400-680g 4.00-6.66c	450-750g 4.50-7.50c



WEIGHT MANAGEMENT

LAMB, QUINOA, BROCCOLI AND ASPARAGUS RECIPE



- LOW CONTENT OF FATS.**
- HIGH CONTENT OF FIBER.**
- REDUCED CALORIC INTAKE.**
- WEIGHT MANAGEMENT**
Useful for the reduction of unnecessary body weight.

Composition:

lamb (20%), dehydrated lamb protein (20%), pea starch, pea fibre, quinoa seed extracted (8%), chicken fat, linseed, dehydrated herring protein, fish oil (from herring), dried broccoli (2.5%), dried asparagus (2.5%), dicalcium phosphate, alfalfa meal, psyllium husks and seeds, potassium chloride, calcium carbonate, sodium chloride, aloe vera extract, glucosamine, chondroitin sulphate.

Analytical constituents:

Crude protein 28.00%; Crude fat 8.00%; Crude fibres 8.20%; Moisture 9.00%; Crude ash 7.90%; Calcium 0.90%; Phosphorus 0.80%; Sodium 0.30%; Potassium 0.65%; Magnesium 0.12%; Omega-6 fatty acids 1.20%; Omega-3 fatty acids 0.25%; DHA 0.12%; EPA 0.10%; Glucosamine 1200mg/kg; Chondroitin sulphate 900mg/kg. Store in a cool, dry place and in closed package.

Instructions for use: it is recommended that a nutrition expert opinion be sought before use. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body condition. The ration can be divided into two daily meals or more. It is recommended to mix initially N&D with the previously used diet. Recommended length of time: until target body weight is achieved. Water should be available at all times.

94% of the protein is animal origin

0% artificial preservatives

0% cereals

Lamb **Quinoa** **Broccoli** **Asparagus**

Additives per kg: Nutritional additives: Vitamin A 15000IU; Vitamin D3 1500IU; Vitamin E 600mg; Vitamin C 150mg; Niacin 37.5mg; Calcium D-pantothenate 15mg; Vitamin B2 7.5mg; Vitamin B6 6mg; Vitamin B1 4.5mg; Biotin 0.38mg; Folic acid 0.45mg; Vitamin B12 0.1mg; Choline chloride 2500mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.80mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.60mg; Iron [Iron(II) chelate of glycine hydrate]: 58.30mg; Copper (Copper chelate of hydroxy analogue of methionine 15.80mg; Selenium (Selenised yeast inactivated): 0.00088mg; DL-methionine, technically pure 3000mg; Taurine 1000mg; L-carnitine 250mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.

N&D Quinoa Weight Management is a complete dietetic food for dogs for the reduction of excessive body weight.

available in size	800g	2,5kg	7kg
Mini breeds	✓	✓	
All breeds		✓	✓

Feeding guide	Calorie Content (calculated) at a moisture content of 7%: M.E. (CEN) 3136kcal/kg - 13.12MJ/kg - 1 cup = 95g = 298kcal/cup								
	1kg (2.2 lbs)	5kg (11 lbs)	10kg (22 lbs)	20kg (44.1 lbs)	30kg (66.1 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)		
Target weight of adult dog									
Min-Max Recommended Daily Quantity	16-28g 0.25-0.33c	50-90g 0.50-1.00c	85-150g 1.00-1.50c	145-255g 1.50-2.75	195-345g 2.00-3.66c	240-425g 2.66-4.50c	285-500g 3.00-5.25c	325-575g 3.50-6.00c	365-620g 4.00-6.50c



COMPLETE FOOD FOR MINI, MEDIUM AND MAXI ADULT DOGS



SKIN & COAT

HERRING, QUINOA, COCONUT AND TURMERIC RECIPE



NO ARTIFICIAL PRESERVATIVES

FREE FROM POTASSIUM BROMATE

SINGLE ANIMAL PROTEIN

GRAIN FREE

SINGLE ANIMAL PROTEIN SOURCE.

REDUCED PROTEIN INTAKE.

OMEGA-3 FATTY ACIDS.

SKIN & COAT
A specific formula for food sensitivities, useful to restore and maintain skin and hair wellness.

Composition:

herring (20%), dehydrated herring protein (20%), pea starch, fish oil (from herring), quinoa seed extracted (8%), linseed, dried coconut (2.5%), turmeric (2.5%), inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), calcium carbonate, dicalcium phosphate, psyllium husks and seeds, potassium chloride, sodium chloride, dried brewers' yeast, aloe vera extract, glucosamine, chondroitin sulphate. Protein sources: herring, dehydrated herring protein. Carbohydrate sources: pea starch, quinoa seed extracted.

Analytical constituents:

Crude protein 23.00%; Crude fat 12.00%; Crude fibres 2.80%; Moisture 9.00%; Crude ash 7.90%; Calcium 1.00%; Phosphorus 0.80%; Omega-6 fatty acids 1.50%; Omega-3 fatty acids 1.80%; DHA 0.70%; EPA 0.50%; Glucosamine 1200mg/kg; Chondroitin sulphate 900mg/kg. Store in a cool, dry place and in closed package.

Instructions for use: it is recommended that a nutrition expert opinion be sought before use. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body condition. The ration can be divided into two daily meals or more. It is recommended to mix initially N&D with the previously used diet. Recommended length of time: 3 to 8 weeks. If signs of intolerance disappear this feed can be used indefinitely. Water should be available at all times.

FREE FROM POTASSIUM BROMATE

92%
of the protein is animal origin

0%
artificial preservatives

0%
cereals

Herring

Quinoa

Coconut

Turmeric

Additives per kg: Nutritional additives: Vitamin A 15000IU; Vitamin D3 1500IU; Vitamin E 600mg; Vitamin C 150mg; Niacin 37.5mg; Calcium D-pantothenate 15mg; Vitamin B2 7.5mg; Vitamin B6 6mg; Vitamin B1 4.5mg; Biotin 0.38mg; Folic acid 0.45mg; Vitamin B12 0.1mg; Choline chloride 2500mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.80mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.60mg; Iron [Iron(II) chelate of glycine hydrate]: 58.30mg; Copper (Copper chelate of hydroxy analogue of methionine): 15.80mg; Selenium (Selenised yeast inactivated): 0.00088mg; DL-methionine, technically pure 4000mg; Taurine 1000mg; L-carnitine 300mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.

N&D Quinoa Skin & Coat is a complete dietetic food for dogs for the reduction of ingredient and nutrient intolerances.

available in size	800g	2,5kg	7kg
Mini breeds	✓	✓	
All breeds		✓	✓

Feeding guide	Calorie Content (calculated) at a moisture content of 7%: M.E. (CEN) 3665kcal/kg - 15.34MJ/kg - 1 cup = 100g = 366kcal/cup								
	1kg (2.2 lbs)	5kg (11 lbs)	10kg (22 lbs)	20kg (44.1 lbs)	30kg (66.1 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)	60kg (132.2 lbs)	70kg (154.3 lbs)
Weight of adult dog									
Min-Max Recommended Daily Quantity	18-32g 0.25-0.33c	60-110g 0.66-1.00c	105-180g 1.00-1.75c	175-310g 1.75-3.00c	235-415g 2.50-4.25c	290-515g 3.00-5.25c	345-610g 3.50-6.00c	400-680g 4.00-6.66c	450-750g 4.50-7.50c



COMPLETE FOOD FOR MINI, MEDIUM AND MAXI ADULT DOGS



SKIN & COAT

VENISON, QUINOA, COCONUT AND TURMERIC RECIPE



NO ARTIFICIAL PRESERVATIVES

FREE FROM POTASSIUM BROMATE

SINGLE ANIMAL PROTEIN

GRAIN FREE

SINGLE ANIMAL PROTEIN SOURCE.

REDUCED PROTEIN INTAKE.

OMEGA-3 FATTY ACIDS.

SKIN & COAT
A specific formula for food sensitivities, useful to restore and maintain skin and hair wellness.

Composition:

venison (20%), dehydrated venison protein (20%), pea starch, fish oil (from herring), quinoa seed extracted (8%), linseed, dried coconut (2.5%), turmeric (2.5%), inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), calcium carbonate, dicalcium phosphate, psyllium husks and seeds, potassium chloride, sodium chloride, dried brewers' yeast, aloe vera extract, glucosamine, chondroitin sulphate. Protein sources: venison, dehydrated venison protein. Carbohydrate sources: pea starch, quinoa seed extracted.

Analytical constituents:

Crude protein 23.00%; Crude fat 12.00%; Crude fibres 2.80%; Moisture 9.00%; Crude ash 7.90%; Calcium 1.10%; Phosphorus 0.90%; Omega-6 fatty acids 2.20%; Omega-3 fatty acids 0.40%; DHA 0.20%; EPA 0.10%; Glucosamine 1200mg/kg; Chondroitin sulphate 900mg/kg. Store in a cool, dry place and in closed package.

Instructions for use: it is recommended that a nutrition expert opinion be sought before use. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body condition. The ration can be divided into two daily meals or more. It is recommended to mix initially N&D with the previously used diet. Recommended length of time: 3 to 8 weeks. If signs of intolerance disappear this feed can be used indefinitely. Water should be available at all times.

FREE FROM POTASSIUM BROMATE

92%
of the protein is animal origin

0%
artificial preservatives

0%
cereals

Venison

Quinoa

Coconut

Turmeric

Additives per kg: Nutritional additives: Vitamin A 15000IU; Vitamin D3 1500IU; Vitamin E 600mg; Vitamin C 150mg; Niacin 37.5mg; Calcium D-pantothenate 15mg; Vitamin B2 7.5mg; Vitamin B6 6mg; Vitamin B1 4.5mg; Biotin 0.38mg; Folic acid 0.45mg; Vitamin B12 0.1mg; Choline chloride 2500mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.80mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.60mg; Iron [Iron(II) chelate of glycine hydrate]: 58.30mg; Copper (Copper chelate of hydroxy analogue of methionine): 15.80mg; Selenium (Selenised yeast inactivated): 0.00088mg; DL-methionine, technically pure 4000mg; Taurine 1000mg; L-carnitine 300mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.

N&D Quinoa Skin & Coat is a complete dietetic food for dogs for the reduction of ingredient and nutrient intolerances.

available in size	800g	2,5kg	7kg
Mini breeds	✓	✓	
All breeds		✓	✓

Feeding guide	Calorie Content (calculated) at a moisture content of 7%: M.E. (CEN) 3665kcal/kg - 15.34MJ/kg - 1 cup = 100g = 366kcal/cup								
	1kg (2.2 lbs)	5kg (11 lbs)	10kg (22 lbs)	20kg (44.1 lbs)	30kg (66.1 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)	60kg (132.2 lbs)	70kg (154.3 lbs)
Weight of adult dog									
Min-Max Recommended Daily Quantity	18-32g 0.25-0.33c	60-110g 0.66-1.00c	105-180g 1.00-1.75c	175-310g 1.75-3.00c	235-415g 2.50-4.25c	290-515g 3.00-5.25c	345-610g 3.50-6.00c	400-680g 4.00-6.66c	450-750g 4.50-7.50c



COMPLETE FOOD FOR MINI, MEDIUM AND MAXI ADULT DOGS



SKIN & COAT

DUCK, QUINOA, COCONUT AND TURMERIC RECIPE



NO ARTIFICIAL PRESERVATIVES

MADE UNDER PROTECTIVE ATMOSPHERE

SINGLE ANIMAL PROTEIN

A cruelty free product

SINGLE ANIMAL PROTEIN SOURCE.

REDUCED PROTEIN INTAKE.

OMEGA-3 FATTY ACIDS.

SKIN & COAT
A specific formula for food sensitivities, useful to restore and maintain skin and hair wellness.

Composition:

boneless duck (20%), dehydrated duck protein (20%), pea starch, fish oil (from herring), quinoa seed extracted (8%), linseed, dried coconut (2.5%), turmeric (2.5%), inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), calcium carbonate, dicalcium phosphate, psyllium husks and seeds, potassium chloride, sodium chloride, dried brewers' yeast, aloe vera extract, glucosamine, chondroitin sulphate. Protein sources: boneless duck, dehydrated duck protein. Carbohydrate sources: pea starch, quinoa seed extracted.

Analytical constituents:

Crude protein 23.00%; Crude fat 12.00%; Crude fibres 2.80%; Moisture 9.00%; Crude ash 7.90%; Calcium 1.00%; Phosphorus 0.80%; Omega-6 fatty acids 2.20%; Omega-3 fatty acids 0.40%; DHA 0.20%; EPA 0.10%; Glucosamine 1200mg/kg; Chondroitin sulphate 900mg/kg. Store in a cool, dry place and in closed package.

Instructions for use: it is recommended that a nutrition expert opinion be sought before use. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body condition. The ration can be divided into two daily meals or more. It is recommended to mix initially N&D with the previously used diet. Recommended length of time: 3 to 8 weeks. If signs of intolerance disappear this feed can be used indefinitely. Water should be available at all times.

92%
of the protein is animal origin

0%
artificial preservatives

0%
cereals

Duck

Quinoa

Coconut

Turmeric

Additives per kg: Nutritional additives: Vitamin A 15000IU; Vitamin D3 1500IU; Vitamin E 600mg; Vitamin C 150mg; Niacin 37.5mg; Calcium D-pantothenate 15mg; Vitamin B2 7.5mg; Vitamin B6 6mg; Vitamin B1 4.5mg; Biotin 0.38mg; Folic acid 0.45mg; Vitamin B12 0.1mg; Choline chloride 2500mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.80mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.60mg; Iron [Iron(II) chelate of glycine hydrate]: 58.30mg; Copper (Copper chelate of hydroxy analogue of methionine 15.80mg; Selenium (Selenised yeast inactivated): 0.00088mg; DL-methionine, technically pure 4000mg; Taurine 1000mg; L-carnitine 300mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.

N&D Quinoa Skin & Coat is a complete dietetic food for dogs for the reduction of ingredient and nutrient intolerances.

available in size	800g	2,5kg	7kg
Mini breeds	✓	✓	✓
All breeds	✓	✓	✓

Feeding guide	Calorie Content (calculated) at a moisture content of 7%: M.E. (CEN) 3665kcal/kg - 15.34MJ/kg - 1 cup = 100g = 366kcal/cup								
	1kg (2.2 lbs)	5kg (11 lbs)	10kg (22 lbs)	20kg (44.1 lbs)	30kg (66.1 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)	60kg (132.2 lbs)	70kg (154.3 lbs)
Weight of adult dog									
Min-Max Recommended Daily Quantity	18-32g 0.25-0.33c	60-110g 0.66-1.00c	105-180g 1.00-1.75c	175-310g 1.75-3.00c	235-415g 2.50-4.25c	290-515g 3.00-5.25c	345-610g 3.50-6.00c	400-680g 4.00-6.66c	450-750g 4.50-7.50c



The Nutrition System for Carnivores



COMPLETE FOOD FOR MINI, MEDIUM AND MAXI ADULT DOGS



SKIN & COAT

QUAIL, QUINOA, COCONUT AND TURMERIC RECIPE



NO ARTIFICIAL PRESERVATIVES

MADE UNDER PROTECTIVE ATMOSPHERE

SINGLE ANIMAL PROTEIN

A cruelty free product

SINGLE ANIMAL PROTEIN SOURCE.

REDUCED PROTEIN INTAKE.

OMEGA-3 FATTY ACIDS.

SKIN & COAT
A specific formula for food sensitivities, useful to restore and maintain skin and hair wellness.

Composition:

quail (20%), dehydrated quail protein (20%), pea starch, fish oil (from herring), quinoa seed extracted (8%), linseed, dried coconut (2.5%), turmeric (2.5%), inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), calcium carbonate, dicalcium phosphate, psyllium husks and seeds, potassium chloride, sodium chloride, dried brewers' yeast, aloe vera extract, glucosamine, chondroitin sulphate. Protein sources: quail, dehydrated quail protein. Carbohydrate sources: pea starch, quinoa seed extracted.

Analytical constituents:

Crude protein 23.00%; Crude fat 12.00%; Crude fibres 2.80%; Moisture 9.00%; Crude ash 7.20%; Calcium 1.00%; Phosphorus 0.80%; Omega-6 fatty acids 2.20%; Omega-3 fatty acids 0.40%; DHA 0.20%; EPA 0.10%; Glucosamine 1200mg/kg; Chondroitin sulphate 900mg/kg. Store in a cool, dry place and in closed package.

Instructions for use: it is recommended that a nutrition expert opinion be sought before use. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body condition. The ration can be divided into two daily meals or more. It is recommended to mix initially N&D with the previously used diet. Recommended length of time: 3 to 8 weeks. If signs of intolerance disappear this feed can be used indefinitely. Water should be available at all times.

92%
of the protein is animal origin

0%
artificial preservatives

0%
cereals

Quail

Quinoa

Coconut

Turmeric

Additives per kg: Nutritional additives: Vitamin A 15000IU; Vitamin D3 1500IU; Vitamin E 600mg; Vitamin C 150mg; Niacin 37.5mg; Calcium D-pantothenate 15mg; Vitamin B2 7.5mg; Vitamin B6 6mg; Vitamin B1 4.5mg; Biotin 0.38mg; Folic acid 0.45mg; Vitamin B12 0.1mg; Choline chloride 2500mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.80mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.60mg; Iron [Iron(II) chelate of glycine hydrate]: 58.30mg; Copper (Copper chelate of hydroxy analogue of methionine 15.80mg; Selenium (Selenised yeast inactivated): 0.00088mg; DL-methionine, technically pure 4000mg; Taurine 1000mg; L-carnitine 300mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.

N&D Quinoa Skin & Coat is a complete dietetic food for dogs for the reduction of ingredient and nutrient intolerances.

available in size	800g	2,5kg	7kg
Mini breeds	✓	✓	✓
All breeds	✓	✓	✓

Feeding guide	Calorie Content (calculated) at a moisture content of 7%: M.E. (CEN) 3690kcal/kg - 15.44MJ/kg - 1 cup = 100g = 369kcal/cup								
	1kg (2.2 lbs)	5kg (11 lbs)	10kg (22 lbs)	20kg (44.1 lbs)	30kg (66.1 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)	60kg (132.2 lbs)	70kg (154.3 lbs)
Weight of adult dog									
Min-Max Recommended Daily Quantity	18-32g 0.25-0.33c	60-110g 0.66-1.00c	105-180g 1.00-1.75c	175-310g 1.75-3.00c	235-415g 2.50-4.25c	290-515g 3.00-5.25c	345-610g 3.50-6.00c	400-680g 4.00-6.66c	450-750g 4.50-7.50c



The Nutrition System for Carnivores






COMPLETE FOOD FOR ADULT NEUTERED DOGS



NEUTERED

DUCK, QUINOA, BROCCOLI AND ASPARAGUS RECIPE



- HIGH FIBER CONTENT.**
- REDUCED ENERGY DENSITY.**
- HIGH PROTEIN CONTENT.**
- NEUTERED**
A specific formula designed to meet the needs of neutered dogs.

Composition:

boneless duck (20%), dehydrated duck protein (20%), sweet potato, dried beet pulp, dried eggs, quinoa seed extracted (8%), chicken fat, dehydrated herring protein, pea fibre, linseed, fish oil (from herring), dried broccoli (2.5%), dried asparagus (2.5%), fructo-oligosaccharides, yeast extract (source of manno-oligosaccharides), powder cellulose, dried brewers' yeast, psyllium husks and seeds, calcium sulphate dihydrate, potassium chloride, sodium chloride, glucosamine, chondroitin sulphate.

Analytical constituents:

crude protein 30.00%; crude fat 11.00%; crude fibres 5.70%; moisture 9.00%; crude ash 7.80%; Calcium 1.20%; Phosphorus 0.90%; Potassium 0.60%; Sodium 0.35%; Magnesium 0.10%; Omega-6 fatty acids 2.00%; Omega-3 fatty acids 0.30%; DHA 0.10%; EPA 0.05%; Glucosamine 1200mg/kg; Chondroitin sulphate 900mg/kg. Developed with top quality ingredients that have successfully passed all the control tests. Store in a cool, dry place.

Instructions for use: serve the product as it is, following the daily quantities indicated in the table. Daily quantities shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantities can change according to breed, environment, physical exercise, temperament and body condition. The ration can be divided into two daily meals or more. It is recommended to mix initially N&D with the previously used diet. Water should be available at all times.

91% of the protein is animal origin

0% artificial preservatives

0% cereals

Duck **Quinoa** **Broccoli** **Asparagus**

Additives per kg: Nutritional additives: Vitamin A 18000IU; Vitamin D3 1200IU; Vitamin E 600mg; Vitamin C 300mg; Niacin 150mg; Calcium D-pantothenate 50mg; Vitamin B2 20mg; Vitamin B6 8.1mg; Vitamin B1 10mg; Biotin 1.5mg; Folic acid 1.5mg; Vitamin B12 0.1mg; Choline chloride 3000mg; Beta-carotene 5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 174.6mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 68mg; Iron (Iron(II) chelate of glycine hydrate): 43.1mg; Copper (Copper chelate of hydroxy analogue of methionine): 12.2mg; Selenium (Selenised yeast inactivated): 0.14960mg; L-Lysine-mono-hydrochloride, technically pure 1500mg, DL-methionine, technically pure 3500mg; Taurine 2000mg; L-carnitine 350mg. Sensory additives: green tea extract 100mg. Antioxidants: tocopherol extracts from vegetable oils 10mg.

N&D Quinoa Neutered Duck is a complete food for adult neutered dogs.

Feeding guide	Calorie Content (calculated) at a moisture content of 7%: M.E. (CEN) 3444kcal/kg - 14.41MJ/kg - 1 cup = 97.5g = 336kcal/cup									
	1kg (2.2 lbs)	5kg (11 lbs)	10kg (22 lbs)	20kg (44.1 lbs)	30kg (66.1 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)	60kg (132.3 lbs)	70kg (154.3 lbs)	80kg (176.3 lbs)
Weight of adult dog	1kg (2.2 lbs)	5kg (11 lbs)	10kg (22 lbs)	20kg (44.1 lbs)	30kg (66.1 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)	60kg (132.3 lbs)	70kg (154.3 lbs)	80kg (176.3 lbs)
Min-Max Recommended Daily Quantity	16-30g 0.25-0.30c	55-100g 0.50-1.00c	92-170g 1.00-1.75c	155-285g 1.66-3.00	210-390g 2.25-4.00c	258-480g 2.66-5.00c	305-570g 3.25-5.75c	350-650g 3.66-6.66c	395-730g 4.00-7.50c	440-800g 4.40-8.00c



COMPLETE FOOD FOR MINI, MEDIUM AND MAXI ADULT DOGS



DIGESTION



- HIGH DIGESTIBILITY.**
- LOW CONTENT OF FATS.**
- COMPLETE WET FOOD.**
- DIGESTION**
Highly digestible formula for the wellbeing of the intestine.

Composition:

lamb rack and shoulder (35%), hydrolyzed fish protein, quinoa seed extracted (5%), fish oil, artichoke, fennel, fructo-oligosaccharides, yeast extract (source of manno-oligosaccharides), dried brewer's yeast, chondroitin sulphate, glucosamine, vitamins, minerals.

Analytical constituents:

moisture 75.00%; crude protein 10.40%; crude fat 3.80%; crude fibres 0.90%; crude ash 3.30%.

Additives per kg

Nutritional additives: Vitamin A 4000IU; Vitamin D3 400IU; Vitamin E 130mg; Choline chloride 400mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron (Iron(II) chelate of glycine hydrate): 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; Selenium (Selenised yeast inactivated): 0.00242mg; DL-methionine, technically pure 1800mg; Taurine 500mg; L-carnitine 150mg. Organoleptic additives: green tea extract 50mg.

Instructions for use: it is recommended that a veterinarian's opinion be sought before use. Recommended length of time: 3 to 12 weeks in case of compensation for maldigestion, but lifetime in the case of chronic pancreatic insufficiency. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body composition. The ration can be divided into two daily meals or more. It is recommended to mix initially N&D with the previously used diet. Water should be available at all times. Once the can has been opened, keep refrigerated and use within 48 hours.

Feeding guide	Calorie Content M.E. 974 kcal/kg - 4.08MJ/kg - 136.40 kcal/can (140g) - 277.60 kcal/can (285g)									
	1kg	2kg	3kg	4kg	5kg	6kg	7kg	8kg	9kg	10kg
Weight of adult dog	1kg	2kg	3kg	4kg	5kg	6kg	7kg	8kg	9kg	10kg
RDA in g	100g	170g	235g	290g	345g	395g	440g	490g	535g	575g
1 can = 140g	3/4	1 1/4	1 2/3	2	2 1/2	2 3/4	3 1/4	3 1/2	3 3/4	4
Weight of adult dog	2kg	5kg	10kg	15kg	20kg	25kg	30kg	35kg	40kg	50kg
RDA in g	170g	345g	575g	780g	970g	1150g	1315g	1475g	1635g	1930g
1 can = 285g	2/3	1 1/4	2	2 1/4	3 1/2	4	4 2/3	5 1/4	5 3/4	6 3/4

ITALIAN FORMULA

BPA FREE

Lamb **Quinoa** **Artichoke** **Fennel**

N&D Quinoa Digestion is a complete dietetic food for dogs for the compensation for maldigestion and exocrine pancreatic insufficiency.

available in size	140g	285g
All Breed	✓	✓
Mini Breed	✓	✓





COMPLETE FOOD FOR MINI, MEDIUM AND MAXI ADULT DOGS



WEIGHT MANAGEMENT



REDUCED CALORIC INTAKE.



HIGH CONTENT OF FIBER.



COMPLETE WET FOOD.



WEIGHT MANAGEMENT

Useful for the reduction of unnecessary body weight.

Composition

lamb rack and shoulder (40%), hydrolyzed fish protein, quinoa seed extracted (5%), fish oil, broccoli, asparagus, fructo-oligosaccharides, psyllium husks and seeds, chondroitin sulphate, glucosamine, vitamins, minerals.

Analytical constituents:

moisture 75.00%; crude protein 11.50%; crude fat 3.00%; crude fibres 2.20%; crude ash 3.30%.

Additives per kg

Nutritional additives: Vitamin A 4000IU; Vitamin D3 400IU; Vitamin E 130mg; Choline chloride 400mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; Selenium (Selenised yeast inactivated): 0.00242mg; DL-methionine, technically pure 1000mg; Taurine 500mg; L-carnitine 100mg.



Lamb

Quinoa

Broccoli

Asparagus

N&D Quinoa Weight Management is a complete dietetic food for dogs for the reduction of excessive body weight.

Instructions for use: it is recommended that a nutrition expert opinion be sought before use. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body composition. The ration can be divided into two daily meals or more. It is recommended to mix initially N&D with the previously used diet. Recommended length of time: until target body weight is achieved. Water should be available at all times. Once the can has been opened, keep refrigerated and use within 48 hours.

Feeding guide	Calorie Content M.E. 849kcal/kg - 3.56MJ/kg - 118.45 kcal/can (140g) - 241.95 kcal/can (285g)									
Weight of adult dog	1kg	2kg	3kg	4kg	5kg	6kg	7kg	8kg	9kg	10kg
RDA in g	80g	140g	190g	235g	275g	315g	355g	390g	430g	465g
1 can = 140g	1/2	1	1 1/3	1 2/3	2	2 1/4	2 1/2	2 3/4	3	3 1/3
Weight of adult dog	2kg	5kg	10kg	15kg	20kg	25kg	30kg	35kg	40kg	50kg
RDA in g	140g	275g	465g	630g	780g	920g	1055g	1185g	1310g	1550g
1 can = 285g	1/2	1	1 1/3	2 1/4	2 3/4	3 1/4	3 3/4	4 1/4	4 3/4	5 1/2

available in size	140g	285g
All Breed	✓	✓
Mini Breed	✓	✓



The Nutrition System for Carnivores



COMPLETE FOOD FOR MINI, MEDIUM AND MAXI ADULT DOGS



SKIN & COAT

HERRING & COCONUT



SINGLE ANIMAL PROTEIN SOURCE.



QUINOA AS CARBOHYDRATES SOURCE.



COMPLETE WET FOOD.



SKIN & COAT

A specific formula for food sensitivities, useful to restore and maintain skin and hair wellness.

Composition:

herring (55%), hydrolyzed fish protein, quinoa seed extracted (5%), fish oil, coconut (4%), fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals. Protein sources: herring, hydrolyzed fish protein. Carbohydrate sources: quinoa seed extracted.

Analytical constituents:

moisture 75.00%; crude protein 11.50%; crude fat 5.50%; crude fibres 0.90%; crude ash 2.90%.

Additives per kg

Nutritional additives: Vitamin A 4000IU; Vitamin D3 400IU; Vitamin E 130mg; Choline chloride 400mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; Selenium (Selenised yeast inactivated): 0.00242mg; DL-methionine, technically pure 1000mg; Taurine 500mg; L-carnitine 50mg.



Herring

Quinoa

Coconut

N&D Quinoa Skin & Coat - Herring & Coconut is a complete dietetic food for dogs for the reduction of ingredient and nutrient intolerances.

Instructions for use: it is recommended that a nutrition expert opinion be sought before use. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body composition. The ration can be divided into two daily meals or more. It is recommended to mix initially N&D with the previously used diet. Recommended length of time: 3 to 8 weeks. If signs of intolerance disappear this feed can be used indefinitely. Water should be available at all times. Once the can has been opened, keep refrigerated and use within 48 hours.

Feeding guide	Calorie Content M.E. 1069 kcal/kg - 4.48MJ/kg - 149.65 kcal/can (140g) - 304.65 kcal/can (285g)									
Weight of adult dog	1kg	2kg	3kg	4kg	5kg	6kg	7kg	8kg	9kg	10kg
RDA in g	95g	160g	215g	265g	315g	360g	405g	450g	490g	530g
1 can = 140g	2/3	1 1/4	1 1/2	1 3/4	2 1/4	2 1/2	2 3/4	3 1/4	3 1/2	3 3/4
Weight of adult dog	2kg	5kg	10kg	15kg	20kg	25kg	30kg	35kg	40kg	50kg
RDA in g	160g	315g	530g	720g	890g	1050g	1210g	1355g	1500g	1770g
1 can = 285g	1/2	1	1 1/4	2 1/2	3	3 2/3	4 1/4	4 3/4	5 1/4	6 1/4

available in size	140g	285g
All Breed	✓	✓
Mini Breed	✓	✓



The Nutrition System for Carnivores





COMPLETE FOOD FOR MINI, MEDIUM AND MAXI ADULT DOGS



SKIN & COAT

VENISON & COCONUT



- SINGLE ANIMAL PROTEIN SOURCE.
- QUINOA AS CARBOHYDRATES SOURCE.
- COMPLETE WET FOOD.
- SKIN & COAT**
A specific formula for food sensitivities, useful to restore and maintain skin and hair wellness.

Composition:

venison shank (55%), quinoa seed extracted (5%), fish oil, coconut (4%), fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals. Protein sources: venison shank. Carbohydrate sources: quinoa seed extracted.

Analytical constituents:

moisture 75.00%; crude protein 11.50%; crude fat 5.50%; crude fibres 1.00%; crude ash 3.30%.

Additives per kg

Nutritional additives: Vitamin A 4000IU; Vitamin D3 400IU; Vitamin E 130mg; Choline chloride 400mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; Selenium (Selenised yeast inactivated): 0.00242mg; DL-methionine, technically pure 1000mg; Taurine 500mg; L-carnitine 50mg.



N&D Quinoa Skin & Coat - Venison & Coconut is a complete dietetic food for dogs for the reduction of ingredient and nutrient intolerances.

Instructions for use: it is recommended that a nutrition expert opinion be sought before use. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body composition. The ration can be divided into two daily meals or more. It is recommended to mix initially N&D with the previously used diet. Recommended length of time: 3 to 8 weeks. If signs of intolerance disappear this feed can be used indefinitely. Water should be available at all times. Once the can has been opened, keep refrigerated and use within 48 hours.

available in size	140g	285g
All Breed	✓	✓
Mini Breed	✓	✓

Feeding guide	Calorie Content M.E. 1047 kcal/kg - 4.38MJ/kg - 146.60 kcal/can (140g) - 298.40 kcal/can (285g)									
Weight of adult dog	1kg	2kg	3kg	4kg	5kg	6kg	7kg	8kg	9kg	10kg
RDA in g	95g	160g	215g	270g	320g	365g	410g	450g	495g	535g
1 can = 140g	2/3	1 1/4	1 1/2	2	2 1/3	2 2/3	3	3 1/4	3 1/2	3 3/4
Weight of adult dog	2kg	5kg	10kg	15kg	20kg	25kg	30kg	35kg	40kg	50kg
RDA in g	160g	320g	535g	725g	900g	1065g	1220g	1370g	1515g	1790g
1 can = 285g	1/2	1	1 1/4	2 1/2	3 1/4	3 3/4	4 1/4	4 3/4	5 1/3	6 1/3



COMPLETE FOOD FOR MINI, MEDIUM AND MAXI ADULT DOGS



SKIN & COAT

DUCK & COCONUT



- SINGLE ANIMAL PROTEIN SOURCE.
- QUINOA AS CARBOHYDRATES SOURCE.
- COMPLETE WET FOOD.
- SKIN & COAT**
A specific formula for food sensitivities, useful to restore and maintain skin and hair wellness.

Composition:

duck fillet (55%), quinoa seed extracted (5%), fish oil, coconut (4%), fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals. Protein sources: duck fillet. Carbohydrate sources: quinoa seed extracted.

Analytical constituents:

moisture 75.00%; crude protein 11.50%; crude fat 5.50%; crude fibres 0.90%; crude ash 3.40%.

Additives per kg

Nutritional additives: Vitamin A 4000IU; Vitamin D3 400IU; Vitamin E 130mg; Choline chloride 400mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; Selenium (Selenised yeast inactivated): 0.00242mg; DL-methionine, technically pure 1000mg; Taurine 500mg; L-carnitine 50mg.



N&D Quinoa Skin & Coat - Duck & Coconut is a complete dietetic food for dogs for the reduction of ingredient and nutrient intolerances.

Instructions for use: it is recommended that a nutrition expert opinion be sought before use. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body composition. The ration can be divided into two daily meals or more. It is recommended to mix initially N&D with the previously used diet. Recommended length of time: 3 to 8 weeks. If signs of intolerance disappear this feed can be used indefinitely. Water should be available at all times. Once the can has been opened, keep refrigerated and use within 48 hours.

available in size	140g	285g
All Breed	✓	✓
Mini Breed	✓	✓

Feeding guide	Calorie Content M.E. 1052kcal/kg - 4.40MJ/kg - 147.30 kcal/can (140g) - 299.80 kcal/can (285g)									
Weight of adult dog	1kg	2kg	3kg	4kg	5kg	6kg	7kg	8kg	9kg	10kg
RDA in g	95g	160g	215g	270g	320g	365g	410g	450g	495g	535g
1 can = 140g	2/3	1 1/4	1 1/2	2	2 1/3	2 2/3	3	3 1/4	3 1/2	3 3/4
Weight of adult dog	2kg	5kg	10kg	15kg	20kg	25kg	30kg	35kg	40kg	50kg
RDA in g	160g	320g	535g	725g	900g	1065g	1220g	1370g	1515g	1790g
1 can = 285g	1/2	1	1 1/4	2 1/2	3 1/4	3 3/4	4 1/4	4 3/4	5 1/3	6 1/3





COMPLETE FOOD FOR MINI, MEDIUM AND MAXI ADULT DOGS



SKIN & COAT

QUAIL & COCONUT



SINGLE ANIMAL PROTEIN SOURCE.



QUINOA AS CARBOHYDRATES SOURCE.



COMPLETE WET FOOD.



SKIN & COAT

A specific formula for food sensitivities, useful to restore and maintain skin and hair wellness.

Composition:

quail fillet and thigh (55%), quinoa seed extracted (5%), fish oil, coconut (4%), fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals. Protein sources: quail fillet and thigh. Carbohydrate sources: quinoa seed extracted.

Analytical constituents:

moisture 75.00%; crude protein 11.50%; crude fat 5.50%; crude fibres 0.90%; crude ash 2.90%.

Additives per kg

Nutritional additives: Vitamin A 4000IU; Vitamin D3 400IU; Vitamin E130mg; Choline chloride 400mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; Selenium (Selenised yeast inactivated): 0.00242mg; DL-methionine, technically pure 1000mg; Taurine 500mg; L-carnitine 50mg.



ITALIAN FORMULA



Quail



Quinoa



Coconut

N&D Quinoa Skin & Coat - Quail & Coconut is a complete dietetic food for dogs for the reduction of ingredient and nutrient intolerances.

Instructions for use: it is recommended that a nutrition expert opinion be sought before use. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body composition. The ration can be divided into two daily meals or more. It is recommended to mix initially N&D with the previously used diet. Recommended length of time: 3 to 8 weeks. If signs of intolerance disappear this feed can be used indefinitely. Water should be available at all times. Once the can has been opened, keep refrigerated and use within 48 hours.

available in size	140g	285g	
All Breed		✓	
Mini Breed	✓		


Feeding guide Calorie Content M.E. 1069 kcal/kg - 4.48MJ/kg - 149.65 kcal/can (140g) - 304.65 kcal/can (285g)

	1kg	2kg	3kg	4kg	5kg	6kg	7kg	8kg	9kg	10kg
Weight of adult dog										
RDA in g	95g	160g	215g	265g	315g	360g	405g	450g	490g	530g
1 can = 140g	2/3	1 1/4	1 1/2	1 3/4	2 1/4	2 1/2	2 3/4	3 1/4	3 1/2	3 3/4
Weight of adult dog	2kg	5kg	10kg	15kg	20kg	25kg	30kg	35kg	40kg	50kg
RDA in g	160g	315g	530g	720g	890g	1050g	1210g	1355g	1500g	1770g
1 can = 285g	1/2	1	1 3/4	2 1/2	3	3 2/3	4 1/4	4 3/4	5 1/4	6 1/4



The Nutrition System for Carnivores





feline formulas



ADULT FORMULAS

		DRY	WET
DIGESTION · LAMB AND QUINOA	Complete dietetic food for adult cats		
WEIGHT MANAGEMENT · LAMB AND QUINOA	Complete dietetic food for adult cats		
URINARY · DUCK AND QUINOA	Complete dietetic food for adult cats		
SKIN & COAT · HERRING AND QUINOA	Complete dietetic food for adult cats		
SKIN & COAT · QUAIL AND QUINOA	Complete dietetic food for adult cats		
SKIN & COAT · VENISON AND COCONUT	Complete dietetic food for adult cats		
SKIN & COAT · DUCK AND COCONUT	Complete dietetic food for adult cats		
NEUTERED · DUCK AND QUINOA	Complete dietetic food for adult cats		


Nutrition System for Carnivores





DIGESTION

LAMB, QUINOA, FENNEL AND MINT RECIPE



HIGH DIGESTIBILITY.



ELECTROLYTIC BALANCE.



APPROPRIATE CONTENT OF SOLUBLE FIBER.



DIGESTION
Highly digestible formula for the wellbeing of the intestine.

Composition:

lamb (20%), dehydrated lamb protein (20%), pea starch, chicken fat, quinoa seed extracted (8%), dried eggs, linseed, dehydrated herring protein, fish oil (from herring), dried fennel (2.5%), dried mint (2.5%), inulin (0.6%), fructo-oligosaccharides (0.6%), yeast extract (source of manno-oligo-saccharides) (0.6%), psyllium husks and seeds, potassium chloride, dried brewers' yeast, sodium chloride, calcium sulphate dihydrate, aloe vera extract, glucosamine, chondroitin sulphate.

Analytical constituents

Crude protein 33.00%; Crude fat 21.50%; Crude fibres 1.90%; Moisture 8.00%; Crude ash 7.90%; Calcium 1.00%; Phosphorus 0.80%; Magnesium 0.08%; Omega-6 fatty acids 3.30%; Omega-3 fatty acids 0.60%; DHA 0.30%; EPA 0.15%; Glucosamine 1200mg/kg; Chondroitin sulphate 900mg/kg.

Instructions for use: it is recommended that a veterinarian's opinion be sought before use. Recommended length of time: 3 to 12 weeks in case of compensation for maldigestion, but lifetime in the case of chronic pancreatic insufficiency. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body condition. The ration can be divided into two daily meals or more. It is recommended to mix initially N&D with the previously used diet. Water should be available at all times.



92%
of the protein is animal origin

0%
artificial preservatives

0%
cereals



Lamb



Quinoa



Fennel



Mint

Additives per kg: Nutritional additives: Vitamin A 18000IU; Vitamin D3 1200IU; Vitamin E 600mg; Vitamin C 300mg; Niacin 150mg; Calcium D-pantothenate 50mg; Vitamin B2 20mg; Vitamin B6 8.1mg; Vitamin B1 10mg; Biotin 1.5mg; Folic acid 1.5mg; Vitamin B12 0.1mg; Choline chloride 3000mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.80mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.60mg; Iron [Iron(II) chelate of glycine hydrate]: 58.30mg; Copper (Copper chelate of hydroxy analogue of methionine) 15.80mg; DL-methionine, technically pure 7000mg; Taurine 2500mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.

N&D Quinoa Digestion is a complete dietetic food for cats, suggested for the compensation for maldigestion and exocrine pancreatic insufficiency.

	300g	1,5kg	5kg
available in size	✓	✓	✓

Feeding guide	Calorie Content (calculated) at a moisture content of 6%: M.E. (CEN) 4222kcal/kg - 17.67MJ/kg - 1 cup = 100g = 422kcal/cup									
Weight of adult cat	2kg (4.4 lbs)	2.5kg (5.5 lbs)	3kg (6.6 lbs)	3.5kg (7.7 lbs)	4kg (8.8 lbs)	4.5kg (9.9 lbs)	5kg (11 lbs)	5.5kg (12.1 lbs)	6kg (13.2 lbs)	6.5kg (14.3 lbs)
Min-Max Recommended Daily Quantity	22-36g (0.25-0.33c)	25-42g (0.25-0.33c)	28-48g (0.33-0.50c)	32-52g (0.33-0.50c)	35-58g (0.33-0.66c)	38-62g (0.33-0.66c)	40-66g (0.50-0.66c)	42-70g (0.50-0.75c)	45-75g (0.50-0.75c)	48-78g (0.50-0.75c)




The Nutrition System for Carnivores



WEIGHT MANAGEMENT

LAMB, QUINOA, BROCCOLI AND ASPARAGUS RECIPE



LOW CONTENT OF FATS.



HIGH CONTENT OF FIBER.



REDUCED CALORIC INTAKE.



WEIGHT MANAGEMENT
Useful for the reduction of unnecessary body weight.

Composition:

lamb (22%), dehydrated lamb protein (22%), pea starch, chicken fat, pea fibre, quinoa seed extracted (8%), herring, dehydrated herring protein, fish oil (from herring), linseed, dried broccoli (2.5%), dried asparagus (2.5%), dried carrot, alfalfa meal, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), psyllium husks and seeds, potassium chloride, sodium chloride, calcium sulphate dihydrate, dried brewers' yeast, aloe vera extract, glucosamine, chondroitin sulphate.

Analytical constituents

Crude protein 40.00%; Crude fat 9.00%; Crude fibres 10.00%; Moisture 8.00%; Crude ash 7.90%; Calcium 1.00%; Phosphorus 0.80%; Sodium 0.30%; Potassium 0.70%; Magnesium 0.08%; Omega-6 fatty acids 2.00%; Omega-3 fatty acids 0.45%; DHA 0.30%; EPA 0.10%; Glucosamine 1200mg/kg; Chondroitin sulphate 900mg/kg.

Instructions for use: it is recommended that a nutrition expert opinion be sought before use. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body condition. The ration can be divided into two daily meals or more. It is recommended to mix initially N&D with the previously used diet. Recommended length of time: until target body weight is achieved. Water should be available at all times.



96%
of the protein is animal origin

0%
artificial preservatives

0%
cereals



Lamb



Quinoa



Broccoli



Asparagus

Additives per kg: Nutritional additives: Vitamin A 18000IU; Vitamin D3 1200IU; Vitamin E 600mg; Vitamin C 300mg; Niacin 150mg; Calcium D-pantothenate 50mg; Vitamin B2 20mg; Vitamin B6 8.1mg; Vitamin B1 10mg; Biotin 1.5mg; Folic acid 1.5mg; Vitamin B12 0.1mg; Choline chloride 2800mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.80mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.60mg; Iron [Iron(II) chelate of glycine hydrate]: 58.30mg; Copper (Copper chelate of hydroxy analogue of methionine) 15.80mg; DL-methionine, technically pure 5000mg; Taurine 5000mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.

N&D Quinoa Weight Management is a complete dietetic food for cats, suggested for the reduction of excessive body weight.

	300g	1,5kg	5kg
available in size	✓	✓	✓

Feeding guide	Calorie Content (calculated) at a moisture content of 6%: M.E. (CEN) 3341kcal/kg - 13.98MJ/kg - 1 cup = 95g = 317kcal/cup									
Target weight of adult cat	2kg (4.4 lbs)	2.5kg (5.5 lbs)	3kg (6.6 lbs)	3.5kg (7.7 lbs)	4kg (8.8 lbs)	4.5kg (9.9 lbs)	5kg (11 lbs)	5.5kg (12.1 lbs)	6kg (13.2 lbs)	6.5kg (14.3 lbs)
Min-Max Recommended Daily Quantity	20-32g (0.25-0.33c)	22-38g (0.25-0.33c)	26-42g (0.33-0.50c)	30-48g (0.33-0.50c)	32-52g (0.33-0.50c)	34-56g (0.33-0.66c)	36-60g (0.50-0.66c)	38-64g (0.50-0.66c)	40-68g (0.50-0.75c)	44-72g (0.50-0.75c)




The Nutrition System for Carnivores





URINARY

DUCK, QUINOA, CRANBERRY AND CHAMOMILE RECIPE



- pH** URINARY PH CONTROL.
- Low Mg** REDUCED MAGNESIUM CONTENT.
- Low Protein Levels** REDUCED PROTEIN INTAKE.
- URINARY**
A specific formula to restore the wellbeing of the urinary tract and to prevent urolithiasis from struvite.

Composition:

boneless duck (20%), dehydrated duck protein (20%), pea starch, chicken fat, quinoa seed extracted (8%), dried eggs, dehydrated herring protein, fish oil (from herring), dried cranberry (2.5%), chamomile (2.5%), fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), psyllium husks and seeds, calcium carbonate, potassium chloride, dried brewers' yeast, sodium chloride, aloe vera extract, glucosamine, chondroitin sulphate.

Analytical constituents

Crude protein 33.00%; Crude fat 16.50%; Crude fibres 2.10%; Moisture 8.00%; Crude ash 7.90%; Calcium 1.00%; Phosphorus 0.80%; Sodium 0.30%; Potassium 0.70%; Magnesium 0.08%; Chlorides 0.75%; Sulphur 0.40%; Omega-6 fatty acids 3.20%; Omega-3 fatty acids 0.40%; DHA 0.15%; EPA 0.10%; Glucosamine 1200mg/kg; Chondroitin sulphate 900mg/kg.

Instructions for use: it is recommended that a veterinarian's opinion be sought before use. Recommended length of time: up to 6 months. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body condition. The ration can be divided into two daily meals or more. It is recommended to mix initially N&D with the previously used diet. Water should be available at all times.

94% of the protein is animal origin
0% artificial preservatives
0% cereals

Duck **Quinoa** **Cranberry** **Chamomile**

Additives per kg: Nutritional additives: Vitamin A 18000IU; Vitamin D3 1200IU; Vitamin E 600mg; Vitamin C 300mg; Niacin 150mg; Calcium D-pantothenate 50mg; Vitamin B2 20mg; Vitamin B6 8.1mg; Vitamin B1 10mg; Biotin 1.5mg; Folic acid 1.5mg; Vitamin B12 0.1mg; Choline chloride 2500mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.80mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.60mg; Iron [Iron(II) chelate of glycine hydrate]: 58.30mg; Copper (Copper chelate of hydroxy analogue of methionine): 15.80mg; DL-methionine, technically pure 3500mg; Taurine 2000mg; L-Lysine-monohydrochloride, technically pure 1000mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils. Urine acidifying substances: ammonium chloride 3500mg; DL-methionine 3500mg.

N&D Quinoa Urinary is a complete dietetic food for cats for the reduction of struvite stone recurrence and feline lower urinary tract disease.

available in size 300g 1,5kg 5kg

Feeding guide	Calorie Content (calculated) at a moisture content of 6%: M.E. (CEN) 3984kcal/kg - 16.67MJ/kg - 1 cup = 98g = 390kcal/cup										
	2kg (4.4 lbs)	2.5kg (5.5 lbs)	3kg (6.6 lbs)	3.5kg (7.7 lbs)	4kg (8.8 lbs)	4.5kg (9.9 lbs)	5kg (11 lbs)	5.5kg (12.1 lbs)	6kg (13.2 lbs)	6.5kg (14.3 lbs)	
Weight of adult cat											
Min-Max Recommended Daily Quantity	23-38g (0.25-0.33c)	26-44g (0.25-0.50c)	30-50g (0.33-0.50c)	33-55g (0.33-0.50c)	36-60g (0.33-0.66c)	40-65g (0.33-0.66c)	42-70g (0.50-0.66c)	45-75g (0.50-0.75c)	47-78g (0.50-0.75c)	50-80g (0.50-0.75c)	



SKIN & COAT

HERRING, QUINOA, COCONUT AND TURMERIC RECIPE



- SINGLE ANIMAL PROTEIN SOURCE.**
- REDUCED PROTEIN INTAKE.**
- OMEGA-3 FATTY ACIDS.**
- SKIN & COAT**
A specific formula for food sensitivities, useful to restore and maintain skin and hair wellness.

Composition:

herring (20%), dehydrated herring protein (20%), pea starch, fish oil (from herring), quinoa seed extracted (8%), linseed, dried coconut (2.5%), turmeric (2.5%), inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), psyllium husks and seeds, calcium carbonate, dicalcium phosphate, calcium sulphate dihydrate, potassium chloride, sodium chloride, dried brewers' yeast, aloe vera extract, glucosamine, chondroitin sulphate. Protein sources: herring, dehydrated herring protein. Carbohydrate sources: pea starch, quinoa seed extracted.

Analytical constituents

Crude protein 30.00%; Crude fat 16.00%; Crude fibres 2.50%; Moisture 8.00%; Crude ash 7.90%; Calcium 1.00%; Phosphorus 0.80%; Magnesium 0.08%; Omega-6 fatty acids 0.80%; Omega-3 fatty acids 2.40%; DHA 1.10%; EPA 0.80%; Glucosamine 1200mg/kg; Chondroitin sulphate 900mg/kg.

Instructions for use: it is recommended that a nutrition expert opinion be sought before use. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body condition. The ration can be divided into two daily meals or more. It is recommended to mix initially N&D with the previously used diet. Recommended length of time: 3 to 8 weeks. If signs of intolerance disappear this feed can be used indefinitely. Water should be available at all times.

94% of the protein is animal origin
0% artificial preservatives
0% cereals

Herring **Quinoa** **Coconut** **Turmeric**

Additives per kg: Nutritional additives: Vitamin A 32000IU; Vitamin D3 1500IU; Vitamin E 600mg; Vitamin C 300mg; Niacin 150mg; Calcium D-pantothenate 50mg; Vitamin B2 20mg; Vitamin B6 8.1mg; Vitamin B1 10mg; Biotin 1.5mg; Folic acid 1.5mg; Vitamin B12 0.1mg; Choline chloride 2500mg; Beta-carotene 5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.80mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.60mg; Iron [Iron(II) chelate of glycine hydrate]: 58.30mg; Copper (Copper chelate of hydroxy analogue of methionine): 15.80mg; DL-methionine, technically pure 3000mg; Taurine 3000mg; L-Lysine-monohydrochloride, technically pure 1000mg; L-cystine 700mg; L-tryptophan 600mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.

N&D Quinoa Skin & Coat is a complete dietetic food for cats for the reduction of ingredient and nutrient intolerances.

available in size 300g 1,5kg 5kg

Feeding guide	Calorie Content (calculated) at a moisture content of 6%: M.E. (CEN) 3925kcal/kg - 16.42MJ/kg - 1 cup = 98g = 385kcal/cup										
	2kg (4.4 lbs)	2.5kg (5.5 lbs)	3kg (6.6 lbs)	3.5kg (7.7 lbs)	4kg (8.8 lbs)	4.5kg (9.9 lbs)	5kg (11 lbs)	5.5kg (12.1 lbs)	6kg (13.2 lbs)	6.5kg (14.3 lbs)	
Weight of adult cat											
Min-Max Recommended Daily Quantity	23-38g (0.25-0.33c)	26-44g (0.25-0.50c)	30-50g (0.33-0.50c)	33-55g (0.33-0.50c)	36-60g (0.33-0.66c)	40-65g (0.33-0.66c)	42-70g (0.50-0.66c)	45-75g (0.50-0.75c)	50-80g (0.50-0.75c)	54-85g (0.50-1.00c)	



COMPLETE FOOD FOR ADULT CATS



SKIN & COAT

QUAIL, QUINOA, COCONUT AND TURMERIC RECIPE



SINGLE ANIMAL PROTEIN SOURCE.



REDUCED PROTEIN INTAKE.



OMEGA-3 FATTY ACIDS.



SKIN & COAT

A specific formula for food sensitivities, useful to restore and maintain skin and hair wellness.

Composition:

quail (20%), dehydrated quail protein (20%), pea starch, fish oil (from herring), quinoa seed extracted (8%), linseed, dried coconut (2.5%), turmeric (2.5%), inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), psyllium husks and seeds, calcium carbonate, dicalcium phosphate, calcium sulphate dihydrate, potassium chloride, sodium chloride, dried brewers' yeast, aloe vera extract, glucosamine, chondroitin sulphate. Protein sources: quail, dehydrated quail protein. Carbohydrate sources: pea starch, quinoa seed extracted.

Analytical constituents

Crude protein 30.00%; Crude fat 16.00%; Crude fibres 2.30%; Moisture 8.00%; Crude ash 6.80%; Calcium 1.00%; Phosphorus 0.80%; Magnesium 0.08%; Omega-6 fatty acids 2.00%; Omega-3 fatty acids 1.20%; DHA 0.60%; EPA 0.30%; Glucosamine 1200mg/kg; Chondroitin sulphate 900mg/kg.

Instructions for use: it is recommended that a nutrition expert opinion be sought before use. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body condition. The ration can be divided into two daily meals or more. It is recommended to mix initially N&D with the previously used diet. Recommended length of time: 3 to 8 weeks. If signs of intolerance disappear this feed can be used indefinitely. Water should be available at all times.

Additives per kg: Nutritional additives: Vitamin A 32000IU; Vitamin D3 1500IU; Vitamina E 600mg; Vitamin C 300mg; Niacin 150mg; Calcium D-pantothenate 50mg; Vitamin B2 20mg; Vitamin B6 8.1mg; Vitamin B1 10mg; Biotin 1.5mg; Folic acid 1.5mg; Vitamin B12 0.1mg; Choline chloride 2500mg; Beta-carotene 5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.80mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.60mg; Iron [Iron(II) chelate of glycine hydrate]: 58.30mg; Copper (Copper chelate of hydroxy analogue of methionine) 15.80mg; DL-methionine, technically pure 3000mg; Taurine 3000mg; L-Lysine-monohydrochloride, technically pure 1000mg; L-cystine 700mg; L-tryptophan 600mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.

N&D Quinoa Skin & Coat is a complete dietetic food for cats for the reduction of ingredient and nutrient intolerances.

	300g	1,5kg	5kg
available in size	✓	✓	✓

Feeding guide	Calorie Content (calculated) at a moisture content of 6%: M.E. (CEN) 3973kcal/kg - 16.62MJ/kg - 1 cup = 98g = 389kcal/cup									
	2kg (4.4 lbs)	2.5kg (5.5 lbs)	3kg (6.6 lbs)	3.5kg (7.7 lbs)	4kg (8.8 lbs)	4.5kg (9.9 lbs)	5kg (11 lbs)	5.5kg (12.1 lbs)	6kg (13.2 lbs)	6.5kg (14.3 lbs)
Weight of adult cat										
Min-Max Recommended Daily Quantity	23-38g (0.25-0.33c)	26-44g (0.25-0.50c)	30-50g (0.33-0.50c)	33-55g (0.33-0.50c)	36-60g (0.33-0.66c)	40-65g (0.33-0.66c)	42-70g (0.50-0.66c)	45-75g (0.50-0.75c)	50-80g (0.50-0.75c)	54-85g (0.50-1.00c)



The Nutrition System for Carnivores



COMPLETE FOOD FOR ADULT NEUTERED CATS



NEUTERED

DUCK, QUINOA, BROCCOLI AND ASPARAGUS RECIPE



HIGH FIBER CONTENT.



REDUCED ENERGY DENSITY.



HIGH PROTEIN CONTENT.



NEUTERED

A specific formula designed to meet the needs of neutered cats.

Composition:

boneless duck (22%), dehydrated duck protein (22%), sweet potato, dried beet pulp, dehydrated herring protein, quinoa seed extracted (8%), dried eggs, chicken fat, pea fibre, linseed, fish oil (from herring), dried broccoli (2.5%), dried asparagus (2.5%), powder cellulose, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried brewers' yeast, psyllium husks and seeds, calcium sulphate dihydrate, potassium chloride, sodium chloride, glucosamine, chondroitin sulphate.

Analytical constituents

crude protein 35.00%; crude fat 10.00%; crude fibres 6.50%; moisture 8.00%; crude ash 8.20%; Calcium 1.10%; Phosphorus 0.90%; Potassium 0.60%; Sodium 0.50%; Magnesium 0.07%; Omega-6 fatty acids 2.00%; Omega-3 fatty acids 0.40%; DHA 0.15%; EPA 0.10%; Glucosamine 1200mg/kg; Chondroitin sulphate 900mg/kg.

Instructions for use: serve the product as it is, following the daily quantities indicated in the table. Daily quantities shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantities can change according to breed, environment, physical exercise, temperament and body condition. The ration can be divided into two daily meals or more. It is recommended to mix initially N&D with the previously used diet. Water should be available at all times.

91% of the protein is animal origin

0% artificial preservatives

0% cereals

Quail, Quinoa, Coconut, Turmeric

Additives per kg: Nutritional additives: Vitamin A 22000IU; Vitamin D3 1500IU; Vitamin E 600mg; Vitamin C 300mg; Niacin 150mg; Calcium D-pantothenate 50mg; Vitamin B2 20mg; Vitamin B6 8.1mg; Vitamin B1 10mg; Biotin 1.5mg; Folic acid 1.5mg; Vitamin B12 0.1mg; Choline chloride 2500mg; Beta-carotene 5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 130.5mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 65.5mg; Iron [Iron(II) chelate of glycine hydrate]: 43.1mg; Copper (Copper chelate of hydroxy analogue of methionine): 10.8mg; DL-methionine, technically pure 5000mg; Taurine 2600mg/kg; L-carnitine 300mg. Antioxidants: tocopherol extracts from vegetable oils 10mg.

N&D Quinoa Neutered Duck is a complete food for adult neutered cats.

	300g	1,5kg	5kg
available in size	✓	✓	✓

Feeding guide	Calorie Content (calculated) at a moisture content of 6%: M.E. (CEN) 3500kcal/kg - 14.65MJ/kg - 1cup= 95g= 332kcal/cup									
	2kg (4.4 lbs)	2.5kg (5.5 lbs)	3kg (6.6 lbs)	3.5kg (7.7 lbs)	4kg (8.8 lbs)	4.5kg (9.9 lbs)	5kg (11 lbs)	5.5kg (12.1 lbs)	6kg (13.2 lbs)	6.5kg (14.3 lbs)
Weight of adult cat										
Min-Max Recommended Daily Quantity	30-38g (0.33-0.50c)	34-45g (0.33-0.50c)	40-50g (0.50-0.66c)	42-56g (0.50-0.66c)	46-62g (0.50-0.66c)	50-66g (0.50-0.75c)	58-76g (0.66-0.75c)	58-76g (0.66-0.75c)	60-80g (0.66-1.00c)	64-85g (0.75-1.00c)




The Nutrition System for Carnivores





DIGESTION



HIGH DIGESTIBILITY.



LOW CONTENT OF FATS.



COMPLETE WET FOOD.



DIGESTION

Highly digestible formula for the wellbeing of the intestine.

Composition:

lamb rack and shoulder (45%), hydrolyzed fish protein, quinoa seed extracted (5%), fish oil, artichoke, fennel, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried brewer's yeast, chondroitin sulphate, glucosamine, vitamins, minerals.

Analytical constituents

moisture 75.00%; crude protein 12.00%; crude fat 3.80%; crude fibres 0.80%; crude ash 3.30%.

Additives per kg

Nutritional additives: Vitamin A 4800IU; Vitamin D3 320IU; Vitamin E 160mg; Choline chloride 501mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; DL-methionine, technically pure 2300mg; Taurine 800mg; L-carnitine 150mg. Sensory additives: green tea extract 50mg.



N&D Quinoa Digestion is a complete dietetic food for cats for the compensation for maldigestion and exocrine pancreatic insufficiency.

Instructions for use: it is recommended that a veterinarian's opinion be sought before use. Recommended length of time: 3 to 12 weeks in case of compensation for maldigestion, but lifetime in the case of chronic pancreatic insufficiency. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body composition. The ration can be divided into two daily meals or more. It is recommended to mix initially N&D with the previously used diet. Water should be available at all times. Once the can has been opened, keep refrigerated and use within 48 hours.

available in size **80g**
All Breed

Feeding guide	Calorie Content M.E. (CEN) M.E. 999kcal/kg - 4.18MJ/kg - 79.90 kcal/can (80g)									
Weight of adult cat	2kg	2.5kg	3kg	3.5kg	4kg	4.5kg	5kg	5.5kg	6kg	6.5kg
RDA in g	160g	185g	210g	230g	255g	275g	295g	315g	330g	350g
1can = 80g	2	2 1/3	2 2/3	2 3/4	3 1/4	3 1/2	3 2/3	4	4 1/4	4 2/3



WEIGHT MANAGEMENT



REDUCED CALORIC INTAKE.



HIGH CONTENT OF FIBER.



COMPLETE WET FOOD.



WEIGHT MANAGEMENT

Useful for the reduction of unnecessary body weight.

Composition:

lamb rack and shoulder (50%), hydrolyzed fish protein, quinoa seed extracted (5%), fish oil, broccoli, asparagus, fructo-oligosaccharides, psyllium husks and seeds, chondroitin sulphate, glucosamine, vitamins, minerals.

Analytical constituents

moisture 75.00%; crude protein 12.50%; crude fat 3.00%; crude fibres 2.30%; crude ash 2.90%.

Additives per kg

Nutritional additives: Vitamin A 4800IU; Vitamin D3 320IU; Vitamin E 160mg; Choline chloride 501mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; DL-methionine, technically pure 1500mg; Taurine 800mg; L-carnitine 100mg.



N&D Quinoa Weight Management is a complete dietetic food for cats, suggested for the reduction of excessive body weight.

Instructions for use: it is recommended that a nutrition expert opinion be sought before use. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body composition. The ration can be divided into two daily meals or more. It is recommended to mix initially N&D with the previously used diet. Recommended length of time: until target body weight is achieved. Water should be available at all times. Once the can has been opened, keep refrigerated and use within 48 hours.

available in size **80g**
All Breed

Feeding guide	Calorie Content M.E. (CEN) M.E. 913kcal/kg - 3.82MJ/kg - 83.00 kcal/can (80g)									
Target weight of adult cat	2kg	2.5kg	3kg	3.5kg	4kg	4.5kg	5kg	5.5kg	6kg	6.5kg
RDA in g	120g	140g	160g	180g	195g	210g	225g	240g	255g	270g
1can = 80g	1 1/2	1 3/4	2	2 1/4	2 1/2	2 2/3	2 3/4	3	3 1/4	3 1/3





COMPLETE FOOD FOR ADULT CATS



URINARY



URINARY PH CONTROL.



REDUCED MAGNESIUM CONTENT.




COMPLETE WET FOOD.



URINARY

A specific formula to restore the wellbeing of the urinary tract and to prevent urolithiasis from struvite.



Composition:

duck fillet (60%), herring, boiled chicken eggs, quinoa seed extracted (5%), fish oil, cranberry, chamomile, fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals.

Analytical constituents

moisture 75.00%; crude protein 12.50%; crude fat 5.40%; crude fibres 0.70%; crude ash 3.20%; Calcium 0.16%; Phosphorus 0.15%; Sodium 0.20%; Potassium 0.30%; Magnesium 0.01%; Chlorides 0.70%; Sulphur 0.10%.

Additives per kg

Nutritional additives: Vitamin A 4800IU; Vitamin D3 320IU; Vitamin E 160mg; Choline chloride 501mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; DL-methionine, technically pure 3000mg; Taurine 800mg; L-carnitine 50mg. Urine acidifying substances: calcium sulfate dihydrate (1.5g/kg).

Instructions for use: it is recommended that a veterinarian's opinion be sought before use. Recommended length of time: up to 6 months. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body composition. The ration can be divided into two daily meals or more. It is recommended to mix initially N&D with the previously used diet. Water should be available at all times. Once the can has been opened, keep refrigerated and use within 48 hours.



N&D Quinoa Urinary is a complete dietetic food for cats for the reduction of struvite stone recurrence and feline lower urinary tract disease.

available in size All Breed 80g

Feeding guide	Calorie Content M.E. (CEN) M.E. 1083kcal/kg - 4.53MJ/kg - 86.65 kcal/can (80g)									
Weight of adult cat	2kg	2.5kg	3kg	3.5kg	4kg	4.5kg	5kg	5.5kg	6kg	6.5kg
RDA in g	150g	170g	190g	215g	235g	250g	270g	290g	305g	325g
1can = 80g	1 3/4	2	2 1/3	2 2/3	3	3 1/4	3 1/3	3 2/3	3 3/4	4



COMPLETE FOOD FOR ADULT CATS



SKIN & COAT

HERRING & COCONUT



SINGLE ANIMAL PROTEIN SOURCE.



QUINOA AS CARBOHYDRATES SOURCE.



COMPLETE WET FOOD.



SKIN & COAT

A specific formula for food sensitivities, useful to restore and maintain skin and hair wellness.



Composition:

herring (65%), hydrolyzed fish protein, quinoa seed extracted (5%), fish oil, coconut (4%), fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals. Protein sources: herring, hydrolyzed fish protein. Carbohydrate sources: quinoa seed extracted.

Analytical constituents

moisture 75.00%; crude protein 12.80%; crude fat 5.40%; crude fibres 0.90%; crude ash 2.90%.

Additives per kg

Nutritional additives: Vitamin A 4800IU; Vitamin D3 320IU; Vitamin E 160mg; Choline chloride 501mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; DL-methionine, technically pure 1500mg; Taurine 800mg; L-carnitine 50mg.

Instructions for use: it is recommended that a nutrition expert opinion be sought before use. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body composition. The ration can be divided into two daily meals or more. It is recommended to mix initially N&D with the previously used diet. Recommended length of time: 3 to 8 weeks. If signs of intolerance disappear this feed can be used indefinitely. Water should be available at all times. Once the can has been opened, keep refrigerated and use within 48 hours.



N&D Quinoa Skin & Coat - Herring & Coconut is a complete dietetic food for cats for the reduction of ingredient and nutrient intolerances.

available in size All Breed 80g

Feeding guide	Calorie Content M.E. (CEN) M.E. 1085kcal/kg - 4.54MJ/kg - 86.80 kcal/can (80g)									
Weight of adult cat	2kg	2.5kg	3kg	3.5kg	4kg	4.5kg	5kg	5.5kg	6kg	6.5kg
RDA in g	150g	170g	190g	215g	235g	250g	270g	290g	305g	325g
1can = 80g	1 3/4	2	2 1/3	2 2/3	3	3 1/4	3 1/3	3 2/3	3 3/4	4





COMPLETE FOOD FOR ADULT CATS



SKIN & COAT QUAIL & COCONUT



SINGLE ANIMAL PROTEIN SOURCE.



QUINOA AS CARBOHYDRATES SOURCE.



COMPLETE WET FOOD.



SKIN & COAT

A specific formula for food sensitivities, useful to restore and maintain skin and hair wellness.

Composition:

quail fillet and thigh (65%), quinoa seed extracted (5%), fish oil, coconut (4%), fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals. Protein sources: quail fillet and thigh. Carbohydrate sources: quinoa seed extracted.

Analytical constituents

moisture 75.00%; crude protein 12.80%; crude fat 5.40%; crude fibres 0.90%; crude ash 3.00%.

Additives per kg.

Nutritional additives: Vitamin A 4800IU; Vitamin D3 320IU; Vitamin E 160mg; Choline chloride 501mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; DL-methionine, technically pure 1500mg; Taurine 800mg; L-carnitine 50mg.

Instructions for use: it is recommended that a nutrition expert opinion be sought before use. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body composition. The ration can be divided into two daily meals or more. It is recommended to mix initially N&D with the previously used diet. Recommended length of time: 3 to 8 weeks. If signs of intolerance disappear this feed can be used indefinitely. Water should be available at all times. Once the can has been opened, keep refrigerated and use within 48 hours.



N&D Quinoa Skin & Coat - Quail & Coconut is a complete dietetic food for cats for the reduction of ingredient and nutrient intolerances.

available in size **80g**
All Breed

Feeding guide	Calorie Content M.E. (CEN) M.E. 1082kcal/kg - 4.53MJ/kg - 86.60 kcal/can (80g)									
Weight of adult cat	2kg	2.5kg	3kg	3.5kg	4kg	4.5kg	5kg	5.5kg	6kg	6.5kg
RDA in g	150g	170g	190g	215g	235g	250g	270g	290g	305g	325g
1can = 80g	1 3/4	2	2 1/3	2 2/3	3	3 1/4	3 1/3	3 2/3	3 3/4	4



The Nutrition System for Carnivores



COMPLETE FOOD FOR ADULT CATS



SKIN & COAT VENISON & COCONUT



SINGLE ANIMAL PROTEIN SOURCE.



QUINOA AS CARBOHYDRATES SOURCE.



COMPLETE WET FOOD.



SKIN & COAT

A specific formula for food sensitivities, useful to restore and maintain skin and hair wellness.

Composition:

venison shank (65%), quinoa seed extracted (5%), fish oil, coconut (4%), fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals. Protein sources: venison shank. Carbohydrate sources: quinoa seed extracted.

Analytical constituents

moisture 75.00%; crude protein 12.80%; crude fat 5.40%; crude fibres 0.90%; crude ash 3.60%.

Additives per kg.

Nutritional additives: Vitamin A 4800IU; Vitamin D3 320IU; Vitamin E 160mg; Choline chloride 501mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; DL-methionine, technically pure 1500mg; Taurine 800mg; L-carnitine 50mg.

Instructions for use: it is recommended that a nutrition expert opinion be sought before use. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body composition. The ration can be divided into two daily meals or more. It is recommended to mix initially N&D with the previously used diet. Recommended length of time: 3 to 8 weeks. If signs of intolerance disappear this feed can be used indefinitely. Water should be available at all times. Once the can has been opened, keep refrigerated and use within 48 hours.



N&D Quinoa Skin & Coat - Venison & Coconut is a complete dietetic food for cats for the reduction of ingredient and nutrient intolerances.

available in size **80g**
All Breed

Feeding guide	Calorie Content M.E. (CEN) M.E. 1070kcal/kg - 4.48MJ/kg - 85.60 kcal/can (80g)									
Weight of adult cat	2kg	2.5kg	3kg	3.5kg	4kg	4.5kg	5kg	5.5kg	6kg	6.5kg
RDA in g	150g	170g	195g	215g	235g	255g	275g	290g	310g	325g
1can = 80g	1 3/4	2 1/4	2 1/2	2 2/3	3	3 1/4	3 1/2	3 2/3	3 3/4	4



The Nutrition System for Carnivores



COMPLETE FOOD FOR ADULT CATS



SKIN & COAT DUCK & COCONUT



SINGLE ANIMAL PROTEIN SOURCE.



QUINOA AS CARBOHYDRATES SOURCE.



COMPLETE WET FOOD.



SKIN & COAT

A specific formula for food sensitivities, useful to restore and maintain skin and hair wellness.

Composition:

duck fillet (65%), quinoa seed extracted (5%), fish oil, coconut (4%), fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals. Protein sources: duck fillet. Carbohydrate sources: quinoa seed extracted.

Analytical constituents

moisture 75.00%; crude protein 12.80%; crude fat 5.40%; crude fibres 0.90%; crude ash 3.30%.

Additives per kg.

Nutritional additives: Vitamin A 4800IU; Vitamin D3 320IU; Vitamin E 160mg; Choline chloride 501mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; DL-methionine, technically pure 1500mg; Taurine 800mg; L-carnitine 50mg.



Duck



Quinoa



Coconut

N&D Quinoa Skin & Coat - Duck & Coconut is a complete dietetic food for cats for the reduction of ingredient and nutrient intolerances.

Instructions for use: it is recommended that a nutrition expert opinion be sought before use. Serve the product as it is, following the daily quantity indicated in the table. Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The daily quantity can change according to breed, environment, physical exercise, temperament and body composition. The ration can be divided into two daily meals or more. It is recommended to mix initially N&D with the previously used diet. Recommended length of time: 3 to 8 weeks. If signs of intolerance disappear this feed can be used indefinitely. Water should be available at all times. Once the can has been opened, keep refrigerated and use within 48 hours.

available in size

80g

All Breed

✓




Feeding guide

Calorie Content M.E. (CEN) M.E. 1071kcal/kg - 4.48MJ/kg - 86.70 kcal/can (80g)

Weight of adult cat	2kg	2.5kg	3kg	3.5kg	4kg	4.5kg	5kg	5.5kg	6kg	6.5kg
RDA in g	150g	170g	195g	215g	235g	255g	275g	290g	310g	325g
1can = 80g	1 3/4	2 1/4	2 1/2	2 2/3	3	3 1/4	3 1/2	3 2/3	3 3/4	4



The Nutrition System for Carnivores





N&D PRIME

canine formulas

PUPPY FORMULAS

		DRY	WET
CHICKEN & POMEGRANATE	Complete food for small and medium puppies and gestating or lactating bitches		

ADULT FORMULAS

CHICKEN & POMEGRANATE	Complete food for mini, medium and maxi adult dogs		
WILD BOAR & APPLE	Complete food for mini, medium and maxi adult dogs		
LAMB & BLUEBERRY	Complete food for mini, medium and maxi adult dogs		


Nutrition System for Carnivores

COMPLETE FOOD FOR PUPPIES AND GESTATING OR BREASTFEEDING BITCHES 



CHICKEN & POMEGRANATE PUPPY

CANINE FORMULA



 **98%** of the protein is animal origin **0%** artificial preservatives **0%** grains

-  **HIGH QUALITY FREE RANGE ITALIAN CHICKEN.**
-  **HIGH ANIMAL PROTEIN LEVEL.**
-  **INTEGRATIONS FROM FRUIT AND VEGETABLES.**
-  **CONTAINS BOTANICAL ESSENCES.**

Composition:

boneless chicken (28%), dehydrated chicken protein (27%), sweet potato, chicken fat, dried eggs, herring, dehydrated herring protein, fish oil (from herring), pea fibre, dried carrot, alfalfa meal, chicken cartilage (source of glucosamine and chondroitin sulphate), inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried pomegranate (0.5%), dried apple, dried spinach, psyllium husks and seeds (0.3%), dried sweet orange, dried blueberry, sodium chloride, dried brewers' yeast, turmeric (0.2%), aloe vera extract.

Analytical constituents:

crude protein 36.00%; crude fat 22.00%; crude fibres 2.30%; moisture 9.00%; crude ash 8.60%; Calcium 1.10%; Phosphorus 0.91%; Omega-6 3.40%; Omega-3 1.20%; DHA 0.70%; EPA 0.40%; Glucosamine 1400mg/kg; Chondroitin sulphate 1100mg/kg.

Additives per kg.

Nutritional additives: Vitamin A 16000IU; Vitamin D3 1600IU; Vitamin E 600mg; Vitamin C 160mg; Niacin 40mg; Calcium D-pantothenate 16mg; Vitamin B2 8mg; Vitamin B6 6.4mg; Vitamin B1 4.8mg; Biotin 0.40mg; folic acid 0.48mg; Vitamin B12 0.1mg; Choline Chloride 2800mg; Beta-Carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.8mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.6mg; Iron [Iron(II) chelate of glycine hydrate]: 58.3mg; Copper (Copper chelate of hydroxy analogue of methionine): 15.8mg; Selenium (Selenised yeast inactivated): 0.00088mg; DL-methionine, technically pure 4000mg; Taurine 1000mg; L-carnitine 300mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.



available in size	800g	2,5kg	7kg	12kg
Mini	✓	✓	✓	✓
Medium-Maxi		✓		✓

Feeding guide Calorie Content (calculated) at a moisture content of 7%: M.E. (CEN) 4186kcal/kg - 17.52MJ/kg - 1 cup = 108g = 452kcal/cup

Weight of adult dog	10kg	15kg	20kg	25kg	30kg	35kg	40kg	45kg	50kg	55kg	60kg	70kg
	(22 lbs)	(33.1 lbs)	(44.1 lbs)	(55.1 lbs)	(66.1 lbs)	(77.2 lbs)	(88.2 lbs)	(99.2 lbs)	(110.2 lbs)	(121.3 lbs)	(132.3 lbs)	(154.3 lbs)
2 months	90g - 1.00c	120g - 1.25c	140g - 1.33c	160g - 1.50c	185g - 1.75c	210g - 2.00c	225g - 2.25c	245g - 2.33c	260g - 2.50c	270g - 2.50c	295g - 2.75c	340g - 3.00c
3 months	130g - 1.25c	175g - 1.75c	215g - 2.00c	245g - 2.33c	290g - 2.75c	320g - 3.00c	350g - 3.33c	365g - 3.50c	410g - 4.25c	430g - 4.25c	445g - 4.50c	460g - 4.50c
4 months	160g - 1.50c	200g - 2.00c	240g - 2.33c	280g - 2.66c	330g - 3.00c	350g - 3.33c	370g - 3.50c	390g - 3.75c	540g - 5.00c	575g - 5.33c	610g - 5.50c	670g - 6.25c
6 months	175g - 1.75c	235g - 2.25c	280g - 2.66c	330g - 3.00c	380g - 3.50c	435g - 4.25c	470g - 4.50c	500g - 4.75c	540g - 5.00c	575g - 5.33c	610g - 5.50c	670g - 6.25c
10 months	170g - 1.75c	220g - 2.00c	270g - 2.66c	315g - 3.00c	360g - 3.33c	410g - 4.25c	450g - 4.50c	480g - 4.75c	505g - 4.75c	540g - 5.25c	570g - 5.33c	635g - 6.00c
12 months	165g - 1.75c	225g - 2.00c	280g - 2.66c	320g - 3.00c	375g - 3.50c	420g - 4.25c	460g - 4.50c	490g - 4.75c	525g - 5.00c	560g - 5.50c	585g - 5.50c	655g - 6.25c
16 months	Adult	Adult	Adult	Adult	Adult	Adult	480g - 4.75c	520g - 5.00c	550g - 5.25c	590g - 5.75c	610g - 5.50c	680g - 6.50c

The recommended amount in the table are indicative and require an adjustment in order to get the optimal body weight. The dose can be divided into 2 daily meals or more. It is recommended to always leave fresh water at will.




COMPLETE FOOD FOR MINI, MEDIUM AND MAXI ADULT DOGS 



CHICKEN & POMEGRANATE

CANINE FORMULA



 **98%** of the protein is animal origin **0%** artificial preservatives **0%** grains

-  **HIGH QUALITY FREE RANGE ITALIAN CHICKEN.**
-  **HIGH ANIMAL PROTEIN LEVEL.**
-  **INTEGRATIONS FROM FRUIT AND VEGETABLES.**
-  **CONTAINS BOTANICAL ESSENCES.**

Composition:

boneless chicken (26%), dehydrated chicken protein (25%), sweet potato, chicken fat, dried eggs, herring, dehydrated herring protein, fish oil (from herring), pea fibre, dried carrot, alfalfa meal, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried pomegranate (0.5%), dried apple, dried spinach, psyllium husks and seeds (0.3%), dried sweet orange, dried blueberry, sodium chloride, dried brewers' yeast, turmeric (0.2%), aloe vera extract, glucosamine, chondroitin sulphate.

Analytical constituents:

crude protein 34.00%; crude fat 18.00%; crude fibres 2.60%; moisture 9.00%; crude ash 7.80%; Calcium 1.00%; Phosphorus 0.80%; Omega-6 3.30%; Omega-3 0.90%; DHA 0.50%; EPA 0.30%; Glucosamine 1200mg/kg; Chondroitin sulphate 900mg/kg.

Additives per kg.

Nutritional additives: Vitamin A 15000IU; Vitamin D3 1500IU; Vitamin E 600mg; Vitamin C 150mg; Niacin 37.5mg; Calcium D-pantothenate 15mg; Vitamin B2 7.5mg; Vitamin B6 6mg; Vitamin B1 4.5mg; Biotin 0.38mg; folic acid 0.45mg; Vitamin B12 0.1mg; choline chloride 2500mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.8mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.6mg; Iron [Iron(II) chelate of glycine hydrate]: 58.3mg; Copper (Copper chelate of hydroxy analogue of methionine): 15.8mg; Selenium (Selenised yeast inactivated): 0.00088mg; DL-methionine, technically pure 4000mg; Taurine 1000mg; L-carnitine 300mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.



available in size	800g	2,5kg	7kg	12kg
Mini	✓	✓	✓	✓
Medium-Maxi		✓		✓

Feeding guide Calorie Content (calculated) at a moisture content of 7%: M.E. (CEN) 3999kcal/kg - 16.73MJ/kg - 1 cup = 108g = 432kcal/cup

Weight of adult dog	10kg	15kg	20kg	25kg	30kg	35kg	40kg	50kg	60kg	70kg
	(22 lbs)	(33.1 lbs)	(44.1 lbs)	(55.1 lbs)	(66.1 lbs)	(77.2 lbs)	(88.2 lbs)	(110.2 lbs)	(132.2 lbs)	(154.3 lbs)
Min-Max Recommended Daily Quantity	90 - 160g 1.00 - 1.50c	125 - 230g 1.25 - 2.25c	155 - 270g 1.50 - 2.50c	180 - 330g 1.66 - 3.00c	210 - 365g 2.00 - 3.50c	235 - 410g 2.25 - 3.75c	260 - 455g 2.50 - 4.25c	305 - 540g 2.75 - 5.00c	350 - 615g 3.25 - 5.75c	390 - 690g 3.75 - 6.25c

The recommended amount in the table are indicative and require an adjustment in order to get the optimal body weight. The dose can be divided into 2 daily meals or more. It is recommended to always leave fresh water at will.





COMPLETE FOOD FOR MINI, MEDIUM AND MAXI ADULT DOGS



WILD BOAR & APPLE

CANINE FORMULA



98% of the protein is animal origin
0% artificial preservatives
0% grains



HIGH QUALITY ITALIAN WILD BOAR.



HIGH ANIMAL PROTEIN LEVEL.



INTEGRATIONS FROM FRUIT AND VEGETABLES.



CONTAINS BOTANICAL ESSENCES.

Composition:

wild boar (22%), dehydrated wild boar protein (20%), sweet potato, boneless chicken, dehydrated chicken protein, chicken fat, dried eggs, dehydrated fish protein, fish oil (from herring), pea fibre, dried carrot, alfalfa meal, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried apple (0.5%), dried pomegranate, dried sweet orange, dried spinach, psyllium husks and seeds (0.3%), dried blueberry, sodium chloride, dried brewers' yeast, turmeric (0.2%), aloe vera extract, glucosamine, chondroitin sulphate.

Analytical constituents:

crude protein 34.00%; crude fat 18.00%; crude fibres 2.60%; moisture 9.00%; crude ash 7.90%; Calcium 1.00%; Phosphorus 0.80%; Omega-6 3.30%; Omega-3 0.90%; DHA 0.50%; EPA 0.30%; Glucosamine 1200mg/kg; Chondroitin sulphate 900mg/kg.

Additives per kg.

Nutritional additives: Vitamin A 15000IU; Vitamin D3 1500IU; Vitamin E 600mg; Vitamin C 150mg; Niacin 37.5mg; Calcium D-pantothenate 15mg; Vitamin B2 7.5mg; Vitamin B6 6mg; Vitamin B1 4.5mg; Biotin 0.38mg; folic acid 0.45mg; Vitamin B12 0.1mg; choline chloride 2500mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.8mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.6mg; Iron [Iron(II) chelate of glycine hydrate]: 58.3mg; Copper (Copper chelate of hydroxy analogue of methionine): 15.8mg; Selenium (Selenised yeast inactivated): 0.00088; DL-methionine, technically pure 4000mg; Taurine 1000mg; L-carnitine 300mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.



available in size	800g	2.5kg	7kg	12kg
Mini	✓	✓	✓	
Medium-Maxi		✓		✓

Feeding guide	Calorie Content (calculated) at a moisture content of 7%: M.E. (CEN) 3995kcal/kg - 16.72MJ/kg - 1 cup = 108g = 431kcal/cup									
	10kg (22 lbs)	15kg (33.1 lbs)	20kg (44.1 lbs)	25kg (55.1 lbs)	30kg (66.1 lbs)	35kg (77.2 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)	60kg (132.2 lbs)	70kg (154.3 lbs)
Weight of adult dog										
Min-Max Recommended Daily Quantity	90 - 160g 1.00 - 1.50c	125 - 230g 1.25 - 2.25c	155 - 270g 1.50 - 2.50c	180 - 330g 1.66 - 3.00c	210 - 365g 2.00 - 3.50c	235 - 410g 2.25 - 3.75c	260 - 455g 2.50 - 4.25c	305 - 540g 2.75 - 5.00c	350 - 615g 3.25 - 5.75c	390 - 690g 3.75 - 6.25c

The recommended amount in the table are indicative and require an adjustment in order to get the optimal body weight. The dose can be divided into 2 daily meals or more. It is recommended to always leave fresh water at will.



The Nutrition System for Carnivores



COMPLETE FOOD FOR MINI, MEDIUM AND MAXI ADULT DOGS



LAMB & BLUEBERRY

CANINE FORMULA



98% of the protein is animal origin
0% artificial preservatives
0% grains



HIGH QUALITY GRASS FED LAMB.



HIGH ANIMAL PROTEIN LEVEL.



INTEGRATIONS FROM FRUIT AND VEGETABLES.



CONTAINS BOTANICAL ESSENCES.

Composition:

lamb (26%), dehydrated lamb protein (25%), sweet potato, dried eggs, herring, dehydrated herring protein, chicken fat, fish oil (from herring), pea fibre, dried carrot, alfalfa meal, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried blueberry (0.5%), dried apple, dried pomegranate, dried sweet orange, dried spinach, psyllium husks and seeds (0.3%), sodium chloride, dried brewers' yeast, turmeric (0.2%), aloe vera extract, glucosamine, chondroitin sulphate.

Analytical constituents:

crude protein 34.00%; crude fat 18.00%; crude fibres 2.60%; moisture 9.00%; crude ash 8.30%; Calcium 1.10%; Phosphorus 0.80%; Omega-6 3.30%; Omega-3 0.90%; DHA 0.50%; EPA 0.30%; Glucosamine 1200mg/kg; Chondroitin sulphate 900mg/kg.

Additives per kg.

Nutritional additives: Vitamin A 15000IU; Vitamin D3 1500IU; Vitamin E 600mg; Vitamin C 150mg; Niacin 37.5mg; Calcium D-pantothenate 15mg; Vitamin B2 7.5mg; Vitamin B6 6mg; Vitamin B1 4.5mg; Biotin 0.38mg; folic acid 0.45mg; Vitamin B12 0.1mg; choline chloride 2500mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.8mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.6mg; Iron [Iron(II) chelate of glycine hydrate]: 58.3mg; Copper (Copper chelate of hydroxy analogue of methionine): 15.8mg; Selenium (Selenised yeast inactivated): 0.00088; DL-methionine, technically pure 4000mg; Taurine 1000mg; L-carnitine 300mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.



available in size	800g	2.5kg	7kg	12kg
Mini	✓	✓	✓	
Medium-Maxi		✓		✓

Feeding guide	Calorie Content (calculated) at a moisture content of 7%: M.E. (CEN) 3981kcal/kg - 16.66MJ/kg - 1 cup = 108g = 430kcal/cup									
	10kg (22 lbs)	15kg (33.1 lbs)	20kg (44.1 lbs)	25kg (55.1 lbs)	30kg (66.1 lbs)	35kg (77.2 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)	60kg (132.2 lbs)	70kg (154.3 lbs)
Weight of adult dog										
Min-Max Recommended Daily Quantity	90 - 160g 1.00 - 1.50c	125 - 230g 1.25 - 2.25c	155 - 270g 1.50 - 2.50c	180 - 330g 1.66 - 3.00c	210 - 365g 2.00 - 3.50c	235 - 410g 2.25 - 3.75c	260 - 455g 2.50 - 4.25c	305 - 540g 2.75 - 5.00c	350 - 615g 3.25 - 5.75c	390 - 690g 3.75 - 6.25c

The recommended amount in the table are indicative and require an adjustment in order to get the optimal body weight. The dose can be divided into 2 daily meals or more. It is recommended to always leave fresh water at will.



The Nutrition System for Carnivores



COMPLETE FOOD FOR PUPPIES AND GESTATING OR BREASTFEEDING BITCHES



CHICKEN & POMEGRANATE PUPPY

CANINE FORMULA



-  **HIGH QUALITY FREE RANGE ITALIAN CHICKEN.**
-  **MADE WITHOUT GUMS, GUAR OR CARRAGEENAN.**
-  **COMPLETE WET FOOD.**
-  **GENTLY STEAMED ONLY ONCE.**



Composition:

chicken fillet (55%), chicken drumstick, herring, sweet potato, boiled chicken eggs, pomegranate (4%), fish oil, animal fat, fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals.



Analytical constituents:

moisture 74.00%; crude protein 13.00%; crude fat 4.00%; crude fibres 0.60%; crude ash 2.70%.

Additives per kg.

Nutritional additives: Vitamin A 4000IU; Vitamin D3 400IU; Vitamin E 130mg; Choline chloride 400mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; Selenium (Selenised yeast inactivated): 0.00242mg; DL-methionine, technically pure 1000mg; Taurine 500mg; L-carnitine 50mg.

Instruction for use: see table. Individual needs vary and feeding should be adjusted as required to maintain your pet at a lean, healthy body weight. Initially it is advisable to mix N&D with the previously used diet. Feed your pets with a daily amount of food divided into at least two separate meals. Serve at room temperature. Always leave fresh and clean water available. Once the can has been opened, keep refrigerated and use within 48 hours. Produced 36 months before the best-before date printed on the pack. Net weight/Best before date/Lot N°/Factory registration number: see on can. Best before date is printed on the can.

available in size	140g	285g	
All Breed		✓	
Mini Breed	✓		

Feeding guide	Calorie Content M.E. (CEN) 1074 kcal/kg - 4.49MJ/kg - 150.40 kcal/can (140g) - 306.10 kcal/can (285g)									
 Weight of adult dog	0.5kg	1kg	1.5kg	2kg	2.5kg	3kg	4kg	5kg	6kg	7kg
 RDA in g	115g	195g	260g	325g	385g	440g	545g	645g	745g	830g
 1 can = 140g	3/4	1/3	1 1/4	2 1/3	2 3/4	3	3 3/4	4 2/3	5 1/4	6
 Weight of adult dog	2kg	5kg	7kg	10kg	12kg	15kg	20kg	25kg	30kg	40kg
 RDA in g	325g	645g	830g	1045g	1090g	1135g	1405g	1665g	1910g	2370g
 1 can = 285g	1 1/4	2 1/4	3	3 2/3	3 3/4	4	5	5 3/4	6 3/4	8 1/3



COMPLETE FOOD FOR MINI, MEDIUM AND MAXI ADULT DOGS



CHICKEN & POMEGRANATE

CANINE FORMULA



-  **HIGH QUALITY FREE RANGE ITALIAN CHICKEN.**
-  **MADE WITHOUT GUMS, GUAR OR CARRAGEENAN.**
-  **COMPLETE WET FOOD.**
-  **GENTLY STEAMED ONLY ONCE.**



Composition:

chicken fillet (45%), chicken drumstick, herring, sweet potato, boiled chicken eggs, pomegranate (4%), fish oil, animal fat, fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals.



Analytical constituents:

moisture 75.00%; crude protein 12.00%; crude fat 4.50%; crude fibres 0.80%; crude ash 1.80%.

Additives per kg.

Nutritional additives: Vitamin A 4000IU; Vitamin D3 400IU; Vitamin E 130mg; Choline chloride 400mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; Selenium (Selenised yeast inactivated): 0.00242mg; DL-methionine, technically pure 1000mg; Taurine 500mg; L-carnitine 50mg.

Instruction for use: see table. Individual needs vary and feeding should be adjusted as required to maintain your pet at a lean, healthy body weight. Initially it is advisable to mix N&D with the previously used diet. Feed your pets with a daily amount of food divided into at least two separate meals. Serve at room temperature. Always leave fresh and clean water available. Once the can has been opened, keep refrigerated and use within 48 hours. Produced 36 months before the best-before date printed on the pack. Net weight/Best before date/Lot N°/Factory registration number: see on can. Best before date is printed on the can.

available in size	140g	285g	
All Breed		✓	
Mini Breed	✓		

Feeding guide	Calorie Content M.E. (CEN) 1072 kcal/kg - 4.49MJ/kg - 150.10 kcal/can (140g) - 305.50 kcal/can (285g)									
 Weight of adult dog	1kg	2kg	3kg	4kg	5kg	6kg	7kg	8kg	9kg	10kg
 RDA in g	95g	155g	210g	265g	310g	355g	400g	445g	485g	525g
 1 can = 140g	2/3	1	1 1/2	1 3/4	2 1/4	2 1/2	2 3/4	3 1/4	3 1/2	3 3/4
 Weight of adult dog	2kg	5kg	10kg	15kg	20kg	25kg	30kg	35kg	40kg	50kg
 RDA in g	155g	310g	525g	710g	880g	1040g	1195g	1340g	1480g	1750g
 1 can = 285g	1/2	1	1 1/4	2 1/2	3	3 2/3	4 1/4	4 3/4	5 1/4	6





COMPLETE FOOD FOR MINI, MEDIUM AND MAXI ADULT DOGS



WILD BOAR & APPLE

CANINE FORMULA



- HIGH QUALITY ITALIAN WILD BOAR.
- MADE WITHOUT GUMS, GUAR OR CARRAGEENAN.
- COMPLETE WET FOOD.
- GENTLY STEAMED ONLY ONCE.

Composition:

wild boar shoulder (45%), wild boar shank, herring, sweet potato, boiled chicken eggs, apple (4%), fish oil, animal fat, fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals.



Analytical constituents:

moisture 75.00%; crude protein 12.00%, crude fat 5.00%, crude fibres 0.80%, crude ash 1.80%.

Additives per kg.

Nutritional additives: Vitamin A 4000IU; Vitamin D3 400IU; Vitamin E 130mg; Choline chloride 400mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; Selenium (Selenised yeast inactivated): 0.00242mg; DL-methionine, technically pure 1000mg; Taurine 500mg; L-carnitine 50mg.

Instruction for use: see table. Individual needs vary and feeding should be adjusted as required to maintain your pet at a lean, healthy body weight. Initially it is advisable to mix N&D with the previously used diet. Feed your pets with a daily amount of food divided into at least two separate meals. Serve at room temperature. Always leave fresh and clean water available. Once the can has been opened, keep refrigerated and use within 48 hours. Produced 36 months before the best-before date printed on the pack. Net weight/Best before date/Lot N°/Factory registration number: see on can. Best before date is printed on the can.

available in size	140g	285g	
All Breed		✓	
Mini Breed	✓		

Feeding guide	Calorie Content M.E. (CEN) 1095 kcal/kg - 4.58MJ/kg - 153.30 kcal/can (140g) - 312.10 kcal/can (285g)									
Weight of adult dog	1kg	2kg	3kg	4kg	5kg	6kg	7kg	8kg	9kg	10kg
RDA in g	90g	155g	210g	260g	305g	350g	390g	435g	475g	510g
1 can = 140g	2/3	1	1 1/2	1 3/4	2 1/4	2 3/4	3	3 1/3	3 2/3	3 3/4
Weight of adult dog	2kg	5kg	10kg	15kg	20kg	25kg	30kg	35kg	40kg	50kg
RDA in g	155g	305g	510g	695g	860g	1020g	1170g	1315g	1450g	1715g
1 can = 285g	1/2	1	1 1/4	2 1/2	3	3 1/2	4	4 2/3	5	6



The Nutrition System for Carnivores



COMPLETE FOOD FOR MINI, MEDIUM AND MAXI ADULT DOGS



LAMB & BLUEBERRY

CANINE FORMULA



- HIGH QUALITY GRASS FED LAMB.
- MADE WITHOUT GUMS, GUAR OR CARRAGEENAN.
- COMPLETE WET FOOD.
- GENTLY STEAMED ONLY ONCE.

Composition:

lamb leg (50%), herring, sweet potato, boiled chicken eggs, blueberry (4%), fish oil, animal fat, fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals.



Analytical constituents:

moisture 75.00%; crude protein 11.50%; crude fat 7.00%; crude fibres 0.80%; crude ash 2.40%.

Additives per kg.

Nutritional additives: Vitamin A 4000IU; Vitamin D3 400IU; Vitamin E 130mg; Choline chloride 400mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; Selenium (Selenised yeast inactivated): 0.00242mg; DL-methionine, technically pure 1000mg; Taurine 500mg; L-carnitine 50mg.

Instruction for use: see table. Individual needs vary and feeding should be adjusted as required to maintain your pet at a lean, healthy body weight. Initially it is advisable to mix N&D with the previously used diet. Feed your pets with a daily amount of food divided into at least two separate meals. Serve at room temperature. Always leave fresh and clean water available. Once the can has been opened, keep refrigerated and use within 48 hours. Produced 36 months before the best-before date printed on the pack. Net weight / Best before date / Lot N° / Factory registration number: see on can. Best before date is printed on the can.


available in size	140g	285g	
All Breed		✓	
Mini Breed	✓		

Feeding guide	Calorie Content M.E. (CEN) 1164 kcal/kg - 4.87MJ/kg - 162.95 kcal/can (140g) - 331.75 kcal/can (285g)									
Weight of adult dog	1kg	2kg	3kg	4kg	5kg	6kg	7kg	8kg	9kg	10kg
RDA in g	85g	145g	195g	240g	290g	330g	370g	410g	450g	485g
1 can = 140g	2/3	1	1 1/3	1 3/4	2	2 1/3	2 2/3	3	3 1/4	3 1/2
Weight of adult dog	2kg	5kg	10kg	15kg	20kg	25kg	30kg	35kg	40kg	50kg
RDA in g	145g	290g	485g	655g	815g	965g	1105g	1240g	1370g	1620g
1 can = 285g	1/2	1	1 1/4	2 1/3	2 3/4	3 1/3	3 3/4	4 1/3	4 3/4	5 2/3



The Nutrition System for Carnivores





N&D PUMPKIN

canine formulas

PUPPY FORMULAS

		DRY	WET
CHICKEN & POMEGRANATE STARTER	Complete food for puppies during weaning up to two months of age		
LAMB & BLUEBERRY STARTER	Complete food for puppies during weaning up to two months of age		
CHICKEN & POMEGRANATE PUPPY	Complete food for puppies and gestating or breastfeeding bitches		
LAMB & BLUEBERRY PUPPY	Complete food for puppies and gestating or breastfeeding bitches		

ADULT FORMULAS

CHICKEN & POMEGRANATE	Complete food for mini, medium and maxi adult dogs		
WILD BOAR & APPLE	Complete food for mini, medium and maxi adult dogs		
LAMB & BLUEBERRY	Complete food for mini, medium & maxi and giant adult dogs		
DUCK & PUMPKIN	Complete food for mini, medium and maxi adult dogs		
QUAIL & PUMPKIN	Complete food for mini, medium and maxi adult dogs		
VENISON & PUMPKIN	Complete food for mini, medium and maxi adult dogs		


Nutrition System for Carnivores

COMPLETE FOOD FOR PUPPIES AND GESTATING OR BREASTFEEDING BITCHES



LAMB & BLUEBERRY PUPPY

CANINE FORMULA



96%
of the protein is
animal origin

0%
artificial preservatives

0%
grains



HIGH QUALITY GRASS FED LAMB.



PUMPKIN, RICH IN SOLUBLE FIBER AND ANTIOXIDANTS.



INTEGRATIONS FROM FRUIT AND VEGETABLES.



CONTAINS BOTANICAL ESSENCES.

Composition:

lamb (24%), dehydrated lamb protein (24%), pea starch, chicken fat, dehydrated herring protein, dried pumpkin (5%), herring, dried eggs, fish oil (from herring), pea fibre, dried carrot, alfalfa meal, chicken cartilage (source of glucosamine and chondroitin sulphate), inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried blueberry (0.5%), dried spinach, psyllium husks and seeds (0.3%), dried apple, dried sweet orange, dried pomegranate, sodium chloride, dried brewers' yeast, turmeric (0.2%), aloe vera extract.

Analytical constituents:

crude protein 35.00%; crude fat 20.00%; crude fibres 1.90%; moisture 9.00%; crude ash 8.10%; Calcium 1.10%; Phosphorus 0.91%; Omega-6 3.40%; Omega-3 0.90%; DHA 0.50%; EPA 0.30%; Glucosamine 1400mg/kg; Chondroitin sulphate 1100mg/kg.

Additives per kg.

Nutritional additives: Vitamin A 16000IU; Vitamin D3 1600IU; Vitamin E 600mg; Vitamin C 160mg; Niacin 40mg; Calcium D-pantothenate 16mg; Vitamin B2 8mg; Vitamin B6 6.4mg; Vitamin B1 4.8mg; Biotin 0.40mg; folic acid 0.48mg; Vitamin B12 0.1mg; choline chloride 2800mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.8mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.6mg; Iron [Iron(II) chelate of glycine hydrate]: 58.3mg; Copper (Copper chelate of hydroxy analogue of methionine): 15.8mg; Selenium (Selenised yeast inactivated): 0.00088mg; DL-methionine, technically pure 6000mg; taurine 1000mg; L-Carnitine 300mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.



available in size	800g	2,5kg	7kg	12kg
Mini	✓	✓	✓	✓
Medium-Maxi	✓	✓	✓	✓

Feeding guide Calorie Content (calculated) at a moisture content of 7%: M.E. (CEN) 4139kcal/kg - 17.32MJ/kg - 1 cup = 100g = 414kcal/cup

Weight of adult dog	10kg	15kg	20kg	25kg	30kg	35kg	40kg	45kg	50kg	55kg	60kg	70kg
	(22 lbs)	(33.1 lbs)	(44.1 lbs)	(55.1 lbs)	(66.1 lbs)	(77.2 lbs)	(88.2 lbs)	(99.2 lbs)	(110.2 lbs)	(121.3 lbs)	(132.3 lbs)	(154.3 lbs)
2 months	95g-1.00c	125g-1.25c	140g-1.50c	160g-1.66c	185g-1.75c	200g-2.00c	215g-2.25c	230g-2.25c	250g-2.50c	265g-2.75c	280g-2.75c	300g-3.25c
3 months	130g-1.25c	175g-1.75c	215g-2.25c	245g-2.50c	280g-2.75c	305g-3.00c	335g-3.33c	350g-3.50c	370g-3.75c	375g-3.75c	390g-4.00c	425g-4.25c
4 months	140g-1.50c	185g-1.75c	230g-2.25c	265g-2.75c	300g-3.00c	325g-3.25c	355g-3.50c	375g-3.75c	395g-4.00c	405g-4.00c	425g-4.25c	450g-4.50c
6 months	175g-1.75c	240g-2.50c	280g-2.75c	325g-3.25c	370g-3.75c	400g-4.00c	450g-4.50c	480g-4.75c	520g-5.25c	545g-5.50c	585g-5.75c	645g-6.50c
10 months	165g-1.75c	230g-2.25c	275g-2.75c	310g-3.25c	375g-3.75c	380g-3.75c	415g-4.25c	445g-4.50c	485g-4.75c	505g-5.00c	540g-5.50c	610g-6.00c
12 months	Adult	Adult	Adult	Adult	360g-3.66c	395g-4.00c	435g-4.33c	465g-4.66c	505g-5.00c	525g-5.25c	560g-5.50c	630g-6.25c
16 months	Adult	Adult	Adult	Adult	Adult	Adult	440g-4.50c	470g-4.75c	510g-5.00c	540g-5.50c	585g-5.75c	645g-6.50c

The recommended amount in the table are indicative and require an adjustment in order to get the optimal body weight. The dose can be divided into 2 daily meals or more. It is recommended to always leave fresh water at will.



The Nutrition System for Carnivores




COMPLETE FOOD FOR PUPPIES DURING WEANING UP TO TWO MONTHS OF AGE.



CHICKEN & POMEGRANATE STARTER PUPPY

CANINE FORMULA



96%
of the protein is
animal origin

0%
artificial preservatives

0%
grains



HIGH QUALITY FREE RANGE ITALIAN CHICKEN.



PUMPKIN, RICH IN SOLUBLE FIBER AND ANTIOXIDANTS.



INTEGRATIONS FROM FRUIT AND VEGETABLES.



CONTAINS BOTANICAL ESSENCES.

Composition:

boneless chicken (24%), dehydrated chicken protein (22%), pea starch, chicken fat, dehydrated herring protein, dried pumpkin (5%), herring, dried eggs, fish oil (from herring), chicken cartilage (source of glucosamine and chondroitin sulphate), alfalfa meal, pea fibre, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried pomegranate (0.5%), dried carrot, dried spinach, dried apple, psyllium husks and seeds, dried sweet orange, dried blueberry, sodium chloride, dried brewers' yeast, turmeric (0.2%), aloe vera extract.

Analytical constituents:

crude protein 30.00%; crude fat 20.00%; crude fibres 1.10%; moisture 9.00%; crude ash 7.90%; Calcium 1.10%; Phosphorus 0.91%; Omega 6 3.20%; Omega 3 0.70%; DHA 0.40%; EPA 0.20%; Glucosamine 1200mg/kg; Chondroitin sulphate 900mg/kg.

Additives per kg.

Nutritional additives: Vitamin A 19200IU; Vitamin D3 1920IU; Vitamin E 720mg; Vitamin C 192mg; Niacin 48mg; Calcium D-pantothenate 19.2mg; Vitamin B2 9.6mg; Vitamin B6 7.7mg; Vitamin B1 5.8mg; Biotin 0.48mg; Folic acid 0.58mg; Vitamin B12 0.12mg; Choline chloride 2800mg; Beta carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.8mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.6mg; Iron [Iron(II) chelate of glycine hydrate]: 58.3mg; Copper (Copper chelate of hydroxy analogue of methionine): 15.8mg; Selenium (Selenised yeast inactivated): 0.00088mg; DL-methionine, technically pure 6000mg; Taurine 1000mg; L-Lysine-mono-hydrochloride, technically pure 400mg; L-cystine 400mg; L-carnitine 300mg. Organoleptic Additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.



available in size	800g	2,5kg
All Breeds	✓	✓

Feeding guide Calorie Content (calculated) at a moisture content of 7%: M.E. (CEN) 4189kcal/kg - 17.53MJ/kg - 1 cup = 105g = 440kcal/cup

Weight of adult dog	1kg	2kg	3kg	5kg	7kg	10kg	15kg	20kg	25kg	30kg	35kg	40kg	50kg	60kg	70kg
	(2.2 lbs)	(4.4 lbs)	(6.6 lbs)	(11 lbs)	(15.4 lbs)	(22 lbs)	(33 lbs)	(44.1 lbs)	(55.1 lbs)	(66.1 lbs)	(77.1 lbs)	(88.2 lbs)	(110.2 lbs)	(132.3 lbs)	(154.3 lbs)
2-3 weeks	-	-	-	-	-	-	-	-	25g-0.25c	25g-0.25c	30-0.33c	30g-0.33c	30g-0.33c	30g-0.33c	30g-0.33c
3-4 weeks	10g-0.20c	10g-0.20c	10g-0.20c	10g-0.20c	10g-0.20c	30g-0.33c	30g-0.33c	75g-0.75c	80g-0.75c	100g-1.00c	100g-1.00c	110g-1.00c	120g-1.25c	130g-1.25c	135g-1.33c
4-5 weeks	25g-0.25c	25g-0.25c	25g-0.25c	25g-0.25c	30g-0.33c	65g-0.66c	90g-1.00c	145g-1.50c	145g-1.50c	155g-1.50c	155g-1.50c	165g-1.66c	180g-1.75c	200g-2.00c	210g-2.00c
5-6 weeks	30g-0.33c	30g-0.33c	35g-0.50c	80g-0.75c	80g-0.75c	110g-1.00c	125g-1.25c	155g-1.50c	155g-1.50c	175g-1.75c	175g-1.75c	190g-2.00c	200g-2.00c	220g-2.25c	235g-2.33c
6-7 weeks	35g-0.33c	35g-0.33c	70g-0.75c	110g-1.00c	110g-1.00c	135g-1.33c	170g-1.75c	210g-2.00c	210g-2.00c	225g-2.25c	225g-2.25c	245g-2.50c	265g-2.66c	280g-2.75c	300g-3.00c
7-8 weeks	45g-0.50c	45g-0.50c	90g-1.00c	135g-1.33c	135g-1.33c	180g-1.75c	220g-2.25c	265g-2.66c	265g-2.66c	300g-3.00c	300g-3.00c	320g-3.25c	345g-3.50c	375g-3.75c	400g-4.00c

The recommended amount in the table are indicative and require an adjustment in order to get the optimal body weight. The dose can be divided into 2 daily meals or more. It is recommended to always leave fresh water at will.



The Nutrition System for Carnivores






COMPLETE FOOD FOR PUPPIES AND ALL LIFE STAGES.



CHICKEN & POMEGRANATE PUPPY

CANINE FORMULA



96% of the protein is animal origin

0% artificial preservatives

0% grains



HIGH QUALITY FREE RANGE ITALIAN CHICKEN.



PUMPKIN, RICH IN SOLUBLE FIBER AND ANTIOXIDANTS.



INTEGRATIONS FROM FRUIT AND VEGETABLES.



CONTAINS BOTANICAL ESSENCES.

Composition:

boneless chicken (24%), dehydrated chicken protein (24%), pea starch, chicken fat, dehydrated herring protein, dried pumpkin (5%), herring, dried eggs, fish oil (from herring), pea fibre, dried carrot, alfalfa meal, chicken cartilage (source of glucosamine and chondroitin sulphate), inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried pomegranate (0.5%), dried spinach, psyllium husks and seeds (0.3%), dried apple, dried sweet orange, dried blueberry, sodium chloride, dried brewers' yeast, turmeric (0.2%), aloe vera extract.

Analytical constituents:

crude protein 35.00%; crude fat 20.00%; crude fibres 1.90%; moisture 9.00%; crude ash 7.80%; Calcium 1.10%; Phosphorus 0.91%; Omega 6 3.40%; Omega 3 0.90%; DHA 0.50%; EPA 0.30%; Glucosamine 1400mg/kg; Chondroitin sulphate 1100mg/kg.

Additives per kg

Nutritional additives: Vitamin A 16000IU; Vitamin D3 1600IU; Vitamin E 600mg; Vitamin C 160mg; Niacin 40mg; Calcium D-pantothenate 16mg; Vitamin B2 8mg; Vitamin B6 6.4mg; Vitamin B1 4.8mg; Biotin 0.40mg; Folic acid 0.48mg; Vitamin B12 0.1mg; Choline chloride 2800mg; Beta carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.8mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.6mg; Iron [Iron(II) chelate of glycine hydrate]: 58.3mg; Copper (Copper chelate of hydroxy analogue of methionine): 15.8mg; Selenium (Selenised yeast inactivated): 0.00088mg; DL-methionine, technically pure 6000mg; Taurine 1000mg; L-carnitine 300mg. Organoleptic Additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.



available in size	800g	2.5kg	7kg	12kg
Mini	✓	✓	✓	
Medium-Maxi		✓		✓

Feeding guide		Calorie Content (calculated) at a moisture content of 7%: M.E. (CEN) 4150kcal/kg - 17.37MJ/kg - 1 cup = 100g = 415kcal/cup											
Weight of adult dog	15kg (3.3 lbs)	2kg (4.4 lbs)	2.5kg (5.5 lbs)	3kg (6.6 lbs)	3.5kg (7.7 lbs)	4kg (8.8 lbs)	5kg (11 lbs)	6kg (13.2 lbs)	7kg (15.4 lbs)	8kg (17.6 lbs)	9kg (19.8 lbs)	10kg (22 lbs)	
	2 months	25g - 0.25c	30g - 0.33c	35g - 0.33c	45g - 0.50c	50g - 0.50c	55g - 0.50c	60g - 0.66c	70g - 0.75c	75g - 0.75c	80g - 0.75c	85g - 1.00c	95g - 1.00c
3 months	35g - 0.33c	45g - 0.50c	55g - 0.50c	60g - 0.66c	70g - 0.75c	80g - 0.75c	90g - 1.00c	95g - 1.00c	110g - 1.25c	115g - 1.25c	120g - 1.25c	130g - 1.25c	
4 months	40g - 0.50c	50g - 0.50c	60g - 0.66c	65g - 0.66c	75g - 0.75c	85g - 1.00c	95g - 1.00c	100g - 1.00c	120g - 1.25c	130g - 1.25c	135g - 1.33c	140g - 1.50c	
6 months	45g - 0.50c	55g - 0.50c	60g - 0.66c	75g - 0.75c	85g - 0.75c	95g - 1.00c	115g - 1.25c	125g - 1.25c	140g - 1.50c	150g - 1.50c	165g - 1.66c	175g - 1.75c	
10 months	40g - 0.50c	55g - 0.50c	60g - 0.66c	75g - 0.75c	80g - 0.75c	90g - 1.00c	100g - 1.00c	115g - 1.25c	130g - 1.33c	140g - 1.50c	150g - 1.50c	165g - 1.66c	
12 months	Adult	Adult	Adult	Adult	Adult	Adult	Adult	Adult	Adult	Adult	Adult	Adult	

The recommended amount in the table are indicative and require an adjustment in order to get the optimal body weight. The dose can be divided into 2 daily meals or more. It is recommended to always leave fresh water at will.



The Nutrition System for Carnivores



COMPLETE FOOD FOR MINI, MEDIUM AND MAXI ADULT DOGS



CHICKEN & POMEGRANATE

CANINE FORMULA



96% of the protein is animal origin

0% artificial preservatives

0% grains



HIGH QUALITY FREE RANGE ITALIAN CHICKEN.



PUMPKIN, RICH IN SOLUBLE FIBER AND ANTIOXIDANTS.



INTEGRATIONS FROM FRUIT AND VEGETABLES.



CONTAINS BOTANICAL ESSENCES.

Composition:

boneless chicken (24%), dehydrated chicken protein (22%), pea starch, chicken fat, dried pumpkin (5%), dried eggs, herring, dehydrated herring protein, fish oil (from herring), pea fibre, dried carrot, alfalfa meal, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried pomegranate (0.5%), dried apple, dried spinach, psyllium husks and seeds (0.3%), dried sweet orange, dried blueberry, sodium chloride, dried brewers' yeast, turmeric (0.2%), aloe vera extract, glucosamine, chondroitin sulphate.

Analytical constituents:

crude protein 30.00%; crude fat 18.00%; crude fibres 2.90%; moisture 9.00%; crude ash 7.00%; Calcium 0.90%; Phosphorus 0.80%; Omega-6 3.30%; Omega-3 0.90%; DHA 0.50%; EPA 0.30%; Glucosamine 1200mg/kg; Chondroitin sulphate 900mg/kg.

Additives per kg

Nutritional additives: Vitamin A 15000IU; Vitamin D3 1500IU; Vitamin E 600mg; Vitamin C 150mg; Niacin 37.5mg; Calcium D-pantothenate 15mg; Vitamin B2 7.5mg; Vitamin B6 6mg; Vitamin B1 4.5mg; Biotin 0.38mg; folic acid 0.45mg; Vitamin B12 0.1mg; choline chloride 2500mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.8mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.6mg; Iron [Iron(II) chelate of glycine hydrate]: 58.3mg; Copper (Copper chelate of hydroxy analogue of methionine): 15.8mg; Selenium (Selenised yeast inactivated): 0.00088mg; DL-methionine, technically pure 4000mg; taurine 1000mg; L-Carnitine 300mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.



available in size	800g	2.5kg	7kg	12kg
Mini	✓	✓	✓	
Medium-Maxi		✓		✓

Feeding guide		Calorie Content (calculated) at a moisture content of 7%: M.E. (CEN) 3990kcal/kg - 16.70MJ/kg - 1 cup = 100g = 399kcal/cup									
Weight of adult dog	10kg (22 lbs)	15kg (33.1 lbs)	20kg (44.1 lbs)	25kg (55.1 lbs)	30kg (66.1 lbs)	35kg (77.2 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)	60kg (132.2 lbs)	70kg (154.3 lbs)	
	Min-Max Recommended Daily Quantity	90-160g 1.00-1.66c	120-220g 1.25-2.25c	150-270g 1.50-2.75c	180-320g 1.75-3.25c	205-365g 2.00-3.75c	230-410g 2.25-4.00c	255-450g 2.50-4.50c	300-530g 3.00-5.25c	350-610g 3.50-6.00c	390-685g 4.00-6.75c

The recommended amount in the table are indicative and require an adjustment in order to get the optimal body weight. The dose can be divided into 2 daily meals or more. It is recommended to always leave fresh water at will.



The Nutrition System for Carnivores






COMPLETE FOOD FOR MINI, MEDIUM AND MAXI ADULT DOGS



WILD BOAR & APPLE

CANINE FORMULA



96% of the protein is animal origin
0% artificial preservatives
0% grains

- HIGH QUALITY ITALIAN WILD BOAR.
- PUMPKIN, RICH IN SOLUBLE FIBER AND ANTIOXIDANTS.
- INTEGRATIONS FROM FRUIT AND VEGETABLES.
- CONTAINS BOTANICAL ESSENCES.

Composition:

wild boar (24%), dehydrated wild boar protein (22%), pea starch, chicken fat, dried pumpkin (5%), dried eggs, fish oil (from herring), pea fibre, dried carrot, alfalfa meal, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried apple (0.5%), dried spinach, psyllium husks and seeds (0.3%), dried pomegranate, dried sweet orange, dried blueberry, sodium chloride, dried brewers' yeast, turmeric (0.2%), aloe vera extract, glucosamine, chondroitin sulphate.

Analytical constituents:

crude protein 30.00%; crude fat 18.00%; crude fibres 2.90%; moisture 9.00%; crude ash 6.60%; Calcium 0.90%; Phosphorus 0.70%; Omega-6 3.30%; Omega-3 0.90%; DHA 0.50%; EPA 0.30%; Glucosamine 1200mg/kg; Chondroitin sulphate 900mg/kg.

Additives per kg.

Nutritional additives: Vitamin A 15000IU; Vitamin D3 1500IU; Vitamin E 600mg; Vitamin C 150mg; Niacin 37.5mg; Calcium D-pantothenate 15mg; Vitamin B2 7.5mg; Vitamin B6 6mg; Vitamin B1 4.5mg; Biotin 0.38mg; folic acid 0.45mg; Vitamin B12 0.1mg; choline chloride 2500mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.8mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.6mg; Iron [Iron(II) chelate of glycine hydrate]: 58.3mg; Copper (Copper chelate of hydroxy analogue of methionine): 15.8mg; Selenium (Selenised yeast inactivated): 0.00088mg; DL-methionine, technically pure 4000mg; taurine 1000mg; L-Carnitine 300mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.



available in size	800g	2.5kg	7kg	12kg
Mini	✓	✓	✓	
Medium-Maxi		✓		✓

Feeding guide	Calorie Content (calculated) at a moisture content of 7%: M.E. (CEN) 4005kcal/kg - 16.76MJ/kg - 1 cup = 100g = 400kcal/cup									
	10kg (22 lbs)	15kg (33.1 lbs)	20kg (44.1 lbs)	25kg (55.1 lbs)	30kg (66.1 lbs)	35kg (77.2 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)	60kg (132.2 lbs)	70kg (154.3 lbs)
Weight of adult dog										
Min-Max Recommended Daily Quantity	90-160g 1.00-1.66c	120-220g 1.25-2.25c	150-270g 1.50-2.75c	180-320g 1.75-3.25c	205-365g 2.00-3.75c	230-410g 2.25-4.00c	255-450g 2.50-4.50c	300-530g 3.00-5.25c	350-610g 3.50-6.00c	390-685g 4.00-6.75c

The recommended amount in the table are indicative and require an adjustment in order to get the optimal body weight. The dose can be divided into 2 daily meals or more. It is recommended to always leave fresh water at will.



The Nutrition System for Carnivores




COMPLETE FOOD FOR MINI, MEDIUM AND MAXI ADULT DOGS



LAMB & BLUEBERRY

CANINE FORMULA



96% of the protein is animal origin
0% artificial preservatives
0% grains

- HIGH QUALITY GRASS FED LAMB.
- PUMPKIN, RICH IN SOLUBLE FIBER AND ANTIOXIDANTS.
- INTEGRATIONS FROM FRUIT AND VEGETABLES.
- CONTAINS BOTANICAL ESSENCES.

Composition:

lamb (22%), dehydrated lamb protein (20%), pea starch, chicken fat, dried pumpkin (5%), dried eggs, herring, dehydrated herring protein, fish oil (from herring), pea fibre, dried carrot, alfalfa meal, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried blueberry (0.5%), dried apple, dried pomegranate, dried sweet orange, dried spinach, psyllium husks and seeds (0.3%), sodium chloride, dried brewers' yeast, turmeric (0.2%), aloe vera extract, glucosamine, chondroitin sulphate.

Analytical constituents:

crude protein 28.00%; crude fat 18.00%; crude fibres 2.90%; moisture 9.00%; crude ash 8.60%; Calcium 1.10%; Phosphorus 0.80%; Omega-6 3.30%; Omega-3 0.90%; DHA 0.50%; EPA 0.30%; Glucosamine 1200mg/kg; Chondroitin sulphate 900mg/kg.

Additives per kg.

Nutritional additives: Vitamin A 15000IU; Vitamin D3 1500IU; Vitamin E 600mg; Vitamin C 150mg; Niacin 37.5mg; Calcium D-pantothenate 15mg; Vitamin B2 7.5mg; Vitamin B6 6mg; Vitamin B1 4.5mg; Biotin 0.38mg; folic acid 0.45mg; Vitamin B12 0.1mg; choline chloride 2500mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.8mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.6mg; Iron [Iron(II) chelate of glycine hydrate]: 58.3mg; Copper (Copper chelate of hydroxy analogue of methionine): 15.8mg; Selenium (Selenised yeast inactivated): 0.00088mg; DL-methionine, technically pure 4000mg; taurine 1000mg; L-Carnitine 300mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.



available in size	800g	2.5kg	7kg	12kg
Mini	✓	✓	✓	
Medium-Maxi		✓		✓
Maxi Giant				✓

Feeding guide	Calorie Content (calculated) at a moisture content of 7%: M.E. (CEN) 3926kcal/kg - 16.43MJ/kg - 1 cup = 100g = 392kcal/cup									
	10kg (22 lbs)	15kg (33.1 lbs)	20kg (44.1 lbs)	25kg (55.1 lbs)	30kg (66.1 lbs)	35kg (77.2 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)	60kg (132.2 lbs)	70kg (154.3 lbs)
Weight of adult dog										
Min-Max Recommended Daily Quantity	90-160g 1.00-1.66c	120-220g 1.25-2.25c	150-270g 1.50-2.75c	180-320g 1.75-3.25c	205-365g 2.00-3.75c	230-410g 2.25-4.00c	255-450g 2.50-4.50c	300-530g 3.00-5.25c	350-610g 3.50-6.00c	390-685g 4.00-6.75c

The recommended amount in the table are indicative and require an adjustment in order to get the optimal body weight. The dose can be divided into 2 daily meals or more. It is recommended to always leave fresh water at will.



The Nutrition System for Carnivores



COMPLETE FOOD FOR PUPPIES DURING WEANING
UP TO TWO MONTHS OF AGE



CHICKEN & POMEGRANATE STARTER

CANINE FORMULA



- HIGH QUALITY FREE RANGE ITALIAN CHICKEN.
- MADE WITHOUT GUMS, GUAR OR CARRAGEENAN.
- COMPLETE WET FOOD.
- GENTLY STEAMED ONLY ONCE.

Composition:

chicken fillet (45%), pumpkin (5%), boiled chicken eggs, fish oil, sweet potato, hydrolyzed fish protein, pomegranate (4%), fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals.



Analytical constituents

moisture 85.00%; crude protein 6.80%; crude fat 3.50%; crude fibres 0.40%; crude ash 2.30%.

Additives per kg

Nutritional additives: Vitamin A 2800IU; Vitamin D3 280IU; Vitamin E 91mg; Choline chloride 280mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 25.2mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 4.8mg; Iron [Iron(II) chelate of glycine hydrate]: 11.7mg; Copper (Copper chelate of hydroxy analogue of methionine): 2mg; Selenium (Selenised yeast inactivated): 0.00198mg; DL-methionine, technically pure 1700mg; Taurine 350mg; L-carnitine 35mg.

Instructions for use: see table. Individual needs vary and feeding should be adjusted as required to maintain your pet at a lean, healthy body weight. Initially it is advisable to mix N&D with the previously used diet. Feed your pets with a daily amount of food divided into at least two separate meals. Serve at room temperature. Always leave fresh and clean water available.

available in size	140g	285g	
All Breed		✓	
Mini Breed	✓		

Feeding guide Calorie Content M.E. (CEN) 642 kcal/kg - 2.68MJ/kg - 89.80 kcal/can (140g) - 183.00 kcal/can (285g)

	Puppy weight	0.25kg	0.5kg	1kg	1.5kg	2kg	2.5kg	3kg	5kg	7.5kg	10kg
	RDA in g	110	190	255	315	375	430	535	630	725	815
	1 can = 140g	3/4	1 1/3	1 3/4	2 1/4	2 2/3	3	3 3/4	4 1/2	5 1/4	5 3/4
	Puppy weight	0.25kg	0.5kg	1kg	1.5kg	2kg	2.5kg	3kg	5kg	7.5kg	10kg
	RDA in g	110	190	255	315	375	430	535	630	725	815
	1 can = 285g	1/3	2/3	3/4	1	1 1/3	1 1/2	1 3/4	2 1/4	2 1/2	2 3/4



The Nutrition System for Carnivores



COMPLETE FOOD FOR PUPPIES DURING WEANING
UP TO TWO MONTHS OF AGE



LAMB & BLUEBERRY STARTER

CANINE FORMULA



- HIGH QUALITY GRASS FED LAMB.
- MADE WITHOUT GUMS, GUAR OR CARRAGEENAN.
- COMPLETE WET FOOD.
- GENTLY STEAMED ONLY ONCE.

Composition:

lamb rack and shoulder (45%), pumpkin (5%), boiled chicken eggs, sweet potato, hydrolyzed fish protein, fish oil, blueberry (4%), fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals.



Analytical constituents

moisture 85.00%; crude protein 6.40%; crude fat 4.00%; crude fibres 0.40%; crude ash 2.40%.

Additives per kg

Nutritional additives: Vitamin A 2800IU; Vitamin D3 280IU; Vitamin E 91mg; Choline chloride 280mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 25.2mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 4.8mg; Iron [Iron(II) chelate of glycine hydrate]: 11.7mg; Copper (Copper chelate of hydroxy analogue of methionine): 2mg; Selenium (Selenised yeast inactivated): 0.00198mg; DL-methionine, technically pure 1700mg; Taurine 350mg; L-carnitine 35mg.

Instructions for use: see table. Individual needs vary and feeding should be adjusted as required to maintain your pet at a lean, healthy body weight. Initially it is advisable to mix N&D with the previously used diet. Feed your pets with a daily amount of food divided into at least two separate meals. Serve at room temperature. Always leave fresh and clean water available.

available in size	140g	285g	
All Breed		✓	
Mini Breed	✓		

Feeding guide Calorie Content M.E. (CEN) 660 kcal/kg - 2.76MJ/kg - 92.40 kcal/can (140g) - 188.10 kcal/can (285g)

	Puppy weight	0.25kg	0.5kg	1kg	1.5kg	2kg	2.5kg	3kg	5kg	7.5kg	10kg
	RDA in g	110g	190g	255g	315g	375g	430g	535g	630g	725g	815g
	1 can = 140g	3/4	1 1/3	1 3/4	2 1/4	2 2/3	3	3 3/4	4 1/2	5 1/4	5 3/4
	Puppy weight	0.5kg	1kg	1.5kg	2kg	2.5kg	3kg	4kg	5kg	6kg	7kg
	RDA in g	110g	190g	255g	315g	375g	430g	535g	630g	725g	815g
	1 can = 285g	1/3	2/3	3/4	1	1 1/3	1 1/2	1 3/4	2 1/4	2 1/2	2 3/4



The Nutrition System for Carnivores





CHICKEN & POMEGRANATE PUPPY

CANINE FORMULA



- HIGH QUALITY FREE RANGE ITALIAN CHICKEN.
- MADE WITHOUT GUMS, GUAR OR CARRAGEENAN.
- COMPLETE WET FOOD.
- GENTLY STEAMED ONLY ONCE.

Composition:

chicken fillet (45%), chicken drumstick, herring, pumpkin (5%), sweet potato, boiled chicken eggs, pomegranate (4%), fish oil, animal fat, fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals.



Analytical constituents

moisture 74.00%; crude protein 13.00%; crude fat 4.00%; crude fibres 0.70%; crude ash 2.80%.

Additives per kg

Nutritional additives: Vitamin A 4000IU; Vitamin D3 400IU; Vitamin E130mg; Choline chloride 400mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; Selenium (Selenised yeast inactivated): 0.00242mg; DL-methionine, technically pure 1000mg; Taurine 500mg; L-carnitine 50mg.

Instruction for use: see table. Individual needs vary and feeding should be adjusted as required to maintain your pet at a lean, healthy body weight. Initially it is advisable to mix N&D with the previously used diet. Feed your pets with a daily amount of food divided into at least two separate meals. Serve at room temperature. Always leave fresh and clean water available. Once the can has been opened, keep refrigerated and use within 48 hours. Produced 36 months before the best-before date printed on the pack. Net weight/Best before date/Lot N°/Factory registration number: see on can. Best before date is printed on the can.

available in size	140g	285g	
All Breed		✓	
Mini Breed	✓		

Feeding guide Calorie Content M.E. (CEN) 1063 kcal/kg - 4.45MJ/kg - 142.80 kcal/can (140g) - 302.95 kcal/can (285g)

	Weight of adult dog	0,5kg	1kg	1,5kg	2kg	2,5kg	3kg	4kg	5kg	6kg	7kg
	RDA in g	115g	195g	265g	330g	390g	445g	550g	650g	750g	840g
	1 can = 140g	3/4	1 1/3	1 3/4	2 1/3	2 3/4	3 1/4	4	4 2/3	5 1/3	6
	Weight of adult dog	2kg	5kg	7kg	10kg	12kg	15kg	20kg	25kg	30kg	40kg
	RDA in g	330g	650g	840g	1055g	1100g	1145g	1425g	1680g	1930g	2395g
	1 can = 285g	1 1/4	2 1/4	3	3 2/3	3 3/4	4	5	5 3/4	6 3/4	8 1/3



The Nutrition System for Carnivores



LAMB & BLUEBERRY PUPPY

CANINE FORMULA



- HIGH QUALITY GRASS FED LAMB.
- MADE WITHOUT GUMS, GUAR OR CARRAGEENAN.
- COMPLETE WET FOOD.
- GENTLY STEAMED ONLY ONCE.

Composition:

lamb leg (40%), chicken fillet, herring, pumpkin (5%), sweet potato, boiled chicken eggs, blueberry (4%), fish oil, animal fat, fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals.



Analytical constituents

moisture 75.00%; crude protein 12.00%; crude fat 6.00%; crude fibres 0.70%; crude ash 2.80%.

Additives per kg

Nutritional additives: Vitamin A 4000IU; Vitamin D3 400IU; Vitamin E 130mg; Choline chloride 400mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; Selenium (Selenised yeast inactivated): 0.00242mg; DL-methionine, technically pure 1000mg; Taurine 500mg; L-carnitine 50mg.

Instruction for use: see table. Individual needs vary and feeding should be adjusted as required to maintain your pet at a lean, healthy body weight. Initially it is advisable to mix N&D with the previously used diet. Feed your pets with a daily amount of food divided into at least two separate meals. Serve at room temperature. Always leave fresh and clean water available. Once the can has been opened, keep refrigerated and use within 48 hours. Produced 36 months before the best-before date printed on the pack. Net weight/Best before date/Lot N°/Factory registration number: see on can. Best before date is printed on the can.

available in size	140g	285g	
All Breed		✓	
Mini Breed	✓		

Feeding guide Calorie Content M.E. (CEN) 1114 kcal/kg - 4.66 MJ/kg - 156.00 kcal/can (140g) - 317.50 kcal/can (285g)

	Weight of adult dog	0,5kg	1kg	1,5kg	2kg	2,5kg	3kg	4kg	5kg	6kg	7kg
	RDA in g	110g	185g	250g	310g	370g	425g	530g	620g	715g	800g
	1 can = 140g	3/4	1 1/3	1 3/4	2 1/4	2 2/3	3	3 3/4	4 1/3	5	5 2/3
	Weight of adult dog	2kg	5kg	7kg	10kg	12kg	15kg	20kg	25kg	30kg	40kg
	RDA in g	310g	620g	800g	1010g	1050g	1090g	1355g	1605g	1840g	2280g
	1 can = 285g	1	2 1/4	2 3/4	3 1/2	3 2/3	3 3/4	4 3/4	5 2/3	6 1/2	8



The Nutrition System for Carnivores





COMPLETE FOOD FOR MINI, MEDIUM AND MAXI ADULT DOGS



CHICKEN & POMEGRANATE

CANINE FORMULA



- HIGH QUALITY FREE RANGE ITALIAN CHICKEN.
- MADE WITHOUT GUMS, GUAR OR CARRAGEENAN.
- COMPLETE WET FOOD.
- GENTLY STEAMED ONLY ONCE.

Composition:

chicken fillet (40%), chicken drumstick, herring, pumpkin (5%), sweet potato, boiled chicken eggs, pomegranate (4%), fish oil, animal fat, fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals.



Analytical constituents

moisture 75.00%; crude protein 12.00%; crude fat 4.50%; crude fibres 1.00%; crude ash 1.80%.

Additives per kg

Nutritional additives: Vitamin A 4000IU; Vitamin D3 400IU; Vitamin E 130mg; Choline chloride 400mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; Selenium (Selenised yeast inactivated): 0.00242mg; DL-methionine, technically pure; DL-methionine, technically pure 1000mg; Taurine 500mg; L-carnitine 50mg.

Instruction for use: see table. Individual needs vary and feeding should be adjusted as required to maintain your pet at a lean, healthy body weight. Initially it is advisable to mix N&D with the previously used diet. Feed your pets with a daily amount of food divided into at least two separate meals. Serve at room temperature. Always leave fresh and clean water available. Once the can has been opened, keep refrigerated and use within 48 hours. Produced 36 months before the best-before date printed on the pack. Net weight/Best before date/Lot N°/Factory registration number: see on can. Best before date is printed on the can.

available in size	140g	285g	
All Breed		✓	
Mini Breed	✓		

Feeding guide Calorie Content M.E. (CEN) 1056 kcal/kg - 4.42MJ/kg - 147.80 kcal/can (140g) - 301.00 kcal/can (285g)

	Weight of adult dog	1kg	2kg	3kg	4kg	5kg	6kg	7kg	8kg	9kg	10kg
	RDA in g	90g	150g	210g	260g	305g	350g	390g	430g	470g	510g
	1 can = 140g	2/3	1	1 1/2	1 3/4	2 1/4	2 1/2	3	3 1/3	3 2/3	3 2/3
	Weight of adult dog	2kg	5kg	10kg	15kg	20kg	25kg	30kg	35kg	40kg	50kg
	RDA in g	160g	315g	530g	720g	895g	1055g	1210g	1360g	1505g	1780g
	1 can = 285g	1/2	1	1 1/4	2 1/2	3 1/4	3 3/4	4 1/4	4 3/4	5 1/4	6 1/4



The Nutrition System for Carnivores



COMPLETE FOOD FOR MINI, MEDIUM AND MAXI ADULT DOGS



WILD BOAR & APPLE

CANINE FORMULA



- HIGH QUALITY ITALIAN WILD BOAR.
- MADE WITHOUT GUMS, GUAR OR CARRAGEENAN.
- COMPLETE WET FOOD.
- GENTLY STEAMED ONLY ONCE.

Composition:

wild boar shoulder (45%), wild boar shank, herring, pumpkin (5%), sweet potato, boiled chicken eggs, apple (4%), fish oil, animal fat, fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals.



Analytical constituents

moisture 75.00%; crude protein 12.00%; crude fat 5.00%; crude fibres 1.00%; crude ash 1.80%.

Additives per kg

Nutritional additives: Vitamin A 4000IU; Vitamin D3 400IU; Vitamin E 130mg; Choline chloride 400mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; Selenium (Selenised yeast inactivated): 0.00242mg; DL-methionine, technically pure 1000mg; Taurine 500mg; L-carnitine 50mg.

Instruction for use: see table. Individual needs vary and feeding should be adjusted as required to maintain your pet at a lean, healthy body weight. Initially it is advisable to mix N&D with the previously used diet. Feed your pets with a daily amount of food divided into at least two separate meals. Serve at room temperature. Always leave fresh and clean water available. Once the can has been opened, keep refrigerated and use within 48 hours. Produced 36 months before the best-before date printed on the pack. Net weight/Best before date/Lot N°/Factory registration number: see on can. Best before date is printed on the can.

available in size	140g	285g	
All Breed		✓	
Mini Breed	✓		

Feeding guide Calorie Content M.E. (CEN) 1079 kcal/kg - 4.52MJ/kg - 151.10 kcal/can (140g) - 307.50 kcal/can (285g)

	Weight of adult dog	1kg	2kg	3kg	4kg	5kg	6kg	7kg	8kg	9kg	10kg
	RDA in g	90g	155g	210g	260g	310g	355g	400g	440g	480g	520g
	1 can = 140g	2/3	1	1 1/2	1 3/4	2 1/4	2 1/2	3	3 1/3	3 2/3	3 2/3
	Weight of adult dog	2kg	5kg	10kg	15kg	20kg	25kg	30kg	35kg	40kg	50kg
	RDA in g	155g	310g	520g	705g	875g	1035g	1190g	1335g	1475g	1740g
	1 can = 285g	1/2	1	1 1/4	2 1/2	3	3 2/3	4 1/4	4 2/3	5 1/4	6



The Nutrition System for Carnivores





COMPLETE FOOD FOR MINI, MEDIUM AND MAXI ADULT DOGS



LAMB & BLUEBERRY

CANINE FORMULA



- HIGH QUALITY GRASS FED LAMB.**
- MADE WITHOUT GUMS, GUAR OR CARRAGEENAN.**
- COMPLETE WET FOOD.**
- GENTLY STEAMED ONLY ONCE.**

Composition:

lamb leg (50%), lamb liver, herring, pumpkin (5%), sweet potato, boiled chicken eggs, blueberry (4%), fish oil, animal fat, fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals.



Analytical constituents

moisture 75.00%; crude protein 11.00%; crude fat 7.00%; crude fibres 1.00%; crude ash 2.40%.

Additives per kg

Nutritional additives: Vitamin A 4000IU; Vitamin D3 400IU; Vitamin E 130mg; Choline chloride 400mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; Selenium (Selenised yeast inactivated): 0.00242mg; DL-methionine, technically pure 1000mg; Taurine 500mg; L-carnitine 50mg.

Instruction for use: see table. Individual needs vary and feeding should be adjusted as required to maintain your pet at a lean, healthy body weight. Initially it is advisable to mix N&D with the previously used diet. Feed your pets with a daily amount of food divided into at least two separate meals. Serve at room temperature. Always leave fresh and clean water available. Once the can has been opened, keep refrigerated and use within 48 hours. Produced 36 months before the best-before date printed on the pack. Net weight/Best before date/Lot N°/Factory registration number: see on can. Best before date is printed on the can.

available in size	140g	285g	
All Breed		✓	
Mini Breed	✓		

Feeding guide	Calorie Content M.E. (CEN) 1145 kcal/kg - 4.79MJ/kg - 160.30 kcal/can (140g) - 326.30 kcal/can (285g)									
Weight of adult dog	1kg	2kg	3kg	4kg	5kg	6kg	7kg	8kg	9kg	10kg
RDA in g	90g	150g	200g	250g	290g	335g	375g	415g	455g	490g
1 can = 140g	2/3	1	1 1/2	1 3/4	2	2 1/3	2 2/3	3	3 1/4	3 1/2
Weight of adult dog	2kg	5kg	10kg	15kg	20kg	25kg	30kg	35kg	40kg	50kg
RDA in g	150g	290g	490g	665g	825g	975g	1120g	1260g	1390g	1640g
1 can = 285g	1/2	1	1 1/4	2 1/3	2 3/4	3 1/2	4	4 1/2	4 3/4	5 3/4



The Nutrition System for Carnivores



COMPLETE FOOD FOR MINI, MEDIUM AND MAXI ADULT DOGS



DUCK & PUMPKIN

CANINE FORMULA



- HIGH QUALITY DUCK.**
- MADE WITHOUT GUMS, GUAR OR CARRAGEENAN.**
- COMPLETE WET FOOD.**
- GENTLY STEAMED ONLY ONCE.**

Composition:

duck fillet (30%), chicken fillet, chicken drumstick, herring, pumpkin (5%), sweet potato, boiled chicken eggs, fish oil, animal fat, fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals.



Analytical constituents

moisture 75.00%; crude protein 12.00%; crude fat 4.50%; crude fibres 1.00%; crude ash 2.40%.

Additives per kg

Nutritional additives: Vitamin A 4000IU; Vitamin D3 400IU; Vitamin E 130mg; Choline chloride 400mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; Selenium (Selenised yeast inactivated): 0.00242mg; DL-methionine, technically pure 1000mg; Taurine 500mg; L-carnitine 50mg.

Instruction for use: see table. Individual needs vary and feeding should be adjusted as required to maintain your pet at a lean, healthy body weight. Initially it is advisable to mix N&D with the previously used diet. Feed your pets with a daily amount of food divided into at least two separate meals. Serve at room temperature. Always leave fresh and clean water available. Once the can has been opened, keep refrigerated and use within 48 hours. Produced 36 months before the best-before date printed on the pack. Net weight / Best before date / Lot N° / Factory registration number: see on can. Best before date is printed on the can.

available in size	140g	285g	
All Breed		✓	
Mini Breed	✓		

Feeding guide	Calorie Content M.E. (CEN) 1035 kcal/kg - 4.33MJ/kg - 144.90 kcal/can (140g) - 295.00 kcal/can (285g)									
Weight of adult dog	1kg	2kg	3kg	4kg	5kg	6kg	7kg	8kg	9kg	10kg
RDA in g	95g	165g	220g	275g	325g	375g	420g	465g	505g	550g
1 can = 140g	2/3	1 1/4	1 1/2	2	2 1/3	2 2/3	3	3 1/3	3 2/3	4
Weight of adult dog	2kg	5kg	10kg	15kg	20kg	25kg	30kg	35kg	40kg	50kg
RDA in g	165g	325g	550g	740g	920g	1090g	1250g	1400g	1550g	1835g
1 can = 285g	1/2	1 1/4	2	2 2/3	3 1/4	3 3/4	4 1/3	5	5 1/2	6 1/2



The Nutrition System for Carnivores





COMPLETE FOOD FOR MINI, MEDIUM AND MAXI ADULT DOGS



QUAIL & PUMPKIN

CANINE FORMULA



- HIGH QUALITY QUAIL.**
- MADE WITHOUT GUMS, GUAR OR CARRAGEENAN.**
- COMPLETE WET FOOD.**
- GENTLY STEAMED ONLY ONCE.**

Composition:

quail fillet (30%), chicken fillet, chicken drumstick, herring, pumpkin (5%), sweet potato, boiled chicken eggs, fish oil, animal fat, fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals.



Analytical constituents

moisture 75.00%; crude protein 12.00%; crude fat 4.50%; crude fibres 1.00%; crude ash 2.40%.

Additives per kg

Nutritional additives: Vitamin A 4000IU; Vitamin D3 400IU; Vitamin E 130mg; Choline chloride 400mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; Selenium (Selenised yeast inactivated): 0.00242mg; DL-methionine, technically pure 1000mg; Taurine 500mg; L-carnitine 50mg.

Instruction for use: see table. Individual needs vary and feeding should be adjusted as required to maintain your pet at a lean, healthy body weight. Initially it is advisable to mix N&D with the previously used diet. Feed your pets with a daily amount of food divided into at least two separate meals. Serve at room temperature. Always leave fresh and clean water available. Once the can has been opened, keep refrigerated and use within 48 hours. Produced 36 months before the best-before date printed on the pack. Net weight / Best before date / Lot N° / Factory registration number: see on can. Best before date is printed on the can.

available in size	140g	285g	
All Breed		✓	
Mini Breed	✓		

Feeding guide	Calorie Content M.E. (CEN) 1035 kcal/kg - 4.33MJ/kg - 144.90 kcal/can (140g) - 295.00 kcal/can (285g)									
Weight of adult dog	1kg	2kg	3kg	4kg	5kg	6kg	7kg	8kg	9kg	10kg
RDA in g	95g	165g	220g	275g	325g	375g	420g	465g	505g	550g
1 can = 140g	2/3	1 1/4	1 1/2	2	2 1/3	2 2/3	3	3 1/3	3 2/3	4
Weight of adult dog	2kg	5kg	10kg	15kg	20kg	25kg	30kg	35kg	40kg	50kg
RDA in g	165g	325g	550g	740g	920g	1090g	1250g	1400g	1550g	1835g
1 can = 285g	1/2	1 1/4	2	2 2/3	3 1/4	3 3/4	4 1/3	5	5 1/2	6 1/2



The Nutrition System for Carnivores



COMPLETE FOOD FOR MINI, MEDIUM AND MAXI ADULT DOGS



VENISON & PUMPKIN

CANINE FORMULA



- HIGH QUALITY VENISON.**
- MADE WITHOUT GUMS, GUAR OR CARRAGEENAN.**
- COMPLETE WET FOOD.**
- GENTLY STEAMED ONLY ONCE.**

Composition:

venison shoulder (30%), chicken fillet, chicken drumstick, herring, pumpkin (5%), sweet potato, boiled chicken eggs, fish oil, animal fat, fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals.



Analytical constituents

moisture 75.00%; crude protein 12.00%; crude fat 4.50%; crude fibres 1.00%; crude ash 2.70%.

Additives per kg

Nutritional additives: Vitamin A 4000IU; Vitamin D3 400IU; Vitamin E 130mg; Choline chloride 400mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; Selenium (Selenised yeast inactivated): 0.00242mg; DL-methionine, technically pure 1000mg; Taurine 500mg; L-carnitine 50mg.

Instruction for use: see table. Individual needs vary and feeding should be adjusted as required to maintain your pet at a lean, healthy body weight. Initially it is advisable to mix N&D with the previously used diet. Feed your pets with a daily amount of food divided into at least two separate meals. Serve at room temperature. Always leave fresh and clean water available. Once the can has been opened, keep refrigerated and use within 48 hours. Produced 36 months before the best-before date printed on the pack. Net weight / Best before date / Lot N° / Factory registration number: see on can. Best before date is printed on the can.

available in size	140g	285g	
All Breed		✓	
Mini Breed	✓		

Feeding guide	Calorie Content M.E. (CEN) 1089kcal/kg - 4.56MJ/kg - 152.50 kcal/can (140g) - 310.40 kcal/can (285g)									
Weight of adult dog	1kg	2kg	3kg	4kg	5kg	6kg	7kg	8kg	9kg	10kg
RDA in g	95g	165g	220g	275g	325g	375g	420g	465g	505g	550g
1 can = 140g	2/3	1 1/4	1 1/2	2	2 1/3	2 2/3	3	3 1/3	3 2/3	4
Weight of adult dog	2kg	5kg	10kg	15kg	20kg	25kg	30kg	35kg	40kg	50kg
RDA in g	165g	325g	550g	740g	920g	1090g	1250g	1400g	1550g	1835g
1 can = 285g	1/2	1 1/4	2	2 2/3	3 1/4	3 3/4	4 1/3	5	5 1/2	6 1/2



The Nutrition System for Carnivores





N&D ANCESTRAL GRAIN

canine formulas

PUPPY FORMULAS

DRY WET

CHICKEN & POMEGRANATE STARTER	Complete food for puppies during weaning up to two months of age	
CHICKEN & POMEGRANATE PUPPY	Complete food for mini, medium and maxi puppies, and gestating or breastfeeding bitches	
LAMB & BLUEBERRY PUPPY	Complete food for mini, medium and maxi puppies, and gestating or breastfeeding bitches	

ADULT FORMULAS

CHICKEN & POMEGRANATE	Complete food for mini, medium and maxi adult dogs	 
WILD BOAR & APPLE	Complete food for mini, medium and maxi adult dogs	
LAMB & BLUEBERRY	Complete food for mini, medium and maxi adult dogs	 
SELECTION	Complete food for medium and maxi adult dogs	

SPECIAL CARE FORMULAS

CHICKEN & POMEGRANATE LIGHT	Complete food for mini, medium and maxi adult dogs	
CHICKEN & POMEGRANATE SENIOR	Complete food for mini, medium and maxi adult dogs	


Nutrition System for Carnivores

COMPLETE FOOD FOR PUPPIES DURING WEANING
UP TO TWO MONTHS OF AGE



CHICKEN & POMEGRANATE STARTER

CANINE FORMULA



90% of the protein is animal origin
0% artificial preservatives
0% corn



HIGH QUALITY FREE RANGE ITALIAN CHICKEN.



ANCESTRAL CEREALS SUPPORT THE GLYCAEMIC CONTROL.



INTEGRATIONS FROM FRUIT AND VEGETABLES.



CONTAINS BOTANICAL ESSENCES.

Composition:

boneless chicken (25%), dehydrated chicken protein (18%), chicken fat, spelt (10%), oats (10%), dehydrated herring protein, dried beet pulp, dried eggs, fish oil (from herring), dried spinach, chicken cartilage (source of glucosamine and chondroitin sulphate), dried brewers' yeast, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), sodium chloride, monocalcium phosphate, potassium chloride, calcium carbonate, dried pomegranate (0.5%).

Analytical constituents

Crude protein 30.00%; Crude fat 22.00%; Crude fibres 1.10%; Moisture 9.00%; Crude Ash 7.50%; Calcium 1.10%; Phosphorus 0.91%; Omega-6 3.40%; Omega-3 0.90%; EPA 0.30%; Glucosamine 1200mg/kg; Chondroitin sulphate 900mg/kg.

Additives per kg

Nutritional additives: Vitamin A 13000IU; Vitamin D3 1300IU; Vitamin E 130mg; Vitamin C 130mg; Niacin 33mg; Calcium D-pantothenate 13mg; Vitamin B2 6.5mg; Vitamin B6 5.2mg; Vitamin B1 3.9mg; Biotin 0.33mg; Folic acid 0.39mg; Vitamin B12 0.052mg; Choline chloride 2500mg; Beta-carotene 1.5mg; Zinc (Zinc oxide): 86.7mg; Zinc (Zinc sulphate monohydrate): 43.7mg; Manganese (Manganese sulphate monohydrate): 48.8mg; Iron [Iron(II) sulphate monohydrate]: 14.5mg; Iron [Iron(II) carbonate]: 28.9mg; Copper [Copper(II) sulphate pentahydrate]: 12.8mg; Iodine (Calcium iodate anhydrous): 1.56mg; Selenium (Sodium selenite): 0.101mg; DL-methionine, technically pure 4500mg; L-Lysine-monohydrochloride, technically pure 800mg.



available in size 800g 2,5kg 12kg
Universal Kibble ✓ ✓ ✓

Feeding guide Calorie Content (calculated) at a moisture content of 7%: M.E. (CEN) 4299kcal/kg - 17.99MJ/kg - 1 cup = 105g = 451kcal/cup

Weight of adult dog	Calorie Content (calculated) at a moisture content of 7%: M.E. (CEN) 4299kcal/kg - 17.99MJ/kg - 1 cup = 105g = 451kcal/cup														
	1kg (2.2 lbs)	2kg (4.4 lbs)	3kg (6.6 lbs)	5kg (11 lbs)	7kg (15.4 lbs)	10kg (22 lbs)	15kg (33.1 lbs)	20kg (44.1 lbs)	25kg (55.1 lbs)	30kg (66.1 lbs)	35kg (77.2 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)	60kg (132.3 lbs)	70kg (154.3 lbs)
2-3 weeks	-	-	-	-	-	-	-	-	25g	25g	30g	30g	30g	30g	30g
3-4 weeks	10g	10g	10g	10g	10g	30g	30g	75g	80g	100g	100g	110g	120g	130g	135g
	0.20c	0.20c	0.20c	0.20c	0.20c	0.33c	0.33c	0.75c	0.75c	1.00c	1.00c	1.00c	1.25c	1.25c	1.33c
4-5 weeks	25g	25g	25g	25g	30	65g	90g	145g	145g	155g	155g	165g	180g	200g	210g
	0.25c	0.25c	0.25c	0.25c	0.33c	0.75c	1.00c	1.50c	1.50c	1.50c	1.50c	1.75c	1.75c	2.00c	2.00c
5-6 weeks	30g	30g	55g	80g	80g	110g	125g	155g	155g	175g	175g	190g	200g	220g	235g
	0.33c	0.33c	0.50c	0.75c	0.75c	1.00c	1.25c	1.50c	1.50c	1.75c	1.75c	2.00c	2.00c	2.25c	2.33c
6-7 weeks	35g	35g	70g	110g	110g	135g	170g	210g	210g	225g	225g	245g	265g	280g	300g
	0.33c	0.33c	0.75c	1.00c	1.00c	1.33c	1.75c	2.00c	2.00c	2.25c	2.25c	2.50c	2.50c	2.75c	3.00c
7-8 weeks	45g	45g	90g	135g	135g	180g	220g	265g	265g	300g	300g	320g	345g	375g	400g
	0.50c	0.50c	1.00c	1.33c	1.33c	1.75c	2.25c	2.75c	2.75c	3.00c	3.00c	3.25c	3.50c	3.75c	4.00c

The recommended amount in the table are indicative and require an adjustment in order to get the optimal body weight. The dose can be divided into 2 daily meals or more. It is recommended to always leave fresh water at will.




COMPLETE FOOD FOR PUPPIES AND GESTATING
OR BREASTFEEDING BITCHES



CHICKEN & POMEGRANATE PUPPY

CANINE FORMULA



90% of the protein is animal origin
0% artificial preservatives
0% corn



HIGH QUALITY FREE RANGE ITALIAN CHICKEN.



ANCESTRAL CEREALS SUPPORT THE GLYCAEMIC CONTROL.



INTEGRATIONS FROM FRUIT AND VEGETABLES.



CONTAINS BOTANICAL ESSENCES.

Composition:

boneless chicken (20%), dehydrated chicken protein (20%), spelt (10%), oats (10%), chicken fat, dried eggs, herring, dehydrated herring protein, dried beet pulp, fish oil (from herring), dried carrot, alfalfa meal, chicken cartilage (source of glucosamine and chondroitin sulphate), inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried pomegranate (0.5%), dried apple, dried spinach, psyllium husks and seeds (0.3%), dried sweet orange, dried blueberry, sodium chloride, dried brewers' yeast, turmeric (0.2%), aloe vera extract.

Analytical constituents

Crude protein 35.00%; Crude fat 20.00%; Crude fibres 1.70%; Moisture 9.00%; Crude Ash 7.30%; Calcium 1.10%; Phosphorus 0.91%; Omega-6 3.40%; Omega-3 0.90%; EPA 0.30%; Glucosamine 1400mg/kg; Chondroitin sulphate 1100mg/kg.

Additives per kg

Nutritional additives: Vitamin A 16000IU; Vitamin D3 1600IU; Vitamin E 600mg; Vitamin C 160mg; Niacin 40mg; Calcium D-pantothenate 16mg; Vitamin B2 8mg; Vitamin B6 6.4mg; Vitamin B1 4.8mg; Biotin 0.40mg; Folic acid 0.48mg; Vitamin B12 0.1mg; Choline chloride 2800mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.8mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.6mg; Iron [Iron(II) chelate of glycine hydrate]: 58.3mg; Copper (Copper chelate of hydroxy analogue of methionine): 15.8mg; Selenium (Selenised yeast inactivated): 0.00088mg; DL-methionine, technically pure 6000mg; Taurine 1000mg; L-carnitine 300mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.

Feeding guide Calorie Content (calculated) at a moisture content of 7%: M.E. (CEN) 4184kcal/kg - 17.51MJ/kg - 1 cup = 105g = 439kcal/cup

Weight of adult dog	Calorie Content (calculated) at a moisture content of 7%: M.E. (CEN) 4184kcal/kg - 17.51MJ/kg - 1 cup = 105g = 439kcal/cup													
	10kg (22 lbs)	15kg (33.1 lbs)	20kg (44.1 lbs)	25kg (55.1 lbs)	30kg (66.1 lbs)	35kg (77.2 lbs)	40kg (88.2 lbs)	45kg (99.2 lbs)	50kg (110.2 lbs)	55kg (121.3 lbs)	60kg (132.3 lbs)	70kg (154.3 lbs)		
2 months	95g	125g	140g	165g	185g	205g	215g	230g	250g	265g	280g	330g		
3 months	100c	1.25c	1.50c	1.66c	1.75c	2.00c	2.00c	2.25c	2.50c	2.50c	2.75c	3.25c		
	130g	175g	215g	250g	280g	310g	335g	355g	370g	380g	390g	425g		
4 months	1.25c	1.75c	2.00c	2.50c	2.75c	3.00c	3.25c	3.50c	3.50c	3.66c	3.75c	4.00c		
	140g	185g	230g	265g	300g	330g	355g	375g	395g	410g	425g	450g		
6 months	1.50c	1.75c	2.25c	2.50c	3.00c	3.25c	3.50c	3.66c	3.75c	4.00c	4.00c	4.33c		
	175g	240g	280g	330g	370g	400g	450g	485g	520g	550g	585g	645g		
10 months	1.75c	2.25c	2.75c	3.25c	3.50c	3.75c	4.33c	4.66c	5.00c	5.00c	5.50c	6.25c		
	165g	230g	275g	315g	355g	385g	415g	450g	485g	515g	540g	610g		
12 months	1.50c	2.25c	2.75c	3.00c	3.50c	3.66c	4.00c	4.33c	4.66c	5.00c	5.25c	6.00c		
	Adult	Adult	Adult	Adult	Adult	Adult	Adult	Adult	Adult	Adult	Adult	Adult		
16 months	Adult	Adult	Adult	Adult	Adult	Adult	Adult	Adult	Adult	Adult	Adult	Adult		
	Adult	Adult	Adult	Adult	Adult	Adult	Adult	Adult	Adult	Adult	Adult	Adult		

Daily quantity shown on the attached schedule are merely indicative and they require to be adjusted in order to achieve the right body weight. The ration can be divided into two daily meals or more. Always provide fresh clean water.




COMPLETE FOOD FOR PUPPIES AND GESTATING OR BREASTFEEDING BITCHES



LAMB & BLUEBERRY PUPPY

CANINE FORMULA



90% of the protein is animal origin

0% artificial preservatives

0% corn



HIGH QUALITY GRASS FED LAMB.



ANCESTRAL CEREALS SUPPORT THE GLYCAEMIC CONTROL.



INTEGRATIONS FROM FRUIT AND VEGETABLES.



CONTAINS BOTANICAL ESSENCES.

Composition:

lamb (20%), dehydrated lamb protein (20%), spelt (10%), oats (10%), chicken fat, herring, dehydrated herring protein, dried eggs, dried beet pulp, fish oil (from herring), dried carrot, alfalfa meal, chicken cartilage (source of glucosamine and chondroitin sulphate), inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried blueberry (0.5%), dried spinach, psyllium husks and seeds (0.3%), dried apple, dried sweet orange, dried pomegranate, sodium chloride, dried brewers' yeast, turmeric (0.2%), aloe vera extract.

Analytical constituents

crude protein 35.00%; crude fat 20.00%; crude fibres 1.70%; moisture 9.00%; crude ash 8.00%; Calcium 1.10%; Phosphorus 0.91%; Omega-6 3.40%; Omega-3 0.90%; DHA 0.50%; EPA 0.30%.

Additives per kg

Nutritional additives: Vitamin A 16000IU; Vitamin D3 1600IU; Vitamin E 600mg; Vitamin C 160mg; Niacin 40mg; Calcium D-pantothenate 16mg; Vitamin B2 8mg; Vitamin B6 6.4mg; Vitamin B1 4.8mg; Biotin 0.40mg; Folic acid 0.48mg; Vitamin B12 0.1mg; Choline chloride 2800mg; Beta carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.8mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.6mg; Iron [Iron(II) chelate of glycine hydrate]: 58.3mg; Copper (Copper chelate of hydroxy analogue of methionine): 15.8mg; Selenium (Selenised yeast inactivated): 0.00088mg; DL-methionine, technically pure 6000mg; Taurine 1000mg; L-carnitine 300mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oil.



available in size	800g	2.5kg	7kg	12kg
Mini	✓	✓	✓	
Medium-Maxi		✓	✓	✓

Feeding guide Calorie Content (calculated) at a moisture content of 7%: M.E. (CEN) 4158kcal/kg - 17.40MJ/kg - 1 cup = 105g = 437kcal/cup

Weight of adult dog	10kg (22 lbs)	15kg (33.1lbs)	20kg (44.1lbs)	25kg (55.1 lbs)	30kg (66.1 lbs)	35kg (77.2 lbs)	40kg (88.2 lbs)	45kg (99.2 lbs)	50kg (110.2 lbs)	55kg (121.3 lbs)	60kg (132.3 lbs)	70kg (154.3 lbs)
	2 months	95g - 1.00c	125g - 1.25c	140g - 1.50c	160g - 1.75c	185g - 1.75c	200g - 2.00c	215g - 2.25c	230g - 2.25c	250g - 2.50c	265g - 2.50c	280g - 2.75c
3 months	130g - 1.25c	175g - 1.75c	215g - 2.25c	245g - 2.50c	280g - 2.75c	305g - 3.00c	335g - 3.25c	350g - 3.50c	370g - 3.75c	375g - 3.75c	390g - 4.00c	425g - 4.25c
4 months	140g - 1.50c	185g - 1.75c	230g - 2.25c	265g - 2.75c	300g - 3.00c	325g - 3.25c	355g - 3.50c	375g - 3.75c	395g - 4.00c	405g - 4.00c	425g - 4.25c	450g - 4.50c
6 months	175g - 1.75c	240g - 2.50c	280g - 2.75c	325g - 3.25c	370g - 3.75c	400g - 4.00c	450g - 4.50c	480g - 4.75c	520g - 5.25c	545g - 5.50c	585g - 5.75c	645g - 6.50c
10 months	165g - 1.75c	230g - 2.25c	275g - 2.75c	310g - 3.00c	375g - 3.75c	380g - 3.75c	415g - 4.25c	445g - 4.50c	485g - 4.75c	505g - 5.00c	540g - 5.50c	610g - 6.00c
12 months	Adult	Adult	Adult	Adult	360g - 3.50c	395g - 4.00c	435g - 4.25c	465g - 4.75c	505g - 5.00c	525g - 5.25c	560g - 5.50c	630g - 6.25c
16 months	Adult	Adult	Adult	Adult	Adult	Adult	440g - 4.50c	470g - 4.75c	510g - 5.00c	540g - 5.50c	585g - 5.75c	645g - 6.50c

The recommended amount in the table are indicative and require an adjustment in order to get the optimal body weight. The dose can be divided into 2 daily meals or more. It is recommended to always leave fresh water at will.



The Nutrition System for Carnivores




COMPLETE FOOD FOR MINI, MEDIUM AND MAXI ADULT DOGS



CHICKEN & POMEGRANATE

CANINE FORMULA



90% of the protein is animal origin

0% artificial preservatives

0% corn



HIGH QUALITY FREE RANGE ITALIAN CHICKEN.



ANCESTRAL CEREALS SUPPORT THE GLYCAEMIC CONTROL.



INTEGRATIONS FROM FRUIT AND VEGETABLES.



CONTAINS BOTANICAL ESSENCES.

Composition:

boneless chicken (20%), dehydrated chicken protein (18%), spelt (10%), oats (10%), chicken fat, dried eggs, herring, dehydrated herring protein, dried beet pulp, fish oil (from herring), dried carrot, alfalfa meal, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried pomegranate (0.5%), dried apple, dried spinach, psyllium husks and seeds (0.3%), dried sweet orange, dried blueberry, sodium chloride, dried brewers' yeast, turmeric (0.2%), aloe vera extract, glucosamine, chondroitin sulphate.

Analytical constituents

Crude protein 30.00%; Crude fat 18.00%; Crude fibres 2.90%; Moisture 9.00%; Crude ash 6.80%; Calcium 0.90%; Phosphorus 0.80%; Omega-6 3.30%; Omega-3 0.90%; DHA 0.50%; EPA 0.30%; Glucosamine 1200mg/kg; Chondroitin sulphate 900mg/kg.

Additives per kg

Nutritional additives: Vitamin A 15000IU; Vitamin D3 1500IU; Vitamin E 600mg; Vitamin C 150mg; Niacin 37.5mg; Calcium D-pantothenate 15mg; Vitamin B2 7.5mg; Vitamin B6 6mg; Vitamin B1 4.5mg; Biotin 0.38mg; Folic acid 0.45mg; Vitamin B12 0.1mg; Choline Chloride 2500mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.8mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.6mg; Iron [Iron(II) chelate of glycine hydrate]: 58.3mg; Copper (Copper chelate of hydroxy analogue of methionine): 15.8mg; Selenium (Selenised yeast inactivated): 0.00088mg; DL-methionine, technically pure 4000mg; Taurine 1000mg; L-carnitine 300mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.



available in size	800g	2.5kg	7kg	12kg
Mini	✓	✓	✓	
Medium-Maxi		✓	✓	✓
Maxi Giant				✓

Feeding guide Calorie Content (calculated) at a moisture content of 7%: M.E. (CEN) 3997kcal/kg - 16.73MJ/kg - 1 cup = 100g = 399kcal/cup

Weight of adult dog	10kg (22 lbs)	15kg (33.1 lbs)	20kg (44.1 lbs)	25kg (55.1 lbs)	30kg (66.1 lbs)	35kg (77.2 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)	60kg (132.2 lbs)	70kg (154.3 lbs)
	Min-Max Recommended Daily Quantity	90-160g	125-220g	155-270g	180-325g	210-370g	230-410g	260-460g	305-540g	350-620g
	1.00-1.66c	1.25-2.25c	1.50-2.75c	1.75-3.25c	2.25-3.75c	2.33-4.00c	2.66-4.66c	3.00-5.50c	3.50-6.25c	4.00-7.00c

The recommended amount in the table are indicative and require an adjustment in order to get the optimal body weight. The dose can be divided into 2 daily meals or more. It is recommended to always leave fresh water at will.



The Nutrition System for Carnivores




COMPLETE FOOD FOR MINI, MEDIUM AND MAXI ADULT DOGS



LAMB & BLUEBERRY

CANINE FORMULA



HIGH QUALITY GRASS FED LAMB.



ANCESTRAL CEREALS SUPPORT THE GLYCAEMIC CONTROL.



INTEGRATIONS FROM FRUIT AND VEGETABLES.



CONTAINS BOTANICAL ESSENCES.



90% of the protein is animal origin

0% artificial preservatives

0% corn

Composition:

lamb (20%), dehydrated lamb protein (18%), spelt (10%), oats (10%), dried eggs, herring, dehydrated herring protein, chicken fat, fish oil (from herring), dried beet pulp, dried carrot, alfalfa meal, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried blueberry (0.5%), dried apple, dried pomegranate, dried sweet orange, dried spinach, psyllium husks and seeds (0.3%), sodium chloride, dried brewers' yeast, turmeric (0.2%), aloe vera extract, glucosamine, chondroitin sulphate.

Analytical constituents

Crude protein 28.00%; Crude fat 18.00%; Crude fibres 2.90%; Moisture 9.00%; Crude ash 8.20%; Calcium 1.10%; Phosphorus 0.80%; Omega-6 3.30%; Omega-3 0.90%; DHA 0.50%; EPA 0.30%; Glucosamine 1200mg/kg; Chondroitin sulphate 900mg/kg.

Additives per kg

- Nutritional additives: Vitamin A 15000IU; Vitamin D3 1500IU; Vitamin E 600mg; Vitamin C 150mg; Niacin 37.5mg; Calcium D-pantothenate 15mg; Vitamin B2 7.5mg; Vitamin B6 6mg; Vitamin B1 4.5mg; Biotin 0.38mg; Folic acid 0.45mg; Vitamin B12 0.1mg; Choline Chloride 2500mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.8mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.6mg; Iron [Iron(II) chelate of glycine hydrate]: 58.3mg; Copper (Copper chelate of hydroxy analogue of methionine): 15.8mg; Selenium (Selenised yeast inactivated): 0.00088mg; DL-methionine, technically pure 4000mg; Taurine 1000mg; L-carnitine 300mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.



available in size	800g	2.5kg	7kg	12kg
Mini	✓	✓	✓	✓
Medium-Maxi		✓		✓

Feeding guide	Calorie Content (calculated) at a moisture content of 7%: M.E. (CEN) 3941kcal/kg - 16.49MJ/kg - 1 cup = 100g = 394kcal/cup									
	10kg (22 lbs)	15kg (33.1 lbs)	20kg (44.1 lbs)	25kg (55.1 lbs)	30kg (66.1 lbs)	35kg (77.2 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)	60kg (132.2 lbs)	70kg (154.3 lbs)
Weight of adult dog										
Min-Max Recommended Daily Quantity	90-160g 1.00-1.66c	125-220g 1.25-2.25c	155-270g 1.50-2.75c	180-325g 1.75-3.25c	210-370g 2.25-3.75c	230-410g 2.33-4.00c	260-460g 2.66-4.66c	305-540g 3.00-5.50c	350-620g 3.50-6.25c	400-700g 4.00-7.00c

The recommended amount in the table are indicative and require an adjustment in order to get the optimal body weight. The dose can be divided into 2 daily meals or more. It is recommended to always leave fresh water at will.



The Nutrition System for Carnivores




COMPLETE FOOD FOR MINI, MEDIUM AND MAXI ADULT DOGS



LIGHT • CHICKEN & POMEGRANATE

CANINE FORMULA



HIGH QUALITY FREE RANGE ITALIAN CHICKEN.



ANCESTRAL CEREALS SUPPORT THE GLYCAEMIC CONTROL.



INTEGRATIONS FROM FRUIT AND VEGETABLES.



CONTAINS BOTANICAL ESSENCES.



90% of the protein is animal origin

0% artificial preservatives

0% corn

Composition:

boneless chicken (20%), dehydrated chicken protein (18%), spelt (10%), oats (10%), herring, dehydrated herring protein, dried eggs, dried beet pulp, alfalfa meal, chicken fat, fish oil (from herring), dried carrot, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried pomegranate (0.5%), dried apple, dried spinach, psyllium husks and seeds (0.3%), dried sweet orange, dried blueberry, sodium chloride, dried brewers' yeast, turmeric (0.2%), aloe vera extract, glucosamine, chondroitin sulphate.

Analytical constituents

crude protein 34.00%; crude fat 11.00%; crude fibres 6.40%; moisture 9.00%; crude ash 8.70%; Calcium 1.10%; Phosphorus 0.80%; Omega-6 2.10%; Omega-3 0.55%; DHA 0.30%; EPA 0.20%; Glucosamine 1200mg/kg; Chondroitin sulphate 1000mg/kg.

Additives per kg

Nutritional additives: Vitamin A 15000IU; Vitamin D3 1500IU; Vitamin E 600mg; Vitamin C 150mg; Niacin 37.5mg; Calcium D-pantothenate 15mg; Vitamin B2 7.5mg; Vitamin B6 6mg; Vitamin B1 4.5mg; Biotin 0.38mg; Folic acid 0.45mg; Vitamin B12 0.1mg; Choline chloride 2800mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.8mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.6mg; Iron [Iron(II) chelate of glycine hydrate]: 58.3mg; Copper (Copper chelate of hydroxy analogue of methionine): 15.8mg; Selenium (Selenised yeast inactivated): 0.00088mg; DL-methionine, technically pure 4000mg; Taurine 1000mg; L-carnitine 600mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.



available in size	800g	2.5kg	7kg	12kg
Mini		✓		✓
Medium-Maxi		✓		✓

Feeding guide	Calorie Content (calculated) at a moisture content of 7%: M.E. (CEN) 3375kcal/kg - 14.13MJ/kg - 1 cup = 100g = 337kcal/cup									
	10kg (22 lbs)	15kg (33.1 lbs)	20kg (44.1 lbs)	25kg (55.1 lbs)	30kg (66.1 lbs)	35kg (77.2 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)	60kg (132.2 lbs)	70kg (154.3 lbs)
Weight of adult dog										
Min-Max Recommended Daily Quantity	80-150g 0.75-1.50c	110-200g 1.00-2.00c	135-250g 1.25-2.50c	160-300g 1.66-3.00c	185-340g 1.75-3.50c	205-380g 2.00-3.75c	230-425g 2.33-4.25c	270-500g 2.75-5.00c	310-575g 3.25-5.75c	350-645g 3.50-6.50c

The recommended amount in the table are indicative and require an adjustment in order to get the optimal body weight. The dose can be divided into 2 daily meals or more. It is recommended to always leave fresh water at will.



The Nutrition System for Carnivores




COMPLETE FOOD FOR MINI, MEDIUM AND MAXI SENIOR DOGS



SENIOR • CHICKEN & POMEGRANATE

CANINE FORMULA



90% of the protein is animal origin
0% artificial preservatives
0% corn



HIGH QUALITY FREE RANGE ITALIAN CHICKEN.



ANCESTRAL CEREALS SUPPORT THE GLYCAEMIC CONTROL.



INTEGRATIONS FROM FRUIT AND VEGETABLES.



CONTAINS BOTANICAL ESSENCES.

Composition:

boneless chicken (20%), dehydrated chicken protein (18%), spelt (10%), oats (10%), chicken fat, herring, dehydrated herring protein, dried eggs, dried beet pulp, fish oil (from herring), alfalfa meal, dried carrot, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried pomegranate (0.5%), dried apple, dried spinach, psyllium husks and seeds (0.3%), dried sweet orange, dried blueberry, sodium chloride, dried brewers' yeast, turmeric (0.2%), aloe vera extract, glucosamine, chondroitin sulphate.

Analytical constituents

crude protein 27.00%; crude fat 15.00%; crude fibres 5.00%; moisture 9.00%; crude ash 7.70%; Calcium 1.10%; Phosphorus 0.80%; Omega-6 3.00%; Omega-3 0.70%; DHA 0.40%; EPA 0.25%.

Additives per kg

Nutritional additives: Vitamin A 15000IU; Vitamin D3 1500IU; Vitamin E 600mg; Vitamin C 150mg; Niacin 37.5mg; Calcium D-pantothenate 15mg; Vitamin B2 7.5mg; Vitamin B6 6mg; Vitamin B1 4.5mg; Biotin 0.38mg; Folic acid 0.45mg; Vitamin B12 0.1mg; Choline chloride 2500mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.8mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.6mg; Iron [Iron(II) chelate of glycine hydrate]: 58.3mg; Copper (Copper chelate of hydroxy analogue of methionine): 15.8mg; Selenium (Selenised yeast inactivated): 0.00088mg; DL-methionine, technically pure 4000mg; L-lysine HCl 1500mg; Taurine 1500mg; L-carnitine 400mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.



available in size	800g	2,5kg	7kg	12kg
Mini		✓		
Medium-Maxi		✓		✓

Feeding guide	Calorie Content (calculated) at a moisture content of 7%: M.E. (CEN) 3665kcal/kg - 15.33MJ/kg - 1 cup = 100g = 366kcal/cup									
	10kg (22 lbs)	15kg (33.1 lbs)	20kg (44.1 lbs)	25kg (55.2 lbs)	30kg (66.1 lbs)	35kg (77.2 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)	60kg (132.2 lbs)	70kg (154.3 lbs)
Weight of adult dog										
Min-Max Recommended Daily Quantity	85-160g 0.75-1.66c	120-215g 1.25-2.25c	145-265g 1.50-2.75c	170-315g 1.75-3.25c	195-360g 2.00-3.50c	220-405g 2.25-4.00c	240-445g 2.50-4.50c	285-530g 2.75-5.25c	325-605g 3.25-6.00c	365-680g 3.66-6.75c

The recommended amount in the table are indicative and require an adjustment in order to get the optimal body weight. The dose can be divided into 2 daily meals or more. It is recommended to always leave fresh water at will.



The Nutrition System for Carnivores




COMPLETE FOOD FOR ADULT DOGS



SELECTION

CANINE FORMULA



90% of the protein is animal origin
0% artificial preservatives
0% corn



HIGH QUALITY FREE RANGE ITALIAN CHICKEN.



ANCESTRAL CEREALS SUPPORT THE GLYCAEMIC CONTROL.



INTEGRATIONS FROM FRUIT AND VEGETABLES.



CONTAINS BOTANICAL ESSENCES.

Composition

boneless chicken (20%), dehydrated chicken protein (20%), spelt (12%), oats (12%), chicken fat, dehydrated herring protein, dried beet pulp, fish oil (from herring), dried carrot, alfalfa meal, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried pomegranate (0.5%), dried spinach, psyllium husks and seeds, sodium chloride, dried brewers' yeast, turmeric, aloe vera extract, glucosamine, chondroitin sulphate.

Componenti analitici

crude protein 27.00%; crude fat 16.00%; crude fibres 2.70%; moisture 9.00%; crude ash 7.50%; Calcium 0.90%; Phosphorus 0.80%; Omega 6 3.00%; Omega 3 0.70%; DHA 0.35%; EPA 0.15%; Glucosamine 1000mg/kg; Chondroitin sulphate 700mg/kg.

Additives per kg

Nutritional additives: Vitamin A 15000IU; Vitamin D3 1500IU; Vitamin E 600mg; Vitamin C 150mg; Niacin 37.5mg; Calcium D-pantothenate 15mg; Vitamin B2 7.5mg; Vitamin B6 6mg; Vitamin B1 4.5mg; Biotin 0.38mg; Folic acid 0.45mg; Vitamin B12 0.1mg; Choline chloride 2000mg; Beta carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.8mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.6mg; Iron [Iron(II) chelate of glycine hydrate]: 58.3mg; Copper (Copper chelate of hydroxy analogue of methionine): 15.8mg; Selenium (Selenised yeast inactivated): 0.00088mg; DL-methionine, technically pure 2500mg; Taurine 800mg; L-carnitine 200mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.



available in size	800g	2,5kg	12kg	15kg
Medium & Maxi				✓

Feeding guide	Calorie Content (calculated) at a moisture content of 7%: M.E. (CEN) 3885kcal/kg - 16.26MJ/kg - 1 Cup = 96g = 373kcal/cup									
	10kg (22 lbs)	15kg (33.1 lbs)	20kg (44.1 lbs)	25kg (55.2 lbs)	30kg (66.1 lbs)	35kg (77.2 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)	60kg (132.2 lbs)	70kg (154.3 lbs)
Weight of adult dog										
Min-Max Recommended Daily Quantity	100-190g 1.00-2.00c	135-255g 1.50-2.66c	170-315g 1.75-3.25c	200-375g 2.00-4.00c	230-425g 2.33-4.33c	260-480g 2.75-5.00c	285-530g 3.00-5.50c	340-630g 3.50-6.50c	390-720g 4.00-7.50c	435-800g 4.50-8.00c

The recommended amount in the table are indicative and require an adjustment in order to get the optimal body weight. The dose can be divided into 2 daily meals or more. It is recommended to always leave fresh water at will.



The Nutrition System for Carnivores





COMPLETE FOOD FOR MINI, MEDIUM AND MAXI ADULT DOGS



CHICKEN & POMEGRANATE

CANINE FORMULA



HIGH QUALITY FREE RANGE ITALIAN CHICKEN.



ANCESTRAL CEREALS SUPPORT THE GLYCAEMIC CONTROL.



COMPLETE WET FOOD.



GENTLY STEAMED ONLY ONCE.

Composition:

chicken fillet (40%), herring, boiled chicken eggs, spelt, oats, fish oil, pomegranate (4%), fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals.

Analytical constituents

moisture 75.00%; crude protein 11.50%; crude fat 5.50%; crude fibres 1.00%; crude ash 2.50%.

Additives per kg

Nutritional additives: Vitamin A 4000IU; Vitamin D3 400IU; Vitamin E 130mg; Choline chloride 400mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; Selenium (Selenised yeast inactivated): 0.00242mg; DL-methionine, technically pure 1000mg; Taurine 500mg; L-carnitine 50mg.

Instructions for use: see table. Individual needs vary and feeding should be adjusted as required to maintain your pet at a lean, healthy body weight. Initially it is advisable to mix N&D with the previously used diet. Feed your pets with a daily amount of food divided into at least two separate meals. Serve at room temperature. Always leave fresh and clean water available. Once the can has been opened, keep refrigerated and use within 48 hours. Produced 36 months before the best-before date printed on the pack. Net weight/Best before date/Lot N°/Factory registration number: see on can. Best before date is printed on the can.



available in size	140g	285g	
All Breed		<input checked="" type="checkbox"/>	
Mini Breed	<input checked="" type="checkbox"/>		

Feeding guide Calorie Content M.E. (CEN) 1075kcal/kg - 4.50MJ/kg - 150.50 kcal/can (140g) - 306.40 kcal/can (285g)

	Weight of adult dog	1kg	2kg	3kg	4kg	5kg	6kg	7kg	8kg	9kg	10kg
	RDA in g	95g	155g	210g	265g	310g	355g	400g	440g	485g	525g
	1 can = 140g	2/3	1	1 1/2	1 3/4	2 1/4	2 3/4	3	3 1/2	3 3/4	
	Weight of adult dog	2kg	5kg	10kg	15kg	20kg	25kg	30kg	35kg	40kg	50kg
	RDA in g	155g	310g	525g	710g	880g	1040g	1190g	1340g	1480g	1750g
	1 can = 285g	1/2	1	1 1/4	2 1/2	3	3 2/3	4 1/4	4 3/4	5 1/4	6



The Nutrition System for Carnivores



COMPLETE FOOD FOR MINI, MEDIUM AND MAXI ADULT DOGS



WILD BOAR & APPLE

CANINE FORMULA



HIGH QUALITY ITALIAN WILD BOAR.



ANCESTRAL CEREALS SUPPORT THE GLYCAEMIC CONTROL.



COMPLETE WET FOOD.



GENTLY STEAMED ONLY ONCE.

Composition:

wild boar shank (45%), herring, boiled chicken eggs, fish oil, spelt, oats, apple (4%), fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals.

Analytical constituents

moisture 75.00%; crude protein 11.50%; crude fat 5.50%; crude fibres 1.00%; crude ash 2.50%.

Additives per kg

Nutritional additives: Vitamin A 4000IU; Vitamin D3 400IU; Vitamin E 130mg; Choline chloride 400mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; Selenium (Selenised yeast inactivated): 0.00242mg; DL-methionine, technically pure 1000mg; Taurine 500mg; L-carnitine 50mg.

Instructions for use: see table. Individual needs vary and feeding should be adjusted as required to maintain your pet at a lean, healthy body weight. Initially it is advisable to mix N&D with the previously used diet. Feed your pets with a daily amount of food divided into at least two separate meals. Serve at room temperature. Always leave fresh and clean water available. Once the can has been opened, keep refrigerated and use within 48 hours. Produced 36 months before the best-before date printed on the pack. Net weight/Best before date/Lot N°/Factory registration number: see on can. Best before date is printed on the can.



available in size	140g	285g	
All Breed		<input checked="" type="checkbox"/>	
Mini Breed	<input checked="" type="checkbox"/>		

Feeding guide Calorie Content M.E. (CEN) 1075kcal/kg - 4.50MJ/kg - 150.50 kcal/can (140g) - 306.40 kcal/can (285g)

	Weight of adult dog	1kg	2kg	3kg	4kg	5kg	6kg	7kg	8kg	9kg	10kg
	RDA in g	95g	155g	210g	265g	310g	355g	400g	440g	485g	525g
	1 can = 140g	2/3	1	1 1/2	1 3/4	2 1/4	2 3/4	3	3 1/2	3 3/4	
	Weight of adult dog	2kg	5kg	10kg	15kg	20kg	25kg	30kg	35kg	40kg	50kg
	RDA in g	155g	310g	525g	710g	880g	1040g	1190g	1340g	1480g	1750g
	1 can = 285g	1/2	1	1 1/4	2 1/2	3	3 2/3	4 1/4	4 3/4	5 1/4	6



The Nutrition System for Carnivores





COMPLETE FOOD FOR MINI, MEDIUM AND MAXI ADULT DOGS



LAMB & BLUEBERRY

CANINE FORMULA



HIGH QUALITY GRASS FED LAMB.



ANCESTRAL CEREALS SUPPORT THE GLYCAEMIC CONTROL.



COMPLETE WET FOOD.



GENTLY STEAMED ONLY ONCE.

Composition:

lamb rack and shoulder (50%), herring, boiled chicken eggs, spelt, oats, fish oil, blueberry (4%), fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals.

Analytical constituents

moisture 75.00%; crude protein 10.50%; crude fat 7.00%; crude fibres 1.00%; crude ash 3.10%.

Additives per kg

Nutritional additives: Vitamin A 4000IU; Vitamin D3 400IU; Vitamin E 130mg; Choline chloride 400mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; Selenium (Selenised yeast inactivated): 0.00242mg; DL-methionine, technically pure 1000mg; Taurine 500mg; L-carnitine 50mg.

Instructions for use: see table. Individual needs vary and feeding should be adjusted as required to maintain your pet at a lean, healthy body weight. Initially it is advisable to mix N&D with the previously used diet. Feed your pets with a daily amount of food divided into at least two separate meals. Serve at room temperature. Always leave fresh and clean water available. Once the can has been opened, keep refrigerated and use within 48 hours. Produced 36 months before the best-before date printed on the pack. Net weight / Best before date / Lot N° / Factory registration number: see on can. Best before date is printed on the can.





available in size	140g	285g	
All Breed		<input checked="" type="checkbox"/>	
Mini Breed	<input checked="" type="checkbox"/>		

Feeding guide	Calorie Content M.E. (CEN) 1119kcal/kg - 4.68MJ/kg - 156.65 kcal/can (140g) - 318.90 kcal/can (285g)									
Weight of adult dog	1kg	2kg	3kg	4kg	5kg	6kg	7kg	8kg	9kg	10kg
RDA in g	90g	150g	205g	250g	300g	345g	385g	425g	465g	500g
1 can = 140g	2/3	1	1 1/2	1 3/4	2 1/4	2 1/2	2 3/4	3	3 1/3	3 1/2
Weight of adult dog	2kg	5kg	10kg	15kg	20kg	25kg	30kg	35kg	40kg	50kg
RDA in g	150g	300g	500g	680g	850g	1000g	1150g	1290g	1425g	1685g
1 can = 285g	1/2	1	1 1/4	2 1/3	3	3 1/2	4	4 1/2	5	6



The Nutrition System for Carnivores





N&D OCEAN

canine formulas

PUPPY FORMULAS

		DRY	WET
COD, PUMPKIN & CANTALOUPE MELON - PUPPY	Complete food for mini, medium and maxi puppies, and gestating or breastfeeding bitches		
COD & PUMPKIN - PUPPY	Complete food for mini, medium and maxi puppies, and gestating or breastfeeding bitches		

ADULT FORMULAS

COD & PUMPKIN	Complete food for mini, medium and maxi adult dogs		
HERRING & SHRIMP	Complete food for mini, medium and maxi adult dogs		
SALMON & COD	Complete food for mini, medium and maxi adult dogs		
COD & SQUID	Complete food for mini, medium and maxi adult dogs		
TROUT & SALMON	Complete food for mini, medium and maxi adult dogs		
HERRING & ORANGE	Complete food for mini, medium and maxi adult dogs		
COD, PUMPKIN & ORANGE	Complete food for mini, medium and maxi adult dogs		
SALMON, COD & CANTALOUPE MELON	Complete food for mini, medium and maxi adult dogs		
COD, SPELT, OATS & ORANGE	Complete food for mini, medium and maxi adult dogs		

Nutrition System for Carnivores



COMPLETE FOOD FOR PUPPIES AND GESTATING OR LACTATING BITCHES. 

COD, PUMPKIN & CANTALOUPE MELON PUPPY CANINE FORMULA



 **96%** of the protein is animal origin **0%** artificial preservatives **0%** grains

-  **COD FROM NORTH SEA.**
-  **HIGH ANIMAL PROTEIN LEVEL.**
-  **INTEGRATIONS FROM FRUIT AND VEGETABLES.**
-  **CONTAINS BOTANICAL ESSENCES.**

Composition:

cod (28%), dehydrated cod protein (27%), sweet potato, fish oil (from herring), dehydrated herring protein, dried pumpkin (5%), dehydrated shrimp (source of glucosamine and chondroitin sulphate), pea fibre, dried carrot, alfalfa meal, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried cantaloupe melon (0.5%), dried apple, dried pomegranate, dried spinach, psyllium husks and seeds, dried blueberry, sodium chloride, potassium chloride, calcium carbonate, dried brewers' yeast, turmeric (0.2%), aloe vera extract.

Analytical constituents

crude protein 35.00%; crude fat 20.00%; crude fibres 1.90%; moisture 9.00%; crude ash 8.50%; Calcium 1.10%; Phosphorus 0.91%; Omega 6 1.80%; Omega 3 2.50%; DHA 1.10%; EPA 0.80%; Glucosamine 1400mg/kg; Chondroitin sulphate 1100mg/kg.

Additives per kg

Nutritional additives: Vitamin A 16000IU; Vitamin D3 1600IU; Vitamin E 600mg; Vitamin C 160mg; Niacin 40mg; Calcium D-pantothenate 16mg; Vitamin B2 8mg; Vitamin B6 6.4mg; Vitamin B1 4.8mg; Biotin 0.40mg; Folic acid 0.48mg; Vitamin B12 0.1mg; Choline chloride 2800mg; Beta carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.8mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.6mg; Iron (Iron(II) chelate of glycine hydrate): 58.3mg; Copper (Copper chelate of hydroxy analogue of methionine): 15.8mg; Selenium (Selenised yeast inactivated): 0.00088mg; DL-methionine, technically pure 6000mg; Taurine 1000mg; L-carnitine 300mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.



available in size	800g	2.5kg	7kg	12kg
Mini	✓	✓	✓	
Medium-Maxi		✓		✓

Feeding guide Calorie Content (calculated) at a moisture content of 7%: M.E. (CEN) 4125kcal/kg 17.26MJ/kg - 1 cup = 100g = 412kcal/cup


Weight of adult dog	25kg (55.1 lbs)	30kg (66.1 lbs)	35kg (77.2 lbs)	40kg (88.2 lbs)	45kg (99.2 lbs)	50kg (110.2 lbs)	55kg (121.3 lbs)	60kg (132.3 lbs)	65kg (143.3 lbs)	70kg (154.3 lbs)
	2 months	160g - 1.66c	185g - 1.75c	200g - 2.00c	215g - 2.25c	230g - 2.25c	250g - 2.50c	265g - 2.66c	280g - 2.75c	300g - 3.00c
3 months	245g - 2.50c	280g - 2.75c	305g - 3.00c	335g - 3.33c	350g - 3.50c	370g - 3.75c	375g - 3.75c	390g - 4.00c	400g - 4.00c	425g - 4.25c
4 months	265g - 2.75c	300g - 3.00c	325g - 3.25c	355g - 3.50c	375g - 3.75c	395g - 4.00c	405g - 4.00c	425g - 4.25c	430g - 4.33c	450g - 4.50c
6 months	325g - 3.25c	370g - 3.75c	400g - 4.00c	450g - 4.50c	480g - 4.75c	520g - 5.25c	545g - 5.50c	585g - 5.75c	605g - 6.00c	645g - 6.50c
10 months	310g - 3.25c	375g - 3.75c	380g - 3.75c	415g - 4.25c	445g - 4.50c	485g - 4.75c	505g - 5.00c	540g - 5.50c	575g - 5.75c	610g - 6.00c
12 months	Adult	360g - 3.66c	395g - 4.00c	435g - 4.33c	465g - 4.66c	505g - 5.00c	525g - 5.25c	560g - 5.50c	585g - 5.75c	630g - 6.30c
16 months	Adult	Adult	Adult	440g - 4.50c	470g - 4.75c	510g - 5.00c	540g - 5.50c	585g - 5.75c	610g - 6.00c	645g - 6.50c

The recommended amount in the table are indicative and require an adjustment in order to get the optimal body weight. The dose can be divided into 2 daily meals or more. It is recommended to always leave fresh water at will.



COMPLETE FOOD FOR MINI, MEDIUM AND MAXI ADULT DOGS 

HERRING & ORANGE CANINE FORMULA



 **98%** of the protein is animal origin **0%** artificial preservatives **0%** grains

-  **HERRING FROM NORTH SEA.**
-  **HIGH ANIMAL PROTEIN LEVEL.**
-  **INTEGRATIONS FROM FRUIT AND VEGETABLES.**
-  **CONTAINS BOTANICAL ESSENCES.**

Composition:

herring (26%), dehydrated herring protein (25%), sweet potato, fish oil (from herring), dried eggs, pea fibre, dried carrot, alfalfa meal, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried sweet orange (0.5%), dried apple, dried pomegranate, dried spinach, psyllium husks and seeds (0.3%), dried blueberry, sodium chloride, dried brewers' yeast, turmeric (0.2%), aloe vera extract, glucosamine, chondroitin sulphate.

Analytical constituents

crude protein 34.00%; crude fat 18.00%; crude fibres 2.60%; moisture 9.00%; crude ash 7.80%; Calcium 0.90%; Phosphorus 0.80%; Omega-6 3.00%; Omega-3 1.20%; DHA 0.70%; EPA 0.40%; Glucosamine 1200mg/kg; Chondroitin sulphate 900mg/kg.

Additives per kg

Nutritional additives: Vitamin A 15000IU; Vitamin D3 1500IU; Vitamin E 600mg; Vitamin C 150mg; Niacin 37.5mg; Calcium D-pantothenate 15mg; Vitamin B2 7.5mg; Vitamin B6 6mg; Vitamin B1 4.5mg; Biotin 0.38mg; Folic acid 0.45mg; Vitamin B12 0.1mg; Choline chloride 2500mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.80mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.60mg; Iron (Iron(II) chelate of glycine hydrate): 58.30mg; Copper (Copper chelate of hydroxy analogue of methionine) 15.80mg; Selenium (Selenised yeast inactivated): 0.00088mg; DL-methionine, technically pure 4000mg; Taurine 1000mg; L-carnitine 300mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.



available in size	800g	2.5kg	7kg	12kg
Mini	✓	✓	✓	
Medium-Maxi		✓		✓

Feeding guide Calorie Content (calculated) at a moisture content of 7%: M.E. (CEN) 3999kcal/kg - 16.73MJ/kg - 1 cup = 108g = 432kcal/cup

Weight of adult dog	10kg (22 lbs)	15kg (33.1 lbs)	20kg (44.1 lbs)	25kg (55.1 lbs)	30kg (66.1 lbs)	35kg (77.2 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)	60kg (132.3 lbs)	70kg (154.3 lbs)
	Min-Max Recommended Daily Quantity	90-160g 1.00-1.50c	125-230g 1.25-2.25c	155-270g 1.50-2.50c	180-330g 1.66-3.00c	210-365g 2.00-3.50c	235-410g 2.25-3.75c	260-455g 2.50-4.25c	305-540g 2.75-5.00c	350-615g 3.25-5.75c

The recommended amount in the table are indicative and require an adjustment in order to get the optimal body weight. The dose can be divided into 2 daily meals or more. It is recommended to always leave fresh water at will.




COMPLETE FOOD FOR MINI, MEDIUM AND MAXI ADULT DOGS



COD, PUMPKIN & ORANGE

CANINE FORMULA



96%
of the protein is
animal origin

0%
artificial preservatives

0%
grains



COD FROM NORTH SEA.



PUMPKIN, RICH IN SOLUBLE FIBER AND ANTIOXIDANTS.



INTEGRATIONS FROM FRUIT AND VEGETABLES.



CONTAINS BOTANICAL ESSENCES.

Composition:

cod (25%), dehydrated cod protein (25%), pea starch, fish oil (from herring), dried pumpkin (5%), pea fibre, dried carrot, alfalfa meal, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried sweet orange (0.5%), dried apple, dried pomegranate, dried spinach, psyllium husks and seeds (0.3%), dried blueberry, sodium chloride, dried brewers' yeast, turmeric (0.2%), aloe vera extract, glucosamine, chondroitin sulphate.

Analytical constituents

crude protein 30.00%; crude fat 18.00%; crude fibres 2.90%; moisture 9.00%; crude ash 7.30%; Calcium 0.80%; Phosphorus 0.70%; Omega-6 1.60%; Omega-3 2.30%; DHA 1.00%; EPA 0.70%; Glucosamine 1200mg/kg; Chondroitin sulphate 900mg/kg.

Additives per kg

Nutritional additives: Vitamin A 15000IU; Vitamin D3 1500IU; Vitamin E 600mg; Vitamin C 150mg; Niacin 37.5mg; Calcium D-pantothenate 15mg; Vitamin B2 7.5mg; Vitamin B6 6mg; Vitamin B1 4.5mg; Biotin 0.38mg; Folic acid 0.45mg; Vitamin B12 0.1mg; Choline chloride 2500mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.80mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.60mg; Iron (Iron(II) chelate of glycine hydrate): 58.30mg; Copper (Copper chelate of hydroxy analogue of methionine) 15.80mg; Selenium (Selenised yeast inactivated): 0.00088mg; DL-methionine, technically pure 4000mg; Taurine 1000mg; L-carnitine 300mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.



available in size	800g	2.5kg	7kg	12kg
Mini	✓	✓	✓	✓
Medium-Maxi		✓		✓

Feeding guide	Calorie Content (calculated) at a moisture content of 7%: M.E. (CEN) 3980kcal/kg - 16.65MJ/kg - 1 cup = 100g = 398kcal/cup									
	1kg (2.2 lbs)	5kg (11 lbs)	10kg (22 lbs)	20kg (44.1 lbs)	30kg (66.1 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)	60kg (132.2 lbs)	70kg (154.3 lbs)	
Weight of adult dog										
Min-Max Recommended Daily Quantity	16-30g 0.25-0.33c	55-95g 0.50-1.00c	90-160g 1.00-1.66c	150-270g 1.50-2.75c	205-365g 2.00-3.75c	255-450g 2.50-4.50c	300-530g 3.00-5.25c	350-610g 3.50-6.00c	390-685g 4.00-6.75c	

The recommended amount in the table are indicative and require an adjustment in order to get the optimal body weight. The dose can be divided into 2 daily meals or more. It is recommended to always leave fresh water at will.




COMPLETE FOOD FOR MINI, MEDIUM AND MAXI ADULT DOGS



SALMON, COD & CANTALOUPE MELON

CANINE FORMULA



96%
of the protein is
animal origin

0%
artificial preservatives

0%
grains



COD & SALMON FROM NORTH SEA.



HIGH ANIMAL PROTEIN LEVEL.



INTEGRATIONS FROM FRUIT AND VEGETABLES.



CONTAINS BOTANICAL ESSENCES.

Composition:

salmon (20%), dehydrated salmon protein (20%), sweet potato, cod (10%), dehydrated cod protein (10%), fish oil (from herring), dehydrated herring protein, pea fibre, dried carrot, alfalfa meal, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried cantaloupe melon (0.5%), dried blueberry, dried apple, dried spinach, psyllium husks and seeds, dried pomegranate, sodium chloride, potassium chloride, dried brewers' yeast, turmeric (0.2%), aloe vera extract, glucosamine, chondroitin sulphate.

Analytical constituents

crude protein 30.00%; crude fat 18.00%; crude fibres 2.90%; moisture 9.00%; crude ash 8.50%; Calcium 0.80%; Phosphorus 0.70%; Omega 6 1.60%; Omega 3 2.30%; DHA 1.00%; EPA 0.70%; Glucosamine 1200mg/kg; Chondroitin sulphate 900mg/kg.

Additives per kg

Nutritional additives: Vitamin A 15000IU; Vitamin D3 1500IU; Vitamin E 600mg; Vitamin C 150mg; Niacin 37.5mg; Calcium D-pantothenate 15mg; Vitamin B2 7.5mg; Vitamin B6 6mg; Vitamin B1 4.5mg; Biotin 0.38mg; Folic acid 0.45mg; Vitamin B12 0.1mg; Choline chloride 2500mg; Beta carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.8mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.6mg; Iron [Iron(II) chelate of glycine hydrate]: 58.3mg; Copper (Copper chelate of hydroxy analogue of methionine): 15.8mg; Selenium (Selenised yeast inactivated): 0.00088mg; DL-methionine, technically pure 4000mg; Taurine 1000mg; L-carnitine 300mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.



available in size	800g	2.5kg	7kg	12kg
Mini	✓	✓	✓	✓
Medium-Maxi		✓		✓
Maxi Giant				✓

Feeding guide	Calorie Content (calculated) at a moisture content of 7%: M.E. (CEN) 3937kcal/kg - 16.47MJ/kg - 1 Cup = 100g = 394kcal/cup									
	1kg (2.2 lbs)	5kg (11 lbs)	10kg (22 lbs)	20kg (44.1 lbs)	30kg (66.1 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)	60kg (132.2 lbs)	70kg (154.3 lbs)	
Weight of adult dog										
Min-Max Recommended Daily Quantity	20-30g 0.25-0.33c	55-95g 0.50-1.00c	90-160g 1.00-1.66c	150-270g 1.50-2.75c	205-365g 2.00-3.66c	255-450g 2.50-4.50c	300-530g 3.00-5.33c	350-610g 3.50-6.00c	390-685g 4.00-6.75c	

The recommended amount in the table are indicative and require an adjustment in order to get the optimal body weight. The dose can be divided into 2 daily meals or more. It is recommended to always leave fresh water at will.




COMPLETE FOOD FOR MINI, MEDIUM AND MAXI ADULT DOGS



COD, SPELT, OATS & ORANGE

CANINE FORMULA



90% of the protein is animal origin
0% artificial preservatives
0% corn

- HERRING FROM NORTH SEA.
- ANCESTRAL CEREALS SUPPORT THE GLYCAEMIC CONTROL.
- INTEGRATIONS FROM FRUIT AND VEGETABLES.
- CONTAINS BOTANICAL ESSENCES.

Composition:

cod (24%), dehydrated cod protein (24%), fish oil (from herring), spelt (10%), oats (10%), dried beet pulp, dried carrot, alfalfa meal, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried sweet orange (0.5%), dried apple, dried pomegranate, dried spinach, psyllium husks and seeds (0.3%), dried blueberry, sodium chloride, dried brewers' yeast, turmeric (0.2%), aloe vera extract, glucosamine, chondroitin sulphate.

Analytical constituents

crude protein 30.00%; crude fat 18.00%; crude fibres 2.90%; moisture 9.00%; crude ash 6.90%; Calcium 0.80%; Phosphorus 0.70%; Omega-6 1.60%; Omega-3 2.30%; DHA 1.00%; EPA 0.70%; Glucosamine 1200mg/kg; Chondroitin sulphate 900mg/kg.

Additives per kg

Nutritional additives: Vitamin A 15000IU; Vitamin D3 1500IU; Vitamin E 600mg; Vitamin C 150mg; Niacin 37.5mg; Calcium D-pantothenate 15mg; Vitamin B2 7.5mg; Vitamin B6 6mg; Vitamin B1 4.5mg; Biotin 0.38mg; Folic acid 0.45mg; Vitamin B12 0.1mg; Choline chloride 2500mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.80mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.60mg; Iron (Iron(II) chelate of glycine hydrate): 58.30mg; Copper (Copper chelate of hydroxy analogue of methionine) 15.80mg; Selenium (Selenised yeast inactivated): 0.00088mg; DL-methionine, technically pure 4000mg; Taurine 1000mg; L-carnitine 300mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.



available in size	800g	2.5kg	7kg	12kg
Mini	✓	✓	✓	
Medium-Maxi		✓		✓

Feeding guide	Calorie Content (calculated) at a moisture content of 7%: M.E. (CEN) 3994kcal/kg - 16.71MJ/kg - 1 cup = 100g = 399kcal/cup									
	10kg (22 lbs)	15kg (33.1 lbs)	20kg (44.1 lbs)	25kg (55.1 lbs)	30kg (66.1 lbs)	35kg (77.2 lbs)	40kg (88.2 lbs)	50kg (110.2 lbs)	60kg (132.2 lbs)	70kg (154.3 lbs)
Weight of adult dog										
Min-Max Recommended Daily Quantity	90-160g 1.00-1.66c	125-220g 1.25-2.25c	155-270g 1.50-2.75c	180-325g 1.75-3.25c	210-370g 2.25-3.75c	230-410g 2.33-4.00c	260-460g 2.66-4.66c	305-540g 3.00-5.50c	350-620g 3.50-6.25c	400-700g 4.00-7.00c

The recommended amount in the table are indicative and require an adjustment in order to get the optimal body weight. The dose can be divided into 2 daily meals or more. It is recommended to always leave fresh water at will.



COMPLETE FOOD FOR PUPPIES AND GESTATING OR BREASTFEEDING BITCHES



COD & PUMPKIN PUPPY

CANINE FORMULA



- ANIMAL PROTEIN EXCLUSIVELY FROM SELECT FISH AND SEAFOOD.
- MADE WITHOUT GUMS, GUAR OR CARRAGEENAN.
- COMPLETE WET FOOD.
- GENTLY STEAMED ONLY ONCE.

Composition:

cod fillet (50%), herring, salmon fillet, tuna, pumpkin (5%), sweet potato, fish oil, animal fat, shrimp, fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals.

Analytical constituents

moisture 75.50%; crude protein 11.50%; crude fat 2.80%; crude fibres 0.50%; crude ash 2.90%.

Additives per kg

Nutritional additives: Vitamin A 4000IU; Vitamin D3 400IU; Vitamin E 130mg; Choline chloride 400mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron (Iron(II) chelate of glycine hydrate): 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; Selenium (Selenised yeast inactivated): 0.00242mg; DL-methionine, technically pure 1000mg; Taurine 500mg; L-carnitine 50mg.

Instruction for use: see table. Individual needs vary and feeding should be adjusted as required to maintain your pet at a lean, healthy body weight. Initially it is advisable to mix N&D with the previously used diet. Feed your pets with a daily amount of food divided into at least two separate meals. Serve at room temperature. Always leave fresh and clean water available. Once the can has been opened, keep refrigerated and use within 48 hours. Produced 36 months before the best-before date printed on the pack. Net weight/Best before date/Lot N°/Factory registration number: see on can. Best before date is printed on the can.

available in size	140g	285g
All Breed		✓
Mini Breed	✓	

Feeding guide	Calorie Content M.E. (CEN) 956 kcal/kg - 4.00MJ/kg - 133.80 kcal/can (140g) - 272.50 kcal/can (285g)									
	0.5kg	1kg	1.5kg	2kg	2.5kg	3kg	4kg	5kg	6kg	7kg
Weight of adult dog										
RDA in g	130g	215g	295g	365g	430g	495g	615g	725g	830g	935g
1 can = 140g	1	1 1/2	2	2 2/3	3	3 1/2	4 1/3	5 1/4	6	6 2/3
Weight of adult dog	2kg	5kg	7kg	10kg	12kg	15kg	20kg	25kg	30kg	40kg
RDA in g	365g	725g	935g	1175g	1220g	1275g	1580g	1870g	2145g	2660g
1 can = 285g	1 1/4	2 1/2	3 1/4	4	4 1/4	4 1/2	5 1/2	6 1/2	7 1/2	9 1/3





COMPLETE FOOD FOR MINI, MEDIUM AND MAXI ADULT DOGS



COD & PUMPKIN

CANINE FORMULA



- ANIMAL PROTEIN EXCLUSIVELY FROM SELECT FISH AND SEAFOOD.
- MADE WITHOUT GUMS, GUAR OR CARRAGEENAN.
- COMPLETE WET FOOD.
- GENTLY STEAMED ONLY ONCE.

Composition:

cod fillet (60%), herring, tuna, pumpkin (5%), sweet potato, fish oil, animal fat, shrimp, fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals.



Analytical constituents

moisture 76.00%; crude protein 11.00%; crude fat 2.80%; crude fibres 0.90%; crude ash 2.70%.

Additives per kg

Nutritional additives: Vitamin A 4000IU; Vitamin D3 400IU; Vitamin E 130mg; Choline chloride 400mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; Selenium (Selenised yeast inactivated): 0.00242mg; DL-methionine, technically pure 1000mg; Taurine 500mg; L-carnitine 50mg.

Instruction for use: see table. Individual needs vary and feeding should be adjusted as required to maintain your pet at a lean, healthy body weight. Initially it is advisable to mix N&D with the previously used diet. Feed your pets with a daily amount of food divided into at least two separate meals. Serve at room temperature. Always leave fresh and clean water available. Once the can has been opened, keep refrigerated and use within 48 hours. Produced 36 months before the best-before date printed on the pack. Net weight/Best before date/Lot N°/Factory registration number: see on can. Best before date is printed on the can.

available in size	140g	285g	
All Breed		✓	
Mini Breed	✓		

Feeding guide Calorie Content M.E. (CEN) 914kcal/kg - 3.82MJ/kg - 128.00 kcal/can (140g) - 260.50 kcal/can (285g)

	Weight of adult dog	1kg	2kg	3kg	4kg	5kg	6kg	7kg	8kg	9kg	10kg
	RDA in g	110g	185g	250g	310g	365g	420g	470g	520g	570g	615g
	1 can = 140g	3/4	1 1/3	1 3/4	2 1/4	2 2/3	3	3 1/3	3 3/4	4	4 1/3
	Weight of adult dog	2kg	5kg	10kg	15kg	20kg	25kg	30kg	35kg	40kg	50kg
	RDA in g	185g	365g	615g	830g	1035g	1225g	1400g	1575g	1740g	2055g
	1 can = 285g	2/3	1 1/3	2 1/4	3	3 2/3	4 1/3	5	5 1/2	6	7 1/4



COMPLETE FOOD FOR MINI, MEDIUM AND MAXI ADULT DOGS



HERRING & SHRIMP

CANINE FORMULA



- ANIMAL PROTEIN EXCLUSIVELY FROM SELECT FISH AND SEAFOOD.
- MADE WITHOUT GUMS, GUAR OR CARRAGEENAN.
- COMPLETE WET FOOD.
- GENTLY STEAMED ONLY ONCE.

Composition:

herring (50%), cod fillet, tuna, shrimp (5%), sweet potato, fish oil, animal fat, fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals.



Analytical constituents

moisture 76.00%; crude protein 11.00%; crude fat 5.00%; crude fibres 0.50%; crude ash 2.70%.

Additives per kg

Nutritional additives: Vitamin A 4000IU; Vitamin D3 400IU; Vitamin E 130mg; Choline chloride 400mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; Selenium (Selenised yeast inactivated): 0.00242mg; DL-methionine, technically pure 1000mg; Taurine 500mg; L-carnitine 50mg.

Instruction for use: see table. Individual needs vary and feeding should be adjusted as required to maintain your pet at a lean, healthy body weight. Initially it is advisable to mix N&D with the previously used diet. Feed your pets with a daily amount of food divided into at least two separate meals. Serve at room temperature. Always leave fresh and clean water available. Once the can has been opened, keep refrigerated and use within 48 hours. Produced 36 months before the best-before date printed on the pack. Net weight/Best before date/Lot N°/Factory registration number: see on can. Best before date is printed on the can.

available in size	140g	285g	
All Breed		✓	
Mini Breed	✓		

Feeding guide Calorie Content M.E. (CEN) 1045 kcal/kg - 4.37MJ/kg - 146.30 kcal/can (140g) - 297.80 kcal/can (285g)

	Weight of adult dog	1kg	2kg	3kg	4kg	5kg	6kg	7kg	8kg	9kg	10kg
	RDA in g	95g	160g	215g	270g	320g	365g	410g	455g	495g	540g
	1 can = 140g	2/3	1 1/4	1 1/2	2	2 1/3	2 2/3	3	3 1/4	3 1/2	3 3/4
	Weight of adult dog	2kg	5kg	10kg	15kg	20kg	25kg	30kg	35kg	40kg	50kg
	RDA in g	160g	320g	540g	730g	905g	1070g	1225g	1375g	1520g	1800g
	1 can = 285g	1/2	1 1/4	1 3/4	2 1/2	3 1/4	3 3/4	4 1/3	4 3/4	5 1/3	6 1/3





COMPLETE FOOD FOR MINI, MEDIUM AND MAXI ADULT DOGS



SALMON & COD

CANINE FORMULA



- ANIMAL PROTEIN EXCLUSIVELY FROM SELECT FISH AND SEAFOOD.
- MADE WITHOUT GUMS, GUAR OR CARRAGEENAN.
- COMPLETE WET FOOD.
- GENTLY STEAMED ONLY ONCE.



Composition:

salmon fillet (30%), cod fillet (30%), herring, tuna, sweet potato, fish oil, animal fat, shrimp, fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals.



Analytical constituents

moisture 76.00%; crude protein 11.00%; crude fat 2.80%; crude fibres 0.50%; crude ash 2.70%.

Additives per kg

Nutritional additives: Vitamin A 4000IU; Vitamin D3 400IU; Vitamin E 130mg; Choline chloride 400mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; Selenium (Selenised yeast inactivated): 0.00242mg; DL-methionine, technically pure 1000mg; Taurine 500mg; L-carnitine 50mg.

Instruction for use: see table. Individual needs vary and feeding should be adjusted as required to maintain your pet at a lean, healthy body weight. Initially it is advisable to mix N&D with the previously used diet. Feed your pets with a daily amount of food divided into at least two separate meals. Serve at room temperature. Always leave fresh and clean water available. Once the can has been opened, keep refrigerated and use within 48 hours. Produced 36 months before the best-before date printed on the pack. Net weight/Best before date/Lot N°/Factory registration number: see on can. Best before date is printed on the can.

available in size	140g	285g	
All Breed		✓	
Mini Breed	✓		

Feeding guide	Calorie Content M.E. (CEN) 942 kcal/kg - 3.94MJ/kg - 131.90 kcal/can (140g) - 268.50 kcal/can (285g)									
Weight of adult dog	1kg	2kg	3kg	4kg	5kg	6kg	7kg	8kg	9kg	10kg
RDA in g	105g	180g	240g	300g	355g	405g	455g	505g	550g	595g
1 can = 140g	3/4	1 1/3	1 3/4	2 1/4	2 1/2	2 3/4	3 1/4	3 2/3	4	4 1/4
Weight of adult dog	2kg	5kg	10kg	15kg	20kg	25kg	30kg	35kg	40kg	50kg
RDA in g	180g	355g	595g	810g	1000g	1185g	1360g	1530g	1690g	1995g
1 can = 285g	2/3	1 1/4	2	2 3/4	3 1/2	4 1/4	4 3/4	5 1/3	6	7



COMPLETE FOOD FOR MINI, MEDIUM AND MAXI ADULT DOGS



COD & SQUID

CANINE FORMULA



- ANIMAL PROTEIN EXCLUSIVELY FROM SELECT FISH AND SEAFOOD.
- MADE WITHOUT GUMS, GUAR OR CARRAGEENAN.
- COMPLETE WET FOOD.
- GENTLY STEAMED ONLY ONCE.



Composition:

cod fillet (30%), herring, tuna, squid (10%), sweet potato, fish oil, animal fat, shrimp, fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals.



Analytical constituents

moisture 76.00%; crude protein 12.00%; crude fat 2.80%; crude fibres 0.50%; crude ash 2.70%.

Additives per kg

Nutritional additives: Vitamin A 4000IU; Vitamin D3 400IU; Vitamin E 130mg; Choline chloride 400mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; Selenium (Selenised yeast inactivated): 0.00242mg; DL-methionine, technically pure 1000mg; Taurine 500mg; L-carnitine 50mg.

Instruction for use: see table. Individual needs vary and feeding should be adjusted as required to maintain your pet at a lean, healthy body weight. Initially it is advisable to mix N&D with the previously used diet. Feed your pets with a daily amount of food divided into at least two separate meals. Serve at room temperature. Always leave fresh and clean water available. Once the can has been opened, keep refrigerated and use within 48 hours. Produced 36 months before the best-before date printed on the pack. Net weight/Best before date/Lot N°/Factory registration number: see on can. Best before date is printed on the can.

available in size	140g	285g	
All Breed		✓	
Mini Breed	✓		

Feeding guide	Calorie Content M.E. (CEN) 946 kcal/kg - 3.96MJ/kg - 132.40 kcal/can (140g) - 269.60 kcal/can (285g)									
Weight of adult dog	1kg	2kg	3kg	4kg	5kg	6kg	7kg	8kg	9kg	10kg
RDA in g	105g	180g	240g	300g	355g	405g	455g	505g	550g	595g
1 can = 140g	3/4	1 1/3	1 3/4	2 1/4	2 1/2	2 3/4	3 1/4	3 2/3	4	4 1/4
Weight of adult dog	2kg	5kg	10kg	15kg	20kg	25kg	30kg	35kg	40kg	50kg
RDA in g	180g	355g	595g	810g	1000g	1185g	1360g	1530g	1690g	1995g
1 can = 285g	2/3	1 1/4	2	2 3/4	3 1/2	4 1/4	4 3/4	5 1/3	6	7





COMPLETE FOOD FOR MINI, MEDIUM AND MAXI ADULT DOGS



TROUT & SALMON

CANINE FORMULA



-  ANIMAL PROTEIN EXCLUSIVELY FROM SELECT FISH AND SEAFOOD.
-  MADE WITHOUT GUMS, GUAR OR CARRAGEENAN.
-  COMPLETE WET FOOD.
-  GENTLY STEAMED ONLY ONCE.

Composition:

trout fillet (25%), salmon fillet (20%), cod fillet, herring, tuna, sweet potato, fish oil, animal fat, shrimp, fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals.



Analytical constituents

moisture 76.00%; crude protein 11.00%; crude fat 3.50%; crude fibres 0.50%; crude ash 2.50%.

Additives per kg

Nutritional additives: Vitamin A 4000IU; Vitamin D3 400IU; Vitamin E 130mg; Choline chloride 400mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron (Iron(II) chelate of glycine hydrate): 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; Selenium (Selenised yeast inactivated): 0.00242mg; DL-methionine, technically pure 1000mg; Taurine 500mg; L-carnitine 50mg.

Instruction for use: see table. Individual needs vary and feeding should be adjusted as required to maintain your pet at a lean, healthy body weight. Initially it is advisable to mix N&D with the previously used diet. Feed your pets with a daily amount of food divided into at least two separate meals. Serve at room temperature. Always leave fresh and clean water available. Once the can has been opened, keep refrigerated and use within 48 hours. Produced 36 months before the best-before date printed on the pack. Net weight/Best before date/Lot N°/Factory registration number: see on can. Best before date is printed on the can.

available in size	140g	285g	
All Breed		✓	
Mini Breed	✓		

Feeding guide	Calorie Content M.E. (CEN) 982 kcal/kg - 4.11MJ/kg - 137.50 kcal/can (140g) - 279.90 kcal/can (285g)									
 Weight of adult dog	1kg	2kg	3kg	4kg	5kg	6kg	7kg	8kg	9kg	10kg
 RDA in g	100g	170g	230g	290g	340g	390g	440g	485g	530g	570g
 1 can = 140g	3/4	1 1/4	1 2/3	2	2 1/2	2 3/4	3 1/4	3 1/2	3 3/4	4
 Weight of adult dog	2kg	5kg	10kg	15kg	20kg	25kg	30kg	35kg	40kg	50kg
 RDA in g	170g	340g	570g	775g	960g	1140g	1305g	1465g	1620g	1915g
 1 can = 285g	2/3	1 1/4	2	2 3/4	3 1/3	4	4 1/2	5 1/4	5 2/3	6 3/4



The Nutrition System for Carnivores





N&D PRIME

feline formulas



KITTEN FORMULAS

DRY WET

CHICKEN & POMEGRANATE KITTEN	Complete food for kittens, and gestating or breastfeeding queens		
---	--	--	--



ADULT FORMULAS

CHICKEN & POMEGRANATE	Complete food for adult cats		
WILD BOAR & APPLE	Complete food for adult cats		
LAMB & BLUEBERRY	Complete food for adult cats		



SPECIAL CARE FORMULAS


CHICKEN & POMEGRANATE NEUTERED	Complete food for neutered adult cats		
---	---------------------------------------	--	--

Nutrition System for Carnivores



CHICKEN & POMEGRANATE KITTEN

FELINE FORMULA



98% of the protein is animal origin

0% artificial preservatives

0% grains



HIGH QUALITY FREE RANGE ITALIAN CHICKEN.



HIGH ANIMAL PROTEIN LEVEL.



INTEGRATIONS FROM FRUIT AND VEGETABLES.



CONTAINS BOTANICAL ESSENCES.

Composition:

boneless chicken (30%), dehydrated chicken protein (28%), sweet potato, chicken fat, dried eggs, herring, dehydrated herring protein, fish oil (from herring), pea fibre, dried carrot, alfalfa meal, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried pomegranate (0.5%), dried apple, dried spinach, psyllium husks and seeds (0.3%), dried sweet orange, dried blueberry, sodium chloride, dried brewers' yeast, turmeric (0.2%), aloe vera extract.

Analytical constituents

crude protein 44.00%; crude fat 20.00%; crude fibres 1.80%; moisture 8.00%; crude ash 8.50%; Calcium 1.10%; Phosphorus 0.90%; Magnesium 0.08%; Omega-6 3.30%; Omega-3 0.90%; DHA 0.50%; EPA 0.30%.

Additives per kg

Nutritional additives: Vitamin A 18000IU; Vitamin D3 1200IU; Vitamin E 600mg; Vitamin C 300mg; Niacin 150mg; Calcium D-pantothenate 50mg; Vitamin B2 20mg; Vitamin B6 8.1mg; Vitamin B1 10mg; Biotin 1.5mg; folic acid 1.5mg; Vitamin B12 0.1mg; choline chloride 2500mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.8mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.6mg; Iron [Iron(II) chelate of glycine hydrate]: 58.3mg; Copper (Copper chelate of hydroxy analogue of methionine): 15.8mg; DL-methionine, technically pure 5000mg; taurine 4000mg; L-Carnitine 300mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.



available in size 300g 1.5kg 5kg 10kg

Feeding guide For kitten. Calorie Content (Calculated) at a moisture content of 6%. M. E. (CEN) 4204kcal/kg - 17.59MJ/kg - 1 cup = 98g = 412kcal/cup

Weight of kitten	Calorie Content (Calculated) at a moisture content of 6%						
	0.5kg (1.1 lbs)	1kg (2.2 lbs)	1.5kg (3.3 lbs)	2kg (4.4 lbs)	2.5kg (5.5 lbs)		
weaning	23-40g 0.25-0.40c	18-40g 0.20-0.40c	-	-	-		
1-3 months	23-27g 0.25-0.33c	36-45g 0.40-0.50c	54-63g 0.55-0.65c	63-72g 0.65-0.70c	-		
	18-23g 0.20-0.25c	32-36g 0.33-0.40c	45-54g 0.45-0.55c	54-60g 0.55-0.60c	63-68g 0.65-0.70c		
4-6 months	-	-	36-54g 0.33-0.55c	45-50g 0.45-0.50c	54-60g 0.55-0.60c	60-63g 0.60-0.65c	63-68g 0.65-0.70c
7-12 months	-	-	-	-	-	-	-

The recommended amount in the table are indicative and require an adjustment in order to get the optimal body weight. The dose can be divided into 2 daily meals or more. It is recommended to always leave fresh water at will.



The Nutrition System for Carnivores



CHICKEN & POMEGRANATE

FELINE FORMULA



98% of the protein is animal origin

0% artificial preservatives

0% grains



HIGH QUALITY FREE RANGE ITALIAN CHICKEN.



HIGH ANIMAL PROTEIN LEVEL.



INTEGRATIONS FROM FRUIT AND VEGETABLES.



CONTAINS BOTANICAL ESSENCES.

Composition:

boneless chicken (30%), dehydrated chicken protein (28%), sweet potato, chicken fat, dried eggs, herring, dehydrated herring protein, fish oil (from herring), pea fibre, dried carrot, alfalfa meal, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried pomegranate (0.5%), dried apple, dried spinach, psyllium husks and seeds (0.3%), dried sweet orange, dried blueberry, sodium chloride, dried brewers' yeast, turmeric (0.2%), aloe vera extract.

Analytical constituents

crude protein 44.00%; crude fat 20.00%; crude fibres 1.80%; moisture 8.00%; crude ash 8.50%; Calcium 1.10%; Phosphorus 0.90%; Magnesium 0.08%; Omega-6 3.30%; Omega-3 0.90%; DHA 0.50%; EPA 0.30%.

Additives per kg

Nutritional additives: Vitamin A 18000IU; Vitamin D3 1200IU; Vitamin E 600mg; Vitamin C 300mg; Niacin 150mg; Calcium D-pantothenate 50mg; Vitamin B2 20mg; Vitamin B6 8.1mg; Vitamin B1 10mg; Biotin 1.5mg; folic acid 1.5mg; Vitamin B12 0.1mg; choline chloride 2500mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.8mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.6mg; Iron [Iron(II) chelate of glycine hydrate]: 58.3mg; Copper (Copper chelate of hydroxy analogue of methionine): 15.8mg; DL-methionine, technically pure 5000mg; taurine 4000mg; L-Carnitine 300mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.



available in size 300g 1.5kg 5kg 10kg

Feeding guide For adult cat. Calorie Content (Calculated) at a moisture content of 6%. M. E. (CEN) 4204kcal/kg - 17.59MJ/kg - 1 cup = 98g = 412kcal/cup

Weight of adult cat	Calorie Content (Calculated) at a moisture content of 6%									
	2kg (4.4 lbs)	2.5kg (5.5 lbs)	3kg (6.6 lbs)	3.5kg (7.7 lbs)	4kg (8.8 lbs)	4.5kg (9.9 lbs)	5kg (11 lbs)	5.5kg (12.1 lbs)	6kg (13.2 lbs)	6.5kg (14.3 lbs)
Min-Max Recommended Daily Quantity	22-36g (0.25-0.33c)	25-42g (0.25-0.50c)	28-48g (0.25-0.50c)	32-52g (0.33-0.50c)	35-58g (0.33-0.66c)	38-62g (0.33-0.66c)	40-66g (0.50-0.66c)	42-70g (0.50-0.75c)	45-75g (0.50-0.75c)	48-80g (0.50-0.75c)

The recommended amount in the table are indicative and require an adjustment in order to get the optimal body weight. The dose can be divided into 2 daily meals or more. It is recommended to always leave fresh water at will.



The Nutrition System for Carnivores





COMPLETE FOOD FOR ADULT CATS



WILD BOAR & APPLE

FELINE FORMULA



98% of the protein is animal origin
0% artificial preservatives
0% grains



HIGH QUALITY ITALIAN WILD BOAR.



HIGH ANIMAL PROTEIN LEVEL.



INTEGRATIONS FROM FRUIT AND VEGETABLES.



CONTAINS BOTANICAL ESSENCES.

Composition:

wild boar (25%), dehydrated wild boar protein (23%), sweet potato, boneless chicken, dehydrated chicken protein, chicken fat, dried eggs, herring, dehydrated herring protein, fish oil (from herring), pea fibre, dried carrot, alfalfa meal, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligosaccharides), dried apple (0.5%), dried pomegranate, dried sweet orange, dried spinach, psyllium husks and seeds (0.3%), dried blueberry, sodium chloride, dried brewers' yeast, turmeric (0.2%), aloe vera extract.

Analytical constituents

crude protein 44.00%; crude fat 20.00%; crude fibres 1.80%; moisture 8.00%; crude ash 8.70%; Calcium 1.10%; Phosphorus 0.90%; Magnesium 0.08%; Omega-6 3.40%; Omega-3 0.90%; DHA 0.50%; EPA 0.30%.

Additives per kg

Nutritional additives: Vitamin A 18000IU; Vitamin D3 1200IU; Vitamin E 600mg; Vitamin C 300mg; Niacin 150mg; Calcium D-pantothenate 50mg; Vitamin B2 20mg; Vitamin B6 8.1mg; Vitamin B1 10mg; Biotin 1.5mg; folic acid 1.5mg; Vitamin B12 0.1mg; choline chloride 2500mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.8mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.6mg; Iron [Iron(II) chelate of glycine hydrate]: 58.3mg; Copper (Copper chelate of hydroxy analogue of methionine): 15.8mg; DL-methionine, technically pure 5000mg; Taurine 4000mg; L-carnitine 300mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.



300g 1.5kg 5kg
available in size

Feeding guide	Calorie Content (Calculated) at a moisture content of 6%: M. E. (CEN) 4197kcal/kg - 17.56MJ/kg - 1 cup = 98g = 411kcal/cup									
	2kg (4.4 lbs)	2.5kg (5.5 lbs)	3kg (6.6 lbs)	3.5kg (7.7 lbs)	4kg (8.8 lbs)	4.5kg (9.9 lbs)	5kg (11 lbs)	5.5kg (12.1 lbs)	6kg (13.2 lbs)	6.5kg (14.3 lbs)
Weight of adult cat										
Min-Max Recommended Daily Quantity	22-36g (0.25-0.33c)	25-42g (0.25-0.50c)	28-48g (0.25-0.50c)	32-52g (0.33-0.50c)	35-58g (0.33-0.66c)	38-62g (0.33-0.66c)	40-66g (0.50-0.66c)	42-70g (0.50-0.75c)	45-75g (0.50-0.75c)	48-80g (0.50-0.75c)

The recommended amount in the table are indicative and require an adjustment in order to get the optimal body weight. The dose can be divided into 2 daily meals or more. It is recommended to always leave fresh water at will.



COMPLETE FOOD FOR ADULT CATS



LAMB & BLUEBERRY

FELINE FORMULA



98% of the protein is animal origin
0% artificial preservatives
0% grains



HIGH QUALITY GRASS FED LAMB.



HIGH ANIMAL PROTEIN LEVEL.



INTEGRATIONS FROM FRUIT AND VEGETABLES.



CONTAINS BOTANICAL ESSENCES.

Composition:

lamb (28%), dehydrated lamb protein (26%), sweet potato, chicken fat, dried eggs, herring, dehydrated herring protein, fish oil (from herring), pea fibre, dried carrot, alfalfa meal, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried blueberry (0.5%), dried sweet orange, dried apple, dried pomegranate, dried spinach, psyllium husks and seeds (0.3%), sodium chloride, dried brewers' yeast, turmeric (0.2%), aloe vera extract.

Analytical constituents

crude protein 42.00%; crude fat 20.00%; crude fibres 1.80%; moisture 8.00%; crude ash 8.90%; Calcium 1.20%; Phosphorus 1.00%; Magnesium 0.09%; Omega-6 3.40%; Omega-3 0.90%; DHA 0.50%; EPA 0.30%.

Additives per kg

Nutritional additives: Vitamin A 18000IU; Vitamin D3 1200IU; Vitamin E 600mg; Vitamin C 300mg; Niacin 150mg; Calcium D-pantothenate 50mg; Vitamin B2 20mg; Vitamin B6 8.1mg; Vitamin B1 10mg; Biotin 1.5mg; folic acid 1.5mg; Vitamin B12 0.1mg; choline chloride 2500mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.8mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.6mg; Iron [Iron(II) chelate of glycine hydrate]: 58.3mg; Copper (Copper chelate of hydroxy analogue of methionine): 15.8mg; DL-methionine, technically pure 5000mg; taurine 4000mg; L-Carnitine 300mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.



300g 1.5kg 5kg 10kg
available in size

Feeding guide	Calorie Content (Calculated) at a moisture content of 6%: M. E. (CEN) 4178kcal/kg - 17.48MJ/kg - 1 cup = 98g = 409kcal/cup									
	2kg (4.4 lbs)	2.5kg (5.5 lbs)	3kg (6.6 lbs)	3.5kg (7.7 lbs)	4kg (8.8 lbs)	4.5kg (9.9 lbs)	5kg (11 lbs)	5.5kg (12.1 lbs)	6kg (13.2 lbs)	6.5kg (14.3 lbs)
Weight of adult cat										
Min-Max Recommended Daily Quantity	22-36g (0.25-0.33c)	25-42g (0.25-0.50c)	28-48g (0.25-0.50c)	32-52g (0.33-0.50c)	35-58g (0.33-0.66c)	38-62g (0.33-0.66c)	40-66g (0.50-0.66c)	42-70g (0.50-0.75c)	45-75g (0.50-0.75c)	48-80g (0.50-0.75c)

The recommended amount in the table are indicative and require an adjustment in order to get the optimal body weight. The dose can be divided into 2 daily meals or more. It is recommended to always leave fresh water at will.





COMPLETE FOOD FOR ADULT CATS



NEUTERED Chicken & Pomegranate

FELINE FORMULA



98% of the protein is animal origin
0% artificial preservatives
0% grains

- HIGH QUALITY FREE RANGE ITALIAN CHICKEN.
- HIGH ANIMAL PROTEIN LEVEL.
- INTEGRATIONS FROM FRUIT AND VEGETABLES.
- CONTAINS BOTANICAL ESSENCES.

Composition:

boneless chicken (30%), dehydrated chicken protein (28%), sweet potato, chicken fat, dried eggs, herring, dehydrated herring protein, fish oil (from herring), pea fibre, dried carrot, alfalfa meal, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried pomegranate (0.5%), dried apple, dried spinach, psyllium husks and seeds (0.3%), dried sweet orange, dried blueberry, sodium chloride, dried brewers' yeast, turmeric (0.2%), aloe vera extract.

Analytical constituents

protein 46.00%; crude fat 11.00%; crude fibres 5.10%; moisture 8.00%; crude ash 8.90%; Calcium 1.10%; Phosphorus 0.90%; Magnesium 0.08%; Omega-6 2.00%; Omega-3 0.45%; DHA 0.30%; EPA 0.10%.

Additives per kg

Nutritional additives: Vitamin A 18000IU; Vitamin D3 3700IU; Vitamin E 600mg; Vitamin C 300mg; Niacin 150mg; Calcium D-pantothenate 50mg; Vitamin B2 20mg; Vitamin B6 8.1mg; Vitamin B1 10mg; Biotin 1.5mg; folic Acid 1.5mg; Vitamin B12 0.1mg; choline chloride 2800mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.8mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.6mg; Iron [Iron(II) chelate of glycine hydrate]: 58.3mg; Copper (Copper chelate of hydroxy analogue of methionine): 15.8mg; DL-methionine, technically pure 5000mg; taurine 5000mg; L-Carnitine 400mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.



available in size 300g 1.5kg 5kg

Feeding guide	Calorie Content (Calculated) at a moisture content of 6%: M. E. (CEN) 3643kcal/kg - 15.24MJ/kg - 1 cup = 98g = 357kcal/cup									
	2kg (4.4 lbs)	2.5kg (5.5 lbs)	3kg (6.6 lbs)	3.5kg (7.7 lbs)	4kg (8.8 lbs)	4.5kg (9.9 lbs)	5kg (11 lbs)	5.5kg (12.1 lbs)	6kg (13.2 lbs)	6.5kg (14.3 lbs)
Weight of adult cat										
Min-Max Recommended Daily Quantity	24-32g 0.25-0.33c	28-38g 0.25-0.33c	32-42g 0.33-0.50c	36-48g 0.33-0.50c	40-52g 0.33-0.50c	42-56g 0.50-0.66c	45-60g 0.50-0.66c	48-65g 0.50-0.66c	52-68g 0.50-0.75c	54-72g 0.50-0.75c

The recommended amount in the table are indicative and require an adjustment in order to get the optimal body weight. The dose can be divided into 2 daily meals or more. It is recommended to always leave fresh water at will.



COMPLETE FOOD FOR KITTENS AND GESTATING OR BREASTFEEDING QUEENS



CHICKEN & POMEGRANATE KITTEN

FELINE FORMULA



- HIGH QUALITY FREE RANGE ITALIAN CHICKEN.
- MADE WITHOUT GUMS, GUAR OR CARRAGEENAN.
- COMPLETE WET FOOD.
- GENTLY STEAMED ONLY ONCE.



Composition:

chicken fillet (50%), chicken drumstick, pomegranate (4%), fish oil, animal fat, fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals.

Analytical constituents

moisture 74.00%; crude protein 14.50%; crude fat 4.50%; crude fibres 0.40%; crude ash 2.90%.

Additives per kg

Nutritional additives: Vitamin A 5600IU; Vitamin D3 370IU; Vitamin E 185mg; Choline chloride 584mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 41.4mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 7.8mg; Iron [Iron(II) chelate of glycine hydrate]: 19.6mg; Copper (Copper chelate of hydroxy analogue of methionine): 3.3mg; DL-methionine, technically pure 1750mg; Taurine 935mg; L-carnitine 58mg.

Instruction for use: see table. Individual needs vary and feeding should be adjusted as required to maintain your pet at a lean, healthy body weight. Initially it is advisable to mix N&D with the previously used diet. Feed your pets with a daily amount of food divided into at least two separate meals. Serve at room temperature. Always leave fresh and clean water available. Once the can has been opened, keep refrigerated and use within 48 hours. Produced 36 months before the best-before date printed on the pack. Net weight/Best before date/Lot N°/Factory registration number: see on can. Best before is printed on the can.

available in size 80g All Breed

Feeding guide	Calorie Content M.E. (CEN) M.E. 1115 kcal/kg - 4.67MJ/kg - 89.20 kcal/can (80g)									
	0.5kg	1kg	1.5kg	2kg	2.5kg	3kg	3.5kg	4kg	5kg	6kg
Weight of adult cat										
RDA in g	110g	180g	235g	260g	270g	300g	330g	365g	425g	480g
1can = 80g	1 1/3	2 1/4	3	3 1/4	3 1/3	3 3/4	4 1/4	4 1/2	5 1/3	6





COMPLETE FOOD FOR ADULT CATS



CHICKEN & POMEGRANATE

FELINE FORMULA



HIGH QUALITY FREE RANGE ITALIAN CHICKEN.



MADE WITHOUT GUMS, GUAR OR CARRAGEENAN.



COMPLETE WET FOOD.



GENTLY STEAMED ONLY ONCE.



Composition:

chicken fillet (45%), chicken drumstick, pomegranate (4%), fish oil, animal fat, fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals.



Analytical constituents

moisture 75.00%; crude protein 14.00%; crude fat 4.20%; crude fibres 0.70%; crude ash 2.50%.

Additives per kg

Nutritional additives: Vitamin A 4800IU; Vitamin D3 320IU; Vitamin E 160mg; Choline chloride 501mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; DL-methionine, technically pure 1500mg; Taurine 800mg; L-carnitine 50mg.

Instruction for use: see table. Individual needs vary and feeding should be adjusted as required to maintain your pet at a lean, healthy body weight. Initially it is advisable to mix N&D with the previously used diet. Feed your pets with a daily amount of food divided into at least two separate meals. Serve at room temperature. Always leave fresh and clean water available. Once the can has been opened, keep refrigerated and use within 48 hours.

available in size 80g
[All Breed](#)

Feeding guide	Calorie Content M.E. (CEN) M.E. 1062 kcal/kg - 4.44MJ/kg - 85.00 kcal/can (80g)									
Weight of adult cat	2kg	2.5kg	3kg	3.5kg	4kg	4.5kg	5kg	5.5kg	6kg	6.5kg
RDA in g	150g	175g	195g	215g	240g	255g	275g	295g	310g	330g
1can = 80g	1 3/4	2 1/4	2 1/3	2 2/3	3	3 1/4	3 1/2	3 2/3	3 3/4	4



The Nutrition System for Carnivores



COMPLETE FOOD FOR ADULT CATS



LAMB & BLUEBERRY

FELINE FORMULA



HIGH QUALITY GRASS FED LAMB.



MADE WITHOUT GUMS, GUAR OR CARRAGEENAN.



COMPLETE WET FOOD.



GENTLY STEAMED ONLY ONCE.



Composition:

lamb leg (55%), lamb liver, blueberry (4%), fish oil, animal fat, fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals.



Analytical constituents

moisture 75.00%; crude protein 12.00%; crude fat 6.50%; crude fibres 0.70%; crude ash 2.90%.

Additives per kg

Nutritional additives: Vitamin A 4800IU; Vitamin D3 320IU; Vitamin E 160mg; Choline chloride 501mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; DL-methionine 1500mg; Taurine 800mg; L-carnitine 50mg.

Instruction for use: see table. Individual needs vary and feeding should be adjusted as required to maintain your pet at a lean, healthy body weight. Initially it is advisable to mix N&D with the previously used diet. Feed your pets with a daily amount of food divided into at least two separate meals. Serve at room temperature. Always leave fresh and clean water available. Once the can has been opened, keep refrigerated and use within 48 hours.

available in size 80g
[All Breed](#)

Feeding guide	Calorie Content M.E. (CEN) M.E. 1140 kcal/kg - 4.77MJ/kg - 91.20 kcal/can (80g)									
Weight of adult cat	2kg	2.5kg	3kg	3.5kg	4kg	4.5kg	5kg	5.5kg	6kg	6.5kg
RDA in g	140g	160g	180g	200g	220g	240g	255g	275g	290g	305g
1can = 80g	1 3/4	2	2 1/4	2 1/2	2 3/4	3	3 1/4	3 1/2	3 2/3	3 3/4



The Nutrition System for Carnivores





COMPLETE FOOD FOR ADULT CATS



WILD BOAR & APPLE

FELINE FORMULA



HIGH QUALITY ITALIAN WILD BOAR.



MADE WITHOUT GUMS, GUAR OR CARRAGEENAN.



COMPLETE WET FOOD.



GENTLY STEAMED ONLY ONCE.

Composition:

wild boar shoulder (50%), wild boar shank, apple (4%), fish oil, animal fat, fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals.

Analytical constituents

moisture 75.00%; crude protein 13.00%; crude fat 5.00%; crude fibres 0.70%; crude ash 2.50%.

Additives per kg

Nutritional additives: Vitamin A 4800IU; Vitamin D3 320IU; Vitamin E 160mg; Choline chloride 501mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.80mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; DL-methionine 1500mg; Taurine 800mg; L-carnitine 50mg.




Instruction for use: see table. Individual needs vary and feeding should be adjusted as required to maintain your pet at a lean, healthy body weight. Initially it is advisable to mix N&D with the previously used diet. Feed your pets with a daily amount of food divided into at least two separate meals. Serve at room temperature. Always leave fresh and clean water available. Once the can has been opened, keep refrigerated and use within 48 hours.


available in size	80g
All Breed	<input checked="" type="checkbox"/>

Feeding guide	Calorie Content M.E. (CEN) M.E. 1092 kcal/kg - 4.57MJ/kg - 87.40 kcal/can (80g)									
Weight of adult cat	2kg	2.5kg	3kg	3.5kg	4kg	4.5kg	5kg	5.5kg	6kg	6.5kg
RDA in g	145g	170g	190g	215g	230g	250g	270g	290g	305g	320g
1can = 80g	1 3/4	2	2 1/3	2 2/3	2 3/4	3	3 1/3	3 1/2	3 3/4	4



The Nutrition System for Carnivores





N&D PUMPKIN

feline formulas

ADULT FORMULAS

		DRY	WET
QUAIL & POMEGRANATE	Complete food for adult cats		
QUAIL & PUMPKIN	Complete food for adult cats		
CHICKEN, PUMPKIN & POMEGRANATE	Complete food for adult cats		
WILD BOAR, PUMPKIN & APPLE	Complete food for adult cats		
LAMB, PUMPKIN & BLUEBERRY	Complete food for adult cats		
VENISON & PUMPKIN	Complete food for adult cats		
VENISON & APPLE	Complete food for adult cats		
DUCK & PUMPKIN	Complete food for adult cats		
DUCK & CANTALUPE MELON	Complete food for adult cats		

SPECIAL CARE FORMULAS

NEUTERED QUAIL & POMEGRANATE	Complete food for neutered adult cats		
NEUTERED LAMB & BLUEBERRY	Complete food for neutered adult cats		


Nutrition System for Carnivores

COMPLETE FOOD FOR ADULT CATS



QUAIL & POMEGRANATE

FELINE FORMULA



96%
of the protein is
animal origin

0%
artificial preservatives

0%
grains



HIGH QUALITY QUAIL.



PUMPKIN, RICH IN SOLUBLE FIBER AND ANTIOXIDANTS.



INTEGRATIONS FROM FRUIT AND VEGETABLES.



CONTAINS BOTANICAL ESSENCES.

Composition:

quail (30%), dehydrated quail protein (28%), pea starch, chicken fat, dried pumpkin (5%), dried eggs, herring, dehydrated herring protein, fish oil (from herring), dried carrot, alfalfa meal, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried pomegranate (0.5%), dried apple, dried spinach, psyllium husks and seeds (0.3%), dried sweet orange, dried blueberry, sodium chloride, dried brewers' yeast, turmeric (0.2%), aloe vera extract.

Analytical constituents

crude protein 44.00%; crude fat 20.00%; crude fibres 1.80%; moisture 8.00%; crude ash 8.70%; Calcium 1.10%; Phosphorus 0.90%; Magnesium 0.09%; Omega-3 3.30%; Omega-6 0.90%; DHA 0.50%; EPA 0.30%.

Additives per kg

Nutritional additives: Vitamin A 18000IU; Vitamin D3 1200IU; Vitamin E 600mg; Vitamin C 300mg; Niacin 150mg; Calcium D-pantothenate 50mg; Vitamin B2 20mg; Vitamin B6 8.1mg; Vitamin B1 10mg; Biotin 1.5mg; folic acid 1.5mg; Vitamin B12 0.1mg; Choline Chloride 2500mg; Beta-Carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.8mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.6mg; Iron [Iron(II) chelate of glycine hydrate]: 58.3mg; Copper (Copper chelate of hydroxy analogue of methionine): 15.8mg; DL-methionine, technically pure 5000mg; taurine 4000mg; L-Carnitine 300mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.



300g 1.5kg 5kg
available in size

Feeding guide	Calorie Content (calculated) at a moisture content of 6%; M.E. (CEN) 4197kcal/kg - 17.56MJ/kg - 1 cup = 98g = 411kcal/cup									
	Weight of adult cat	2kg (4.4 lbs)	2.5kg (5.5 lbs)	3kg (6.6 lbs)	3.5kg (7.7 lbs)	4kg (8.8 lbs)	4.5kg (9.9 lbs)	5kg (11 lbs)	5.5kg (12.1 lbs)	6kg (13.2 lbs)
Min-Max Recommended Daily Quantity	22-36g (0.25-0.33c)	25-42g (0.25-0.50c)	28-48g (0.25-0.50c)	32-52g (0.33-0.50c)	35-58g (0.33-0.66c)	38-62g (0.33-0.66c)	40-68g (0.50-0.66c)	42-72g (0.50-0.75c)	45-76g (0.50-0.75c)	48-80g (0.50-0.75c)

The recommended amount in the table are indicative and require an adjustment in order to get the optimal body weight. The dose can be divided into 2 daily meals or more. It is recommended to always leave fresh water at will.



The Nutrition System for Carnivores




COMPLETE FOOD FOR ADULT CATS



VENISON & APPLE

FELINE FORMULA



96%
of the protein is
animal origin

0%
artificial preservatives

0%
grains



HIGH QUALITY VENISON.



PUMPKIN, RICH IN SOLUBLE FIBER AND ANTIOXIDANTS.



INTEGRATIONS FROM FRUIT AND VEGETABLES.



CONTAINS BOTANICAL ESSENCES.

Composition:

venison (28%), dehydrated venison protein (26%), pea starch, chicken fat, dried pumpkin (5%), dried eggs, herring, dehydrated herring protein, fish oil (from herring), dried carrot, alfalfa meal, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried apple (0.5%), dried blueberry, dried pomegranate, dried spinach, psyllium husks and seeds (0.3%), dried sweet orange, sodium chloride, dried brewers' yeast, turmeric (0.2%), aloe vera extract.

Analytical constituents

crude protein 42.00%; crude fat 20.00%; crude fibres 1.80%; moisture 8.00%; crude ash 8.70%; Calcium 1.10%; Phosphorus 0.90%; Magnesium 0.09%; Omega-6 3.40%; Omega-3 0.90%; DHA 0.50%; EPA 0.30%.

Additives per kg

Nutritional additives: Vitamin A 18000IU; Vitamin D3 1200IU; Vitamin E 600mg; Vitamin C 300mg; Niacin 150mg; Calcium D-pantothenate 50mg; Vitamin B2 20mg; Vitamin B6 8.1mg; Vitamin B1 10mg; Biotin 1.5mg; folic acid 1.5mg; Vitamin B12 0.1mg; choline chloride 2500mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.8mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.6mg; Iron [Iron(II) chelate of glycine hydrate]: 58.3mg; Copper (Copper chelate of hydroxy analogue of methionine): 15.8mg; DL-methionine, technically pure 5000mg; taurine 4000mg; L-Carnitine 300mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.



300g 1.5kg 5kg
available in size

Feeding guide	Calorie Content (calculated) at a moisture content of 6%; M.E. (CEN) 4185kcal/kg - 17.51MJ/kg - 1 cup = 98g = 410kcal/cup									
	Weight of adult cat	2kg (4.4 lbs)	2.5kg (5.5 lbs)	3kg (6.6 lbs)	3.5kg (7.7 lbs)	4kg (8.8 lbs)	4.5kg (9.9 lbs)	5kg (11 lbs)	5.5kg (12.1 lbs)	6kg (13.2 lbs)
Min-Max Recommended Daily Quantity	22-36g (0.25-0.33c)	25-42g (0.25-0.50c)	28-48g (0.25-0.50c)	32-52g (0.33-0.50c)	35-58g (0.33-0.66c)	38-62g (0.33-0.66c)	40-68g (0.50-0.66c)	42-72g (0.50-0.75c)	45-76g (0.50-0.75c)	48-80g (0.50-0.75c)

The recommended amount in the table are indicative and require an adjustment in order to get the optimal body weight. The dose can be divided into 2 daily meals or more. It is recommended to always leave fresh water at will.



The Nutrition System for Carnivores



COMPLETE FOOD FOR ADULT CATS 

N&D DUCK & CANTALOUPE MELON

FELINE FORMULA

PUMPKIN



 **96%** of the protein is animal origin

0% artificial preservatives

0% grains

-  **HIGH QUALITY DUCK.**
-  **PUMPKIN, RICH IN SOLUBLE FIBER AND ANTIOXIDANTS.**
-  **INTEGRATIONS FROM FRUIT AND VEGETABLES.**
-  **CONTAINS BOTANICAL ESSENCES.**

Composition:

boneless duck (30%), dehydrated duck protein (28%), pea starch, chicken fat, dried pumpkin (5%), dried eggs, herring, dehydrated herring protein, fish oil (from herring), dried carrot, alfalfa meal, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried cantaloupe melon (0.5%), dried pomegranate, dried apple, deired spinach, psyllium husks and seeds (0.3%), dried sweet orange, dried blueberry, sodium chloride, dried brewers' yeast, turmeric (0.2%), aloe vera extract.

Analytical constituents

crude protein 44.00%; crude fat 20.00%; crude fibres 1.80%; moisture 8.00%; crude ash 8.70%; Calcium 1.10%; Phosphorus 0.90%; Magnesium 0.09%; Omega-6 3.30%; Omega-3 0.90%; DHA 0.50%; EPA 0.30%.

Additives per kg

Nutritional additives: Vitamin A 18000IU; Vitamin D3 1200IU; Vitamin E 600mg; Vitamin C 300mg; Niacin 150mg; Calcium D-pantothenate 50mg; Vitamin B2 20mg; Vitamin B6 8.1mg; Vitamin B1 10mg; Biotin 1.5mg; folic acid 1.5mg; Vitamin B12 0.1mg; Choline Chloride 2500mg; Beta-Carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.8mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.6mg; Iron [Iron(II) chelate of glycine hydrate]: 58.3mg; Copper (Copper chelate of hydroxy analogue of methionine): 15.8mg; DL-methionine, technically pure 5000mg; taurine 4000mg; L-Carnitine 300mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.



available in size 300g 1.5kg 5kg 

Feeding guide	Calorie Content (calculated) at a moisture content of 6%: M.E. (CEN) 4197kcal/kg - 17.56 MJ/kg - 1 cup = 98g = 411kcal/cup									
	2kg (4.4 lbs)	2.5kg (5.5 lbs)	3kg (6.6 lbs)	3.5kg (7.7 lbs)	4kg (8.8 lbs)	4.5kg (9.9 lbs)	5kg (11 lbs)	5.5kg (12.1 lbs)	6kg (13.2 lbs)	6.5kg (14.3 lbs)
Weight of adult cat										
Min-Max Recommended Daily Quantity	22-36g 0.25-0.33c	25-42g 0.25-0.50c	28-48g 0.25-0.50c	32-52g 0.33-0.50c	35-58g 0.33-0.66c	38-62g 0.33-0.66c	40-68g 0.50-0.66c	42-72g 0.50-0.75c	45-76g 0.50-0.75c	48-80g 0.50-0.75c

The recommended amount in the table are indicative and require an adjustment in order to get the optimal body weight. The dose can be divided into 2 daily meals or more. It is recommended to always leave fresh water at will.




COMPLETE FOOD FOR ADULT NEUTERED CATS 

N&D NEUTERED Quail & Pomegranate

FELINE FORMULA

PUMPKIN



 **96%** of the protein is animal origin

0% artificial preservatives

0% grains

-  **HIGH QUALITY QUAIL.**
-  **PUMPKIN, RICH IN SOLUBLE FIBER AND ANTIOXIDANTS.**
-  **INTEGRATIONS FROM FRUIT AND VEGETABLES.**
-  **CONTAINS BOTANICAL ESSENCES.**

Composition:

quail (32%), dehydrated quail protein (30%), pea starch, dried pumpkin (5%), dried eggs, chicken fat, herring, dehydrated herring protein, fish oil (from herring), dried carrot, alfalfa meal, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried pomegranate (0.5%), dried apple, dried spinach, psyllium husks and seeds (0.3%), dried sweet orange, dried blueberry, sodium chloride, dried brewers' yeast, turmeric (0.2%), aloe vera extract.

Analytical constituents

crude protein 46.00%; crude fat 11.00%; crude fibres 5.50%; moisture 8.00%; crude ash 8.70%; Calcium 1.10%; Phosphorus 0.90%; Magnesium 0.09%; Omega 6 2.00%; Omega 3 0.45%; DHA 0.30%; EPA 0.10%.

Additives per kg

Nutritional additives: Vitamin A 18000IU; Vitamin D3 1200IU; Vitamin E 600mg; Vitamin C 300mg; Niacin 150mg; Calcium D-pantothenate 50mg; Vitamin B2 20mg; Vitamin B6 8.1mg; Vitamin B1 10mg; Biotin 1.5mg; folic acid 1.5mg; Vitamin B12 0.1mg; choline chloride 2800mg; Beta carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.8mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.6mg; Iron [Iron(II) chelate of glycine hydrate]: 58.3mg; Copper (Copper chelate of hydroxy analogue of methionine): 15.8mg; DL-methionine, technically pure 5000mg; taurine 5000mg; L-Carnitine 400mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.



available in size 300g 1.5kg 5kg 

Feeding guide	Calorie Content (calculated) at moisture content of 6%: M.E. (CEN) 3631kcal/kg - 15.19MJ/kg - 1 cup = 98g = 356kcal/cup									
	2kg (4.4 lbs)	2.5kg (5.5 lbs)	3kg (6.6 lbs)	3.5kg (7.7 lbs)	4kg (8.8 lbs)	4.5kg (9.9 lbs)	5kg (11 lbs)	5.5kg (12.1 lbs)	6kg (13.2 lbs)	6.5kg (14.3 lbs)
Weight of adult cat										
Min-Max Recommended Daily Quantity	25-33g 0.25-0.33c	30-40g 0.33-0.50c	32-44g 0.33-0.50c	36-48g 0.33-0.50c	40-52g 0.33-0.50c	42-56g 0.50-0.66c	45-60g 0.50-0.66c	48-65g 0.50-0.66c	52-68g 0.50-0.66c	55-72g 0.50-0.75c

The recommended amount in the table are indicative and require an adjustment in order to get the optimal body weight. The dose can be divided into 2 daily meals or more. It is recommended to always leave fresh water at will.



COMPLETE FOOD FOR ADULT NEUTERED CATS



NEUTERED Lamb, Pumpkin & Blueberry

FELINE FORMULA



96% of the protein is animal origin

0% artificial preservatives

0% grains



HIGH QUALITY GRASS FED LAMB.



PUMPKIN, RICH IN SOLUBLE FIBER AND ANTIOXIDANTS.



INTEGRATIONS FROM FRUIT AND VEGETABLES.



CONTAINS BOTANICAL ESSENCES.

Composition:

lamb (32%), dehydrated lamb protein (30%), sweet potato, dehydrated herring protein, dried pumpkin (5%), dried eggs, chicken fat, fish oil (from herring), dried beet pulp, dried carrot, alfalfa meal, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried blueberry (0.5%), dried pomegranate, dried spinach, psyllium husks and seeds, dried sweet orange, dried apple, sodium chloride, dried brewers' yeast, turmeric (0.2%), aloe vera extract.

Analytical constituents

crude protein 46.00%; crude fat 11.00%; crude fibres 5.10%; moisture 8.00%; crude ash 8.90%; Calcium 1.20%; Phosphorus 1.00%; Magnesium 0.09%; Omega-6 2.00%; Omega-3 0.45%; DHA 0.30%; EPA 0.10%.

Additives per kg

Nutritional additives: Vitamin A 18000IU; Vitamin D3 1200IU; Vitamin E 600mg; Vitamin C 300mg; Nia-cin 150mg; Calcium D-pantothenate 50mg; Vitamin B2 20mg; Vitamin B6 8.1mg; Vitamin B1 10mg; Bi-otin 1.5mg; Folic acid 1.5mg; Vitamin B12 0.1mg; Choline chloride 2800mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.8; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.6; Iron [Iron(II) chelate of glycine hydrate]: 58.3; Copper (Copper chelate of hydroxy analogue of methionine): 15.8; DL-methionine, technically pure 5000mg; Taurine 5000mg; L-carnitine 400mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: to-copherol extracts from vegetable oils.



available in size 300g 1,5kg 5kg

Feeding guide Calorie Content (calculated) at moisture content of 6%: M.E. (CEN) 3643kcal/kg - 15.24MJ/kg - 1 cup=98g=357kcal/cup

Weight of adult cat	2kg (4.4 lbs)	2.5kg (5.5 lbs)	3kg (6.6 lbs)	3.5kg (7.7 lbs)	4kg (8.8 lbs)	4.5kg (9.9 lbs)	5kg (11 lbs)	5.5kg (12.1 lbs)	6kg (13.2 lbs)	6.5kg (14.3 lbs)
Min-Max Recommended Daily Quantity	25-33g 0.25-0.33c	30-40g 0.33-0.50c	32-44g 0.33-0.50c	36-48g 0.33-0.50c	40-52g 0.33-0.50c	42-56g 0.50-0.66c	45-60g 0.50-0.66c	48-65g 0.50-0.66c	52-68g 0.50-0.66c	56-72g 0.50-0.75c

The recommended amount in the table are indicative and require an adjustment in order to get the optimal body weight. The dose can be divided into 2 daily meals or more. It is recommended to always leave fresh water at will.



The Nutrition System for Carnivores



COMPLETE FOOD FOR ADULT CATS



QUAIL & PUMPKIN

FELINE FORMULA



HIGH QUALITY QUAIL.



MADE WITHOUT GUMS, GUAR OR CARRAGEENAN.



COMPLETE WET FOOD.



GENTLY STEAMED ONLY ONCE.



Composition:

quail fillet (30%), chicken fillet, chicken drumstick, pumpkin (5%), fish oil, animal fat, fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals.

Analytical constituents

moisture 75.00%; crude protein 13.00%; crude fat 4.20%; crude fibres 1.00%; crude ash 2.40%.

Additives per kg

Nutritional additives: Vitamin A 4800IU; Vitamin D3 320IU; Vitamin E 160mg; Choline chloride 501mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; DL-methionine, technically pure 1500mg; Taurine 800mg; L-carnitine 50mg.

Instruction for use: see table. Individual needs vary and feeding should be adjusted as required to maintain your pet at a lean, healthy body weight. Initially it is advisable to mix N&D with the previously used diet. Feed your pets with a daily amount of food divided into at least two separate meals. Serve at room temperature. Always leave fresh and clean water available. Once the can has been opened, keep refrigerated and use within 48 hours.

available in size 80g All Breed

Feeding guide Calorie Content M.E. (CEN) M.E. 1045 kcal/kg - 4.37MJ/kg - 83.60 kcal/can (80g)

Weight of adult cat	2kg	2.5kg	3kg	3.5kg	4kg	4.5kg	5kg	5.5kg	6kg	6.5kg
RDA in g	150g	175g	200g	220g	240g	260g	280g	300g	320g	335g
1can = 80g	1 3/4	2 1/4	2 1/2	2 3/4	3	3 1/4	3 1/2	3 3/4	4	4 1/4



The Nutrition System for Carnivores





COMPLETE FOOD FOR ADULT CATS



CHICKEN, PUMPKIN & POMEGRANATE

FELINE FORMULA



HIGH QUALITY FREE RANGE ITALIAN CHICKEN.



MADE WITHOUT GUMS, GUAR OR CARRAGEENAN.



COMPLETE WET FOOD.



GENTLY STEAMED ONLY ONCE.



Composition:

chicken fillet (40%), chicken drumstick, pumpkin (5%), pomegranate (4%), fish oil, animal fat, fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals.



Analytical constituents

moisture 75.00%; crude protein 13.00%; crude fat 4.20%; crude fibres 1.00%; crude ash 2.50%.

Additives per kg

Nutritional additives: Vitamin A 4800IU; Vitamin D3 320IU; Vitamin E 160mg; Choline chloride 501mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; DL-methionine, technically pure 1500mg; Taurine 800mg; L-carnitine 50mg.

Instruction for use: see table. Individual needs vary and feeding should be adjusted as required to maintain your pet at a lean, healthy body weight. Initially it is advisable to mix N&D with the previously used diet. Feed your pets with a daily amount of food divided into at least two separate meals. Serve at room temperature. Always leave fresh and clean water available. Once the can has been opened, keep refrigerated and use within 48 hours.

available in size 80g
All Breed

Feeding guide	Calorie Content M.E. (CEN) M.E. 1042 kcal/kg - 4.36MJ/kg - 83.40 kcal/can (80g)									
Weight of adult cat	2kg	2.5kg	3kg	3.5kg	4kg	4.5kg	5kg	5.5kg	6kg	6.5kg
RDA in g	150g	175g	200g	220g	240g	260g	280g	300g	320g	335g
1can = 80g	1 3/4	2 1/4	2 1/2	2 3/4	3	3 1/4	3 1/2	3 3/4	4	4 1/4



The Nutrition System for Carnivores



COMPLETE FOOD FOR ADULT CATS



WILD BOAR, PUMPKIN & APPLE

FELINE FORMULA



HIGH QUALITY ITALIAN WILD BOAR.



MADE WITHOUT GUMS, GUAR OR CARRAGEENAN.



COMPLETE WET FOOD.



GENTLY STEAMED ONLY ONCE.



Composition:

wild boar shoulder (45%), wild boar shank, pumpkin (5%), apple (4%), fish oil, animal fat, fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals.



Analytical constituents

moisture 75.00%; crude protein 12.50%; crude fat 5.00%; crude fibres 1.00%; crude ash 2.5%.

Additives per kg

Nutritional additives: Vitamin A 4800IU; Vitamin D3 320IU; Vitamin E 160mg; Choline chloride 501mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; DL-methionine, technically pure 1500mg; Taurine 800mg; L-carnitine 50mg.

Instruction for use: see table. Individual needs vary and feeding should be adjusted as required to maintain your pet at a lean, healthy body weight. Initially it is advisable to mix N&D with the previously used diet. Feed your pets with a daily amount of food divided into at least two separate meals. Serve at room temperature. Always leave fresh and clean water available. Once the can has been opened, keep refrigerated and use within 48 hours.

available in size 80g
All Breed

Feeding guide	Calorie Content M.E. (CEN) M.E. 1074 kcal/kg - 4.50MJ/kg - 85.90 kcal/can (80g)									
Weight of adult cat	2kg	2.5kg	3kg	3.5kg	4kg	4.5kg	5kg	5.5kg	6kg	6.5kg
RDA in g	150g	170g	190g	215g	235g	250g	270g	290g	305g	325g
1can = 80g	1 3/4	2	2 1/3	2 2/3	3	3 1/4	3 1/3	3 2/3	3 3/4	4



The Nutrition System for Carnivores





COMPLETE FOOD FOR ADULT CATS



LAMB, PUMPKIN & BLUEBERRY

FELINE FORMULA



HIGH QUALITY GRASS FED LAMB.



MADE WITHOUT GUMS, GUAR OR CARRAGEENAN.



COMPLETE WET FOOD.



GENTLY STEAMED ONLY ONCE.



Composition:

lamb leg (50%), lamb liver, pumpkin (5%), blueberry (4%), fish oil, animal fat, fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals.



Analytical constituents

moisture 75.00%; crude protein 11.50%; crude fat 6.50%; crude fibres 1.00%; crude ash 2.90%.

Additives per kg

Nutritional additives: Vitamin A 4800IU; Vitamin D3 320IU; Vitamin E 160mg; Choline chloride 501mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; DL-methionine, technically pure 1500mg; Taurine 800mg; L-carnitine 50mg.

Instruction for use: see table. Individual needs vary and feeding should be adjusted as required to maintain your pet at a lean, healthy body weight. Initially it is advisable to mix N&D with the previously used diet. Feed your pets with a daily amount of food divided into at least two separate meals. Serve at room temperature. Always leave fresh and clean water available. Once the can has been opened, keep refrigerated and use within 48 hours.

available in size 80g
All Breed

Feeding guide	Calorie Content M.E. (CEN) M.E. 1122 kcal/kg - 4.69MJ/kg - 89.80 kcal/can (80g)									
Weight of adult cat	2kg	2.5kg	3kg	3.5kg	4kg	4.5kg	5kg	5.5kg	6kg	6.5kg
RDA in g	140g	165g	185g	205g	225g	245g	260g	280g	295g	310g
1can = 80g	1 3/4	2	2 1/3	2 1/2	2 3/4	3	3 1/4	3 1/2	3 2/3	3 3/4



The Nutrition System for Carnivores



COMPLETE FOOD FOR ADULT CATS



VENISON & PUMPKIN

FELINE FORMULA



HIGH QUALITY VENISON.



MADE WITHOUT GUMS, GUAR OR CARRAGEENAN.



COMPLETE WET FOOD.



GENTLY STEAMED ONLY ONCE.



Composition:

venison shoulder (35%), chicken fillet, chicken drumstick, pumpkin (5%), fish oil, animal fat, fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals.



Analytical constituents

moisture 75.00%; crude protein 13.00%; crude fat 4.20%; crude fibres 1.00%; crude ash 3.00%.

Additives per kg

Nutritional additives: Vitamin A 4800IU; Vitamin D3 320IU; Vitamin E 160mg; Choline chloride 501mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; DL-methionine, technically pure 1500mg; Taurine 800mg; L-carnitine 50mg.

Instruction for use: see table. Individual needs vary and feeding should be adjusted as required to maintain your pet at a lean, healthy body weight. Initially it is advisable to mix N&D with the previously used diet. Feed your pets with a daily amount of food divided into at least two separate meals. Serve at room temperature. Always leave fresh and clean water available. Once the can has been opened, keep refrigerated and use within 48 hours.

available in size 80g
All Breed

Feeding guide	Calorie Content M.E. (CEN) M.E. 1024 kcal/kg - 4.29MJ/kg - 81.90 kcal/can (80g)									
Weight of adult cat	2kg	2.5kg	3kg	3.5kg	4kg	4.5kg	5kg	5.5kg	6kg	6.5kg
RDA in g	155g	180g	205g	225g	250g	265g	285g	305g	325g	340g
1can = 80g	2	2 1/4	2 1/2	2 3/4	3	3 1/3	3 1/2	3 3/4	4	4 1/4



The Nutrition System for Carnivores





COMPLETE FOOD FOR ADULT CATS



DUCK & PUMPKIN

FELINE FORMULA



HIGH QUALITY DUCK.



MADE WITHOUT GUMS, GUAR OR CARRAGEENAN.



COMPLETE WET FOOD.



GENTLY STEAMED ONLY ONCE.

Composition:

duck fillet (30%), chicken fillet, chicken drumstick, pumpkin (5%), fish oil, animal fat, fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals.

Analytical constituents

moisture 75.00%; crude protein 13.00%; crude fat 4.20%; crude fibres 1.00%; crude ash 2.50%.

Additives per kg

Nutritional additives: Vitamin A 4800IU; Vitamin D3 320IU; Vitamin E 160mg; Choline chloride 501mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; DL-methionine, technically pure 1500mg; Taurine 800mg; L-carnitine 50mg.




Instruction for use: see table. Individual needs vary and feeding should be adjusted as required to maintain your pet at a lean, healthy body weight. Initially it is advisable to mix N&D with the previously used diet. Feed your pets with a daily amount of food divided into at least two separate meals. Serve at room temperature. Always leave fresh and clean water available. Once the can has been opened, keep refrigerated and use within 48 hours.

available in size 80g
 All Breed

Feeding guide	Calorie Content M.E. (CEN) M.E. 1042 kcal/kg - 4.36MJ/kg - 83.40 kcal/can (80g)									
Weight of adult cat	2kg	2.5kg	3kg	3.5kg	4kg	4.5kg	5kg	5.5kg	6kg	6.5kg
RDA in g	150g	175g	200g	220g	240g	260g	280g	300g	320g	335g
1can = 80g	1 3/4	2 1/4	2 1/2	2 3/4	3	3 1/4	3 1/2	3 3/4	4	4 1/4



The Nutrition System for Carnivores





N&D ANCESTRAL GRAIN

feline formulas



ADULT FORMULAS

DRY

CHICKEN & POMEGRANATE	Complete food for adult cats	
LAMB & BLUEBERRY	Complete food for adult cats	



SPECIAL CARE FORMULAS

NEUTERED CHICKEN & POMEGRANATE	Complete food for neutered adult cats	
-----------------------------------	---------------------------------------	--

Nutrition System for Carnivores

COMPLETE FOOD FOR ADULT CATS



CHICKEN & POMEGRANATE

FELINE FORMULA



94% of the protein is animal origin
0% artificial preservatives
0% corn



HIGH QUALITY FREE RANGE ITALIAN CHICKEN.



ANCESTRAL CEREALS SUPPORT THE GLYCAEMIC CONTROL.



INTEGRATIONS FROM FRUIT AND VEGETABLES.



CONTAINS BOTANICAL ESSENCES.

Composition:

boneless chicken (24%), dehydrated chicken protein (24%), spelt (10%), oats (10%), chicken fat, dried eggs, herring, dehydrated herring protein, fish oil (from herring), dried beet pulp, dried carrot, alfalfa meal, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried pomegranate (0.5%), dried apple, dried spinach, psyllium husks and seeds (0.3%), dried sweet orange, dried blueberry, sodium chloride, dried brewers' yeast, turmeric (0.2%), aloe vera extract.

Analytical constituents

Crude protein 36.00%; Crude fat 20.00%; Crude fibres 1.90%; Moisture 8.00%; Crude ash 8.10%; Calcium 1.10%; Phosphorus 0.90%; Magnesium 0.08%; Omega-6 3.30%; Omega-3 0.90%; DHA 0.50%; EPA 0.30%.

Additives per kg

Nutritional additives: Vitamin A 18000IU; Vitamin D3 1200IU; Vitamin E 600mg; Vitamin C 300mg; Niacin 150mg; Calcium D-pantothenate 50mg; Vitamin B2 20mg; Vitamin B6 8.1mg; Vitamin B1 10mg; Biotin 1.5mg; Folic acid 1.5mg; Vitamin B12 0.1mg; Choline chloride 2500mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.80mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.60mg; Iron (Iron(II) chelate of glycine hydrate): 58.30mg; Copper (Copper chelate of hydroxy analogue of methionine 15.80mg; DL-methionine, technically pure 5000mg; Taurine 4000mg; L-carnitine 300mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.



300g 1.5kg 5kg
 available in size

Feeding guide	Calorie Content (calculated) at a moisture content of 6%: M.E. (CEN) 4165kcal/kg-17.43MJ/kg - 1 cup = 93g = 387kcal/cup									
	2kg (4.4 lbs)	2.5kg (5.5 lbs)	3kg (6.6 lbs)	3.5kg (7.7 lbs)	4kg (8.8 lbs)	4.5kg (9.9 lbs)	5kg (11 lbs)	5.5kg (12.1 lbs)	6kg (13.2 lbs)	6.5kg (14.3 lbs)
Weight of adult cat										
Min-Max Recommended Daily Quantity	22-36g 0.25-0.33c	25-42g 0.25-0.50c	28-48g 0.33-0.50c	32-52g 0.33-0.50c	35-58g 0.33-0.66c	38-62g 0.33-0.66c	40-66g 0.50-0.66c	42-70g 0.50-0.75c	45-75g 0.50-0.75c	48-80g 0.50-0.75c

The recommended amount in the table are indicative and require an adjustment in order to get the optimal body weight. The dose can be divided into 2 daily meals or more. It is recommended to always leave fresh water at will.



The Nutrition System for Carnivores




COMPLETE FOOD FOR ADULT CATS



LAMB & BLUEBERRY

FELINE FORMULA



94% of the protein is animal origin
0% artificial preservatives
0% corn



HIGH QUALITY GRASS FED LAMB.



ANCESTRAL CEREALS SUPPORT THE GLYCAEMIC CONTROL.



INTEGRATIONS FROM FRUIT AND VEGETABLES.



CONTAINS BOTANICAL ESSENCES.

Composition:

lamb (22%), dehydrated lamb protein (20%), spelt (10%), oats (10%), chicken fat, dried eggs, herring, dehydrated herring protein, fish oil (from herring), dried beet pulp, dried carrot, alfalfa meal, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried blueberry (0.5%), dried sweet orange, dried apple, dried pomegranate, dried spinach, psyllium husks and seeds (0.3%), sodium chloride, dried brewers' yeast, turmeric (0.2%), aloe vera extract.

Analytical constituents

Crude protein 36.00%; crude fat 20.00%; crude fibres 1.90%; moisture 8.00%; crude ash 8.10%; Calcium 1.10%; Phosphorus 0.90%; Magnesium 0.09%; Omega-6 3.40%; Omega-3 0.90%; DHA 0.50%; EPA 0.30.

Additives per kg

Nutritional additives: Vitamin A 18000IU; Vitamin D3 1200IU; Vitamin E 600mg; Vitamin C 300mg; Niacin 150mg; Calcium D-pantothenate 50mg; Vitamin B2 20mg; Vitamin B6 8.1mg; Vitamin B1 10mg; Biotin 1.5mg; Folic acid 1.5mg; Vitamin B12 0.1mg; Choline chloride 2500mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.80mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.60mg; Iron (Iron(II) chelate of glycine hydrate): 58.30mg; Copper (Copper chelate of hydroxy analogue of methionine 15.80mg; DL-methionine, technically pure 5000mg; Taurine 4000mg; L-carnitine 300mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.



300g 1.5kg 5kg
 available in size

Feeding guide	Calorie Content (calculated) at a moisture content of 6%: M.E. (CEN) 4165kcal/kg-17.43MJ/kg - 1 cup = 93g = 387kcal/cup									
	2kg (4.4 lbs)	2.5kg (5.5 lbs)	3kg (6.6 lbs)	3.5kg (7.7 lbs)	4kg (8.8 lbs)	4.5kg (9.9 lbs)	5kg (11 lbs)	5.5kg (12.1 lbs)	6kg (13.2 lbs)	6.5kg (14.3 lbs)
Weight of adult cat										
Min-Max Recommended Daily Quantity	22-38g 0.25-0.33c	26-44g 0.25-0.50c	30-50g 0.33-0.50c	33-55g 0.33-0.50c	36-60g 0.33-0.66c	40-65g 0.50-0.66c	42-70g 0.50-0.75c	44-74g 0.50-0.75c	48-78g 0.50-0.75c	50-82g 0.50-0.75c

The recommended amount in the table are indicative and require an adjustment in order to get the optimal body weight. The dose can be divided into 2 daily meals or more. It is recommended to always leave fresh water at will.



The Nutrition System for Carnivores



COMPLETE FOOD FOR ADULT CATS



NEUTERED Chicken & Pomegranate

FELINE FORMULA



94% of the protein is animal origin
0% artificial preservatives
0% corn



HIGH QUALITY FREE RANGE ITALIAN CHICKEN.



ANCESTRAL CEREALS SUPPORT THE GLYCAEMIC CONTROL.



INTEGRATIONS FROM FRUIT AND VEGETABLES.



CONTAINS BOTANICAL ESSENCES.

Composition:

boneless chicken (24%), dehydrated chicken protein (24%), spelt (10%), oats (10%), dried eggs, herring, dehydrated herring protein, dried beet pulp, chicken fat, fish oil (from herring), alfalfa meal, dried carrot, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried pomegranate (0.5%), dried apple, dried spinach, psyllium husks and seeds (0.3%), dried sweet orange, dried blueberry, sodium chloride, dried brewers' yeast, turmeric (0.2%), aloe vera extract.

Analytical constituents

Crude protein 38.00%; Crude fat 10.00%; Crude fibres 5.50%; Moisture 8.00%; Crude ash 8.30%; Calcium 1.10%; Phosphorus 0.90%; Magnesium 0.08%; Omega-6 1.80%; Omega-3 0.40%; DHA 0.25%; EPA 0.15%.

Additives per kg

Nutritional additives: Vitamin A 18000IU; Vitamin D3 1200IU; Vitamin E 600mg; Vitamin C 300mg; Niacin 150mg; Calcium D-pantothenate 50mg; Vitamin B2 20mg; Vitamin B6 8.1mg; Vitamin B1 10mg; Biotin 1.5mg; Folic acid 1.5mg; Vitamin B12 0.1mg; Choline chloride 2800mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.80mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.60mg; Iron (Iron(II) chelate of glycine hydrate): 58.30mg; Copper (Copper chelate of hydroxy analogue of methionine 15.80mg; DL-methionine, technically pure 5000mg; Taurine 5000mg; L-carnitine 400mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.



300g 1.5kg 5kg

available in size




Weight of adult cat	Calorie Content (calculated) at a moisture content of 6%: M.E. (CEN) 3557kcal/kg-14.88MJ/kg - 1 cup = 93g = 348kcal/cup									
	2kg (4.4 lbs)	2.5kg (5.5 lbs)	3kg (6.6 lbs)	3.5kg (7.7 lbs)	4kg (8.8 lbs)	4.5kg (9.9 lbs)	5kg (11 lbs)	5.5kg (12.1 lbs)	6kg (13.2 lbs)	6.5kg (14.3 lbs)
Min-Max Recommended Daily Quantity	24-32g 0.25-0.33c	28-38g 0.25-0.33c	32-42g 0.33-0.50c	36-48g 0.33-0.50c	40-52g 0.33-0.50c	42-56g 0.50-0.66c	45-60g 0.50-0.66c	48-65g 0.50-0.66c	52-68g 0.50-0.75c	54-72g 0.66-0.75c

The recommended amount in the table are indicative and require an adjustment in order to get the optimal body weight. The dose can be divided into 2 daily meals or more. It is recommended to always leave fresh water at will.



The Nutrition System for Carnivores





N&D OCEAN

feline formulas

KITTEN FORMULAS

		DRY	WET
TUNA, COD, SHRIMP & PUMPKIN - KITTEN	COMPLETE FOOD FOR KITTENS AND GESTATING OR BREASTFEEDING QUEENS		
COD, SHRIMP, PUMPKIN & CANTALOUPE MELON - KITTEN	COMPLETE FOOD FOR KITTENS AND GESTATING OR BREASTFEEDING QUEENS		

ADULT FORMULAS

TUNA, COD, SHRIMP & PUMPKIN	COMPLETE FOOD FOR ADULT CATS		
TUNA & SALMON	COMPLETE FOOD FOR ADULT CATS		
TUNA, SARDINE & SHRIMP	COMPLETE FOOD FOR ADULT CATS		
TUNA & SHRIMP	COMPLETE FOOD FOR ADULT CATS		
TUNA, SQUID & SHRIMP	COMPLETE FOOD FOR ADULT CATS		
HERRING & ORANGE	COMPLETE FOOD FOR ADULT CATS		
HERRING, PUMPKIN & ORANGE	COMPLETE FOOD FOR ADULT CATS		
COD, SPELT, OATS & ORANGE	COMPLETE FOOD FOR ADULT CATS		

SPECIAL CARE FORMULAS

NEUTERED HERRING & ORANGE	COMPLETE FOOD FOR NEUTERED ADULT CATS		
---------------------------	---------------------------------------	---	--

Nutrition System for Carnivores

COMPLETE FOOD FOR KITTENS,
GESTATING OR LACTATING CATS



COD, SHRIMP, PUMPKIN & CANTALOUPE MELON KITTEN FELINE FORMULA



96% of the protein is animal origin
0% artificial preservatives
0% grains



COD FROM NORTH SEA.



HIGH ANIMAL PROTEIN LEVEL.



INTEGRATIONS FROM FRUIT AND VEGETABLES.



CONTAINS BOTANICAL ESSENCES.

Composition:

cod (32%), dehydrated cod protein (30%), sweet potato, fish oil (from herring), dehydrated shrimp (5%), dried pumpkin (5%), dehydrated herring protein, dried carrot, alfalfa meal, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides, dried cantaloupe melon (0.5%), dried pomegranate, dried spinach, psyllium husks and seeds, dried blueberry, dried apple, sodium chloride, potassium chloride, dried brewers' yeast, turmeric (0.2%), aloe vera extract.

Analytical constituents

crude protein 44.00%; crude fat 20.00%; crude fibres 1.80%; moisture 8.00%; crude ash 8.50%; Calcium 1.00%; Phosphorus 0.90%; Magnesium 0.08%; Omega 6 3.10%; Omega 3 1.40%; DHA 0.70%; EPA 0.40%.

Additives per kg

Nutritional additives: Vitamin A 18000IU; Vitamin D3 1200IU; Vitamin E 600mg; Vitamin C 300mg; Niacin 150mg; Calcium D-pantothenate 50mg; Vitamin B2 20mg; Vitamin B6 8.1mg; Vitamin B1 10mg; Biotin 1.5mg; Folic acid 1.5mg; Vitamin B12 0.1mg; Choline chloride 2500mg; Beta carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.8mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.6mg; Iron [Iron(II) chelate of glycine hydrate]: 58.3mg; Copper (Copper chelate of hydroxy analogue of methionine): 15.8mg; DL-methionine, technically pure 5000mg; Taurine 4000mg; L-carnitine 300mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.



	300g	1,5kg	5kg
available in size	✓	✓	✓

Feeding guide For kitten
Calorie Content (Calculated) at a moisture content of 6%:
M. E. (CEN) 4204kcal/kg - 17.59MJ/kg - 1 cup=98g=412kcal/cup

Weight of kitten	0.5kg (1.1 lbs)	1kg (2.2 lbs)	1.5kg (3.3 lbs)	2kg (4.4 lbs)	2.5kg (5.5 lbs)	3kg (6.6 lbs)	4kg (8.8 lbs)
weaning	25-40g (0.25-0.50c)	20-40g (0.25-0.50c)	-	-	-	-	-
1-3 months	25-28g (0.25-0.33c)	35-45g (0.33-0.50c)	55-65g (0.50-0.66c)	60-70g (0.66c)	-	-	-
4-6 months	20-25g (0.25c)	35-40g (0.33-0.50c)	45-55g (0.50c)	55-60g (0.50-0.66c)	60-65g (0.66c)	65-70g (0.66c)	70-80g (0.75c)
7-12 months	-	-	38-55g (0.33-0.50c)	45-55g (0.50c)	55-60g (0.55-0.66c)	60-65g (0.66c)	65-75g (0.66-0.75c)


The recommended amount in the table are indicative and require an adjustment in order to get the optimal body weight. The dose can be divided into 2 daily meals or more. It is recommended to always leave fresh water at will.



COMPLETE FOOD FOR ADULT CATS



HERRING & ORANGE FELINE FORMULA



98% of the protein is animal origin
0% artificial preservatives
0% grains



HERRING FROM NORTH SEA.



HIGH ANIMAL PROTEIN LEVEL.



INTEGRATIONS FROM FRUIT AND VEGETABLES.



CONTAINS BOTANICAL ESSENCES.

Composition:

herring (32%), dehydrated herring protein (30%), sweet potato, fish oil (from herring), dried eggs, pea fibre, dried carrot, alfalfa meal, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried sweet orange (0.5%), dried apple, dried pomegranate, dried spinach, psyllium husks and seeds (0.3%), dried blueberry, sodium chloride, dried brewers' yeast, turmeric (0.2%), aloe vera extract.

Analytical constituents

crude protein 44.00%; crude fat 20.00%; crude fibres 1.80%; moisture 8.00%; crude ash 8.50%; Calcium 1.00%; Phosphorus 0.90%; Magnesium 0.08%; Omega-6 3.10%; Omega-3 1.40%; DHA 0.80%; EPA 0.50%.

Additives per kg

Nutritional additives: Vitamin A 18000IU; Vitamin D3 1200IU; Vitamin E 600mg; Vitamin C 300mg; Niacin 150mg; Calcium D-pantothenate 50mg; Vitamin B2 20mg; Vitamin B6 8.1mg; Vitamin B1 10mg; Biotin 1.5mg; Folic acid 1.5mg; Vitamin B12 0.1mg; Choline chloride 2500mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.80mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.60mg; Iron (Iron(II) chelate of glycine hydrate): 58.30mg; Copper (Copper chelate of hydroxy analogue of methionine 15.80mg; DL-methionine, technically pure 5000mg; Taurine 4000mg; L-carnitine 300mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.



	300g	1,5kg	5kg	10kg
available in size	✓	✓	✓	✓

Feeding guide For adult cat
Calorie Content (calculated) at a moisture of 6%: M.E. (CEN) 4204kcal/kg - 17.59MJ/kg - 1 cup = 98g = 412kcal/cup

Weight of adult cat	2kg (4.4 lbs)	2.5kg (5.5 lbs)	3kg (6.6 lbs)	3.5kg (7.7 lbs)	4kg (8.8 lbs)	4.5kg (9.9 lbs)	5kg (11 lbs)	5.5kg (12.1 lbs)	6kg (13.2 lbs)	6.5kg (14.3 lbs)
Min-Max Recommended Daily Quantity	22-36g (0.25-0.33c)	25-42g (0.25-0.50c)	28-48g (0.25-0.50c)	32-52g (0.33-0.50c)	35-58g (0.33-0.66c)	38-62g (0.33-0.66c)	40-66g (0.50-0.66c)	42-70g (0.50-0.75c)	45-75g (0.50-0.75c)	48-80g (0.50-0.75c)

The recommended amount in the table are indicative and require an adjustment in order to get the optimal body weight. The dose can be divided into 2 daily meals or more. It is recommended to always leave fresh water at will.




COMPLETE FOOD FOR ADULT CATS



HERRING, PUMPKIN & ORANGE

FELINE FORMULA



96%
of the protein is
animal origin

0%
artificial preservatives

0%
grains



HERRING FROM NORTH SEA.



PUMPKIN, RICH IN SOLUBLE FIBER AND ANTIOXIDANTS.



INTEGRATIONS FROM FRUIT AND VEGETABLES.



CONTAINS BOTANICAL ESSENCES.

Composition:

herring (32%), dehydrated herring protein (30%), pea starch, fish oil (from herring), dried pumpkin (5%), dried eggs, dried carrot, alfalfa meal, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried sweet orange (0.5%), dried pomegranate, dried spinach, psyllium husks and seeds (0.3%), dried blueberry, dried apple, sodium chloride, dried brewers' yeast, turmeric (0.2%), aloe vera extract.

Analytical constituents

crude protein 44.00%; crude fat 20.00%; crude fibres 1.80%; moisture 8.00%; crude ash 8.70%; Calcium 1.00%; Phosphorus 0.90%; Omega-6 3.10%; Omega-3 1.40%; DHA 0.80%; EPA 0.50%.

Additives per kg

Nutritional additives: Vitamin A 18000IU; Vitamin D3 1200IU; Vitamin E 600mg; Vitamin C 300mg; Niacin 150mg; Calcium D-pantothenate 50mg; Vitamin B2 20mg; Vitamin B6 8.1mg; Vitamin B1 10mg; Biotin 1.5mg; Folic acid 1.5mg; Vitamin B12 0.1mg; Choline chloride 2500mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.80mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.60mg; Iron [Iron(II) chelate of glycine hydrate]: 58.30mg; Copper (Copper chelate of hydroxy analogue of methionine 15.80mg; DL-methionine, technically pure 5000mg; Taurine 4000mg; L-carnitine 300mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.



available in size 300g 1,5kg 5kg

Feeding guide	Calorie Content (calculated) at a moisture content of 6%: M.E. (CEN) 4197kcal/kg - 17.56MJ/kg - 1 cup = 98g = 411kcal/cup									
	Weight of adult cat	2kg (4.4 lbs)	2.5kg (5.5 lbs)	3kg (6.6 lbs)	3.5kg (7.7 lbs)	4kg (8.8 lbs)	4.5kg (9.9 lbs)	5kg (11 lbs)	5.5kg (12.1 lbs)	6kg (13.2 lbs)
Min-Max Recommended Daily Quantity	22-36g 0.25-0.33c	25-42g 0.25-0.50c	28-48g 0.25-0.50c	32-52g 0.33-0.50c	35-58g 0.33-0.66c	38-62g 0.33-0.66c	40-68g 0.50-0.66c	42-72g 0.50-0.75c	45-76g 0.50-0.75c	48-80g 0.50-0.75c

The recommended amount in the table are indicative and require an adjustment in order to get the optimal body weight. The dose can be divided into 2 daily meals or more. It is recommended to always leave fresh water at will.



COMPLETE FOOD FOR ADULT CATS



COD, SPELT, OATS & ORANGE

FELINE FORMULA



94%
of the protein is
animal origin

0%
artificial preservatives

0%
corn



COD FROM NORTH SEA.



ANCESTRAL CEREALS SUPPORT THE GLYCAEMIC CONTROL.



INTEGRATIONS FROM FRUIT AND VEGETABLES.



CONTAINS BOTANICAL ESSENCES.

Composition:

cod (27%), dehydrated cod protein (26%), fish oil (from herring), spelt (10%), oats (10%), dried beet pulp, dried carrot, alfalfa meal, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried sweet orange (0.5%), dried apple, dried pomegranate, dried spinach, psyllium husks and seeds (0.3%), dried blueberry, sodium chloride, dried brewers' yeast, turmeric (0.2%), aloe vera extract.

Analytical constituents

Crude protein 36.00%; crude fat 20.00%; crude fibres 1.90%; moisture 8.00%; crude ash 8.00%; Calcium 1.00%; Phosphorus 0.90%; Magnesium 0.08%; Omega-6 1.80%; Omega-3 2.50%; DHA 1.10%; EPA 0.80%.

Additives per kg

Nutritional additives: Vitamin A 18000IU; Vitamin D3 1200IU; Vitamin E 600mg; Vitamin C 300mg; Niacin 150mg; Calcium D-pantothenate 50mg; Vitamin B2 20mg; Vitamin B6 8.1mg; Vitamin B1 10mg; Biotin 1.5mg; Folic acid 1.5mg; Vitamin B12 0.1mg; Choline chloride 2500mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.80mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.60mg; Iron [Iron(II) chelate of glycine hydrate]: 58.30mg; Copper (Copper chelate of hydroxy analogue of methionine 15.80mg; DL-methionine, technically pure 5000mg; Taurine 4000mg; L-carnitine 300mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.



available in size 300g 1,5kg 5kg

Feeding guide	Calorie Content (calculated) at a moisture content of 6%: M.E. (CEN) 4168kcal/kg-17.44MJ/kg - 1 cup = 93g = 387kcal/cup									
	Weight of adult cat	2kg (4.4 lbs)	2.5kg (5.5 lbs)	3kg (6.6 lbs)	3.5kg (7.7 lbs)	4kg (8.8 lbs)	4.5kg (9.9 lbs)	5kg (11 lbs)	5.5kg (12.1 lbs)	6kg (13.2 lbs)
Min-Max Recommended Daily Quantity	22-36g 0.25-0.33c	25-42g 0.25-0.50c	28-48g 0.33-0.50c	32-52g 0.33-0.50c	35-58g 0.33-0.66c	38-62g 0.33-0.66c	40-66g 0.50-0.66c	42-70g 0.50-0.75c	45-75g 0.50-0.75c	48-80g 0.50-0.75c

The recommended amount in the table are indicative and require an adjustment in order to get the optimal body weight. The dose can be divided into 2 daily meals or more. It is recommended to always leave fresh water at will.



COMPLETE FOOD FOR ADULT NEUTERED CATS



NEUTERED Herring & Orange

FELINE FORMULA



96% of the protein is animal origin
0% artificial preservatives
0% grains

- HERRING FROM NORTH SEA.
- HIGH ANIMAL PROTEIN LEVEL.
- INTEGRATIONS FROM FRUIT AND VEGETABLES.
- CONTAINS BOTANICAL ESSENCES.

Composition:

herring (34%), dehydrated herring protein (32%), sweet potato, dried eggs, fish oil (from herring), dried beet pulp, dried carrot, alfalfa meal, inulin, fructo-oligosaccharides, yeast extract (source of manno-oligo-saccharides), dried sweet orange (0.5%), dried apple, dried pomegranate, dried spinach, psyllium husks and seeds, dried blueberry, sodium chloride, dried brewers' yeast, turmeric (0.2%), aloe vera extract.

Analytical constituents

crude protein 46.00%; crude fat 11.00%; crude fibres 5.10%; moisture 8.00%; crude ash 8.90%; Calcium 1.00%; Phosphorus 0.90%; Magnesium 0.08%; Omega-6 1.80%; Omega-3 0.60%; DHA 0.35%; EPA 0.15%.

Additives per kg

Nutritional additives: Vitamin A 18000IU; Vitamin D3 1200IU; Vitamin E 600mg; Vitamin C 300mg; Niacin 150mg; Calcium D-pantothenate 50mg; Vitamin B2 20mg; Vitamin B6 8.1mg; Vitamin B1 10mg; Biotin 1.5mg; Folic acid 1.5mg; Vitamin B12 0.1mg; Choline chloride 2800mg; Beta-carotene 1.5mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 163.8mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 64.6mg; Iron [Iron(II) chelate of glycine hydrate]: 58.3mg; Copper (Copper chelate of hydroxy analogue of methionine): 15.8mg; DL-methionine, technically pure 5000mg; Taurine 5000mg; L-carnitine 400mg. Sensory additives: green tea extract 100mg; rosemary extract. Antioxidants: tocopherol extracts from vegetable oils.



available in size 300g 1.5kg 5kg

Weight of adult cat	Calorie Content (calculated) at a moisture of 6%: M.E. (CEN) 3643kcal/kg - 15.24MJ/kg - 1 cup=98g=357kcal/cup									
	2kg (4.4 lbs)	2.5kg (5.5 lbs)	3kg (6.6 lbs)	3.5kg (7.7 lbs)	4kg (8.8 lbs)	4.5kg (9.9 lbs)	5kg (11 lbs)	5.5kg (12.1 lbs)	6kg (13.2 lbs)	6.5kg (14.3 lbs)
Min-Max Recommended Daily Quantity	25-33g 0.25-0.33c	30-40g 0.33-0.50c	32-44g 0.33-0.50c	36-48g 0.33-0.50c	40-52g 0.33-0.50c	42-56g 0.50-0.66c	45-60g 0.50-0.66c	48-65g 0.50-0.66c	52-68g 0.50-0.66c	56-72g 0.50-0.75c

The recommended amount in the table are indicative and require an adjustment in order to get the optimal body weight. The dose can be divided into 2 daily meals or more. It is recommended to always leave fresh water at will.



COMPLETE FOOD FOR KITTENS AND GESTATING OR BREASTFEEDING QUEENS



TUNA, COD, SHRIMP & PUMPKIN KITTEN

FELINE FORMULA



- ANIMAL PROTEIN EXCLUSIVELY FROM SELECT FISH AND SEAFOOD.
- MADE WITHOUT GUMS, GUAR OR CARRAGEENAN.
- COMPLETE WET FOOD.
- GENTLY STEAMED ONLY ONCE.

Composition:

tuna steak (50%), cod fillet (10%), salmon fillet, pumpkin (5%), shrimp (5%), fish oil, animal fat, fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals.

Analytical constituents

moisture 75.00%; crude protein 15.50%; crude fat 4.00%; crude fibres 0.50%; crude ash 3.90%.

Additives per kg

Nutritional additives: Vitamin A 5600IU; Vitamin D3 370IU; Vitamin E 185mg; Choline chloride 584mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 41.4mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 7.8mg; Iron [Iron(II) chelate of glycine hydrate]: 19.6mg; Copper (Copper chelate of hydroxy analogue of methionine): 3.3mg; DL-methionine, technically pure 1750mg; Taurine 935mg; L-carnitine 58mg.

Instruction for use: see table. Individual needs vary and feeding should be adjusted as required to maintain your pet at a lean, healthy body weight. Initially it is advisable to mix N&D with the previously used diet. Feed your pets with a daily amount of food divided into at least two separate meals. Serve at room temperature. Always leave fresh and clean water available. Once the can has been opened, keep refrigerated and use within 48 hours.

available in size 80g All Breed

Weight of adult cat	Calorie Content M.E. (CEN) M.E. 1022kcal/kg - 4.28MJ/kg - 81.80 kcal/can (80g)									
	0.5kg	1kg	1.5kg	2kg	2.5kg	3kg	3.5kg	4kg	5kg	6kg
RDA in g	120g	195g	255g	280g	290g	325g	360g	395g	460g	520g
1can = 80g	1 1/2	2 1/2	3 1/4	3 1/2	3 2/3	4	4 1/2	5	5 3/4	6 1/2





COMPLETE FOOD FOR ADULT CATS



TUNA, COD, SHRIMP & PUMPKIN

FELINE FORMULA



ANIMAL PROTEIN EXCLUSIVELY FROM SELECT FISH AND SEAFOOD.



MADE WITHOUT GUMS, GUAR OR CARRAGEENAN.



COMPLETE WET FOOD.



GENTLY STEAMED ONLY ONCE.



Composition:

tuna steak (60%), cod fillet (5%), pumpkin (5%), shrimp (5%), fish oil, animal fat, fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals.



Analytical constituents

moisture 76.00%; crude protein 15.00%; crude fat 4.00%; crude fibres 0.70%; crude ash 3.50%.

Additives per kg

Nutritional additives: Vitamin A 4800IU; Vitamin D3 320IU; Vitamin E 160mg; Choline chloride 501mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; DL-methionine, technically pure 1500mg; Taurine 800mg; L-carnitine 50mg.

Instruction for use: see table. Individual needs vary and feeding should be adjusted as required to maintain your pet at a lean, healthy body weight. Initially it is advisable to mix N&D with the previously used diet. Feed your pets with a daily amount of food divided into at least two separate meals. Serve at room temperature. Always leave fresh and clean water available. Once the can has been opened, keep refrigerated and use within 48 hours.

available in size All Breed 80g

Feeding guide	Calorie Content M.E. (CEN) M.E. 987 kcal/kg - 4.13MJ/kg - 79.00 kcal/can (80g)									
Weight of adult cat	2kg	2.5kg	3kg	3.5kg	4kg	4.5kg	5kg	5.5kg	6kg	6.5kg
RDA in g	160g	185g	210g	235g	255g	275g	300g	320g	335g	355g
1can = 80g	2	2 1/3	2 2/3	3	3 1/4	3 1/2	3 3/4	4	4 1/4	4 1/2



COMPLETE FOOD FOR ADULT CATS



TUNA & SALMON

FELINE FORMULA



ANIMAL PROTEIN EXCLUSIVELY FROM SELECT FISH AND SEAFOOD.



MADE WITHOUT GUMS, GUAR OR CARRAGEENAN.



COMPLETE WET FOOD.



GENTLY STEAMED ONLY ONCE.



Composition:

tuna steak (60%), salmon fillet (10%), fish oil, animal fat, fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals.



Analytical constituents

moisture 76.00%; crude protein 15.00%; crude fat 4.00%; crude fibres 0.40%; crude ash 3.30%.

Additives per kg

Nutritional additives: Vitamin A 4800IU; Vitamin D3 320IU; Vitamin E 160mg; Choline chloride 501mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; DL-methionine, technically pure 1500mg; taurine 800mg; L-Carnitine 50mg.

Instruction for use: see table. Individual needs vary and feeding should be adjusted as required to maintain your pet at a lean, healthy body weight. Initially it is advisable to mix N&D with the previously used diet. Feed your pets with a daily amount of food divided into at least two separate meals. Serve at room temperature. Always leave fresh and clean water available. Once the can has been opened, keep refrigerated and use within 48 hours.

available in size All Breed 80g

Feeding guide	Calorie Content M.E. (CEN) M.E. 954 kcal/kg - 3.99MJ/kg - 76.30 kcal/can (80g)									
Weight of adult cat	2kg	2.5kg	3kg	3.5kg	4kg	4.5kg	5kg	5.5kg	6kg	6.5kg
RDA in g	165g	195g	220g	240g	265g	285g	310g	330g	350g	365g
1can = 80g	2	2 1/2	2 3/4	3	3 1/3	3 1/2	3 3/4	4	4 1/3	4 1/2





COMPLETE FOOD FOR ADULT CATS



TUNA, SARDINE & SHRIMP

FELINE FORMULA



ANIMAL PROTEIN EXCLUSIVELY FROM SELECT FISH AND SEAFOOD.



MADE WITHOUT GUMS, GUAR OR CARRAGEENAN.



COMPLETE WET FOOD.



GENTLY STEAMED ONLY ONCE.



Composition:

tuna steak (55%), sardine (10%), shrimp (5%), fish oil, animal fat, fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals.



Analytical constituents

moisture 76.00%; crude protein 15.00%; crude fat 4.00%; crude fibres 0.40%; crude ash 3.30%.

Additives per kg

Nutritional additives: Vitamin A 4800IU; Vitamin D3 320IU; Vitamin E 160mg; Choline chloride 501mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; DL-methionine, technically pure 1500mg; Taurine 800mg; L-carnitine 50mg.

Instruction for use: see table. Individual needs vary and feeding should be adjusted as required to maintain your pet at a lean, healthy body weight. Initially it is advisable to mix N&D with the previously used diet. Feed your pets with a daily amount of food divided into at least two separate meals. Serve at room temperature. Always leave fresh and clean water available. Once the can has been opened, keep refrigerated and use within 48 hours.

available in size All Breed 80g

Feeding guide	Calorie Content M.E. (CEN) M.E. 1009 kcal/kg - 4.22MJ/kg - 80.70 kcal/can (80g)									
Weight of adult cat	2kg	2.5kg	3kg	3.5kg	4kg	4.5kg	5kg	5.5kg	6kg	6.5kg
RDA in g	155g	180g	205	230	250	270	290	310	330	245
1can = 80g	2	2 1/4	2 1/2	2 3/4	3	3 1/3	3 2/3	3 3/4	4	4 1/3



COMPLETE FOOD FOR ADULT CATS



TUNA & SHRIMP

FELINE FORMULA



ANIMAL PROTEIN EXCLUSIVELY FROM SELECT FISH AND SEAFOOD.



MADE WITHOUT GUMS, GUAR OR CARRAGEENAN.



COMPLETE WET FOOD.



GENTLY STEAMED ONLY ONCE.



Composition:

tuna steak (65%), shrimp (5%), fish oil, animal fat, fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals.



Analytical constituents

moisture 75.00%; crude protein 15.50%; crude fat 4.00%; crude fibers 0.40%; crude ash 2.80%.

Additives per kg

Nutritional additives: Vitamin A 4800IU; Vitamin D3 320IU; Vitamin E 160mg; Choline chloride 501mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; DL-methionine, technically pure 1500mg; Taurine 800mg; L-carnitine 50mg.

Instruction for use: see table. Individual needs vary and feeding should be adjusted as required to maintain your pet at a lean, healthy body weight. Initially it is advisable to mix N&D with the previously used diet. Feed your pets with a daily amount of food divided into at least two separate meals. Serve at room temperature. Always leave fresh and clean water available. Once the can has been opened, keep refrigerated and use within 48 hours.

available in size All Breed 80g

Feeding guide	Calorie Content M.E. (CEN) M.E. 1066 kcal/kg - 4.46MJ/kg - 85.30 kcal/can (80g)									
Weight of adult cat	2kg	2.5kg	3kg	3.5kg	4kg	4.5kg	5kg	5.5kg	6kg	6.5kg
RDA in g	150g	180g	195g	215g	235g	255g	275g	290g	310g	330g
1can = 80g	1 3/4	2 1/4	2 1/2	2 2/3	3	3 1/4	3 1/2	3 2/3	3 3/4	4



COMPLETE FOOD FOR ADULT CATS



TUNA, SQUID & SHRIMP

FELINE FORMULA



ANIMAL PROTEIN EXCLUSIVELY FROM SELECT FISH AND SEAFOOD.



MADE WITHOUT GUMS, GUAR OR CARRAGEENAN.



COMPLETE WET FOOD.



GENTLY STEAMED ONLY ONCE.



Composition:

tuna steak (55%), squid (10%), shrimp (5%), fish oil, animal fat, fructo-oligosaccharides, chondroitin sulphate, glucosamine, vitamins, minerals.



Analytical constituents

moisture 76.00%; crude protein 15.00%; crude fat 4.00%; crude fibres 0.40%; crude ash 3.30%.

Additives per kg

Nutritional additives: Vitamin A 4800IU; Vitamin D3 320IU; Vitamin E 160mg; Choline chloride 501mg; Zinc (Zinc chelate of hydroxy analogue of methionine): 36mg; Manganese (Manganese chelate of hydroxy analogue of methionine): 6.8mg; Iron [Iron(II) chelate of glycine hydrate]: 16.8mg; Copper (Copper chelate of hydroxy analogue of methionine): 2.9mg; DL-methionine, technically pure 1500mg; Taurine 800mg; L-carnitine 50mg.

Instruction for use: see table. Individual needs vary and feeding should be adjusted as required to maintain your pet at a lean, healthy body weight. Initially it is advisable to mix N&D with the previously used diet. Feed your pets with a daily amount of food divided into at least two separate meals. Serve at room temperature. Always leave fresh and clean water available. Once the can has been opened, keep refrigerated and use within 48 hours.

available in size 80g
 All Breed

Feeding guide	Calorie Content M.E. (CEN) M.E. 1109kcal/kg - 4.64MJ/kg - 88.70 kcal/can (80g)									
Weight of adult cat	2kg	2.5kg	3kg	3.5kg	4kg	4.5kg	5kg	5.5kg	6kg	6.5kg
RDA in g	155g	180g	205g	230g	250g	270g	290g	310g	330g	345g
1can = 80g	2	2 1/4	2 1/2	2 3/4	3	3 1/3	3 2/3	3 3/4	4	4 1/3





N&D Natural



Natural TUNA

Composition
yellowfin tuna (70%), fish broth.

Analytical constituents
moisture 80.00%; crude protein 16.00%; crude fat 0.40%; crude fibres 0.50%; crude ash 1.00%; Calcium 0.10%; Phosphorus 0.03%.



Natural CHICKEN

Composition
chicken fillet (70%), chicken broth.

Analytical constituents
moisture 77.50%; crude protein 18.00%; crude fat 1.50%; crude fibres 0.50%; crude ash 2.00%; Calcium 0.10%; Phosphorus 0.03%.



Natural TUNA & CHICKEN

Composition
yellowfin tuna (50%), chicken fillet (20%), fish and chicken broth.

Analytical constituents
moisture 78.50%; crude protein 16.50%; crude fat 1.20%; crude fibres 0.50%; crude ash 1.20%; Calcium 0.10%; Phosphorus 0.03%.

Instruction for use: this product is intended for intermittent or supplementary feeding only and provides around the 25% of recommended daily calorie intake for a cat of 4kg body weight. In order to maintain complete and balanced daily meal it is recommended to use alongside with other complete wet or dry food. Always leave fresh and clean water available.

available in size **80g** 
All Breed



N&D Natural



Natural TUNA & SALMON

Composition
yellowfin tuna (50%), salmon fillet (20%), fish broth.

Analytical constituents
moisture 80.00%; crude protein 15.50%; crude fat 2.00%; crude fibres 0.50%; crude ash 1.20%; Calcium 0.10%; Phosphorus 0.03%.



Natural TUNA & SHRIMP

Composition
yellowfin tuna (65%), whole shrimp (5%), fish broth.

Analytical constituents
moisture 80.00%; crude protein 16.00%; crude fat 0.40%; crude fibres 0.50%; crude ash 1.00%; Calcium 0.10%; Phosphorus 0.03%.

Instruction for use: this product is intended for intermittent or supplementary feeding only and provides around the 25% of recommended daily calorie intake for a cat of 4kg body weight. In order to maintain complete and balanced daily meal it is recommended to use alongside with other complete wet or dry food. Always leave fresh and clean water available.

available in size **80g** 
All Breed



N&D QUINOA



canine formula



Digestion
Lamb, Quinoa, Fennel,
Mint & Artichoke



Digestion



Weight Management
Lamb, Quinoa, Broccoli & Asparagus



Weight Management
Lamb



Herring, Quinoa,
Coconut & Turmeric



Skin & Coat
Herring & Coconut



Venison, Quinoa,
Coconut & Turmeric



Skin & Coat
Venison & Coconut



Duck, Quinoa,
Coconut & Turmeric



Skin & Coat
Duck & Coconut



Quail, Quinoa,
Coconut & Turmeric



Skin & Coat
Quail & Coconut



Duck, Quinoa, Broccoli
& Asparagus



DIGESTION



WEIGHT
MANAGEMENT



URINARY



SKIN & COAT



NEUTERED

N&D QUINOA




feline formula



Digestion
Lamb, Quinoa, Fennel & Mint



Digestion



Weight Management
Lamb, Quinoa, Broccoli
and asparagus



Weight Management
Lamb



Urinary - Duck, Quinoa,
Cranberry and Chamomile




Urinary



Herring, Quinoa,
Coconut & Turmeric




Skin & Coat
Herring & Coconut



Venison, Quinoa,
Coconut & Turmeric



Skin & Coat
Venison & Coconut



Duck, Quinoa,
Coconut & Turmeric



Skin & Coat
Duck & Coconut



Quail, Quinoa,
Coconut & Turmeric












Skin & Coat
Quail & Coconut



Duck, Quinoa, Broccoli
& Asparagus




	STARTER PUPPY	PUPPY	ADULT								SPECIAL CARE	SENIOR	
		 Chicken and Pomegranate 	 Lamb and Blueberry 	 Chicken and Pomegranate 	 Wild Boar and Apple 								
	 Lamb and Blueberry 	 Chicken and Pomegranate 	 Lamb and Blueberry 	 Chicken and Pomegranate 	 Lamb and Blueberry 	 Chicken and Pomegranate 	 Wild Boar and Apple 	 Venison and Pumpkin 	 Duck and Pumpkin 	 Quail and Pumpkin 			
	 Chicken and Pomegranate 	 Lamb and Blueberry 	 Chicken and Pomegranate 	 Lamb and Blueberry 	 Chicken and Pomegranate 	 Wild Boar and Apple 	 Selection Chicken and Pomegranate 				 Light Chicken and Pomegranate 	 Chicken and Pomegranate 	
		 Cod, Pumpkin and Cantaloupe Mellon 	 Cod and Pumpkin 	 Herring and Orange 	 Cod, Pumpkin and Orange 	 Cod, Spelt, Oats and Orange 	 Salmon, Cod and Cantaloupe Melon 	 Cod & Pumpkin 	 Herring & Shrim 	 Salmon & Cod 	 Cod & Squid 	 Trout & Salmon 	

KITTEN

ADULT

SPECIAL CARE



Chicken and Pomegranate



Chicken and Pomegranate



Lamb and Blueberry



Wild Boar and Apple



Neutered Chicken and Pomegranate



Duck, Pumpkin and Cantaloupe Melon



Quail, Pumpkin and Pomegranate



Venison Pumpkin and Apple

Venison and Pumpkin



Chicken, Pumpkin and Pomegranate



Lamb, Pumpkin and Blueberry



Wild Boar, Pumpkin and Apple



Duck and Pumpkin



Quail and Pumpkin



Neutered Quail, Pumpkin and Pomegranate



Neutered Lamb, Pumpkin and Blueberry



Chicken and Pomegranate



Lamb and Blueberry



Neutered Chicken and Pomegranate



Cod, Shrimp, Pumpkin and Cantaloupe Melon

Tuna, Cod, Shrimp & Pumpkin



Herring and Orange



Herring, Pumpkin and Orange



Cod, Spelt, Oats and Orange

Tuna, Cod, Shrimp & Pumpkin



Tuna, Sardine & Shrimp



Tuna & Salmon



Tuna, Squid & Shrimp



Tuna & Shrimp



Neutered Aringa e Arancia

ITALIAN

FORMULA

20211005MAPU08742



Happy pet. Happy you.

www.Farmina.com   